

New set of experimental wavenumber values for visible part of emission spectrum ($545 \div 627$ nm) of the D_2 molecule with partly resolved fine structure of triplet-triplet rovibronic transitions

B. P. Lavrov^{1,*} and I. S. Umrikhin¹

¹ *Faculty of Physics, St.-Petersburg State University,
St.-Petersburg, 198504, Russia*

New set of wavenumber values for electronic–vibro–rotational (rovibronic) transitions in limited part of the emission spectrum of the D_2 molecule ($545 \div 627$ nm) have been measured with a precision $0.007 \div 0.1$ cm^{−1} depending on the translational temperature in plasma, the signal-to-noise ratio, and the degree of overlap with adjacent spectral lines. For the first time partly resolved fine structure of the D_2 spectral lines has been observed in the visible part of the spectrum.

Introduction

Experimental studies of the D_2 spectrum have been started just after discovery of atomic deuterium [1, 2]. First reports were motivated by the problem of spectroscopic determination of the nuclear spin of deuterium [3, 4] and by appearance of the opportunity to get more information about structure of diatomic molecules NH and H_2 from spectra of their isotopic species ND [5], and HD, D_2 [6–8]. Later on studies of spectra and structure of molecular deuterium were stimulated not only by understandable general interest (an isotopomer of simplest neutral diatomic molecule — natural touchstone for theoretical models), but because of direct practical value in connection with wide use of D_2 in physical experiments and in various applications. However, our knowledge of optical spectrum of molecular deuterium is still insufficient in spite of tremendous efforts by spectroscopists over the previous century. Up to now most of spectral lines have not yet been assigned. As an example, in the latest compilation of experimental data [9] the working list of 27488 recorded lines (within the wavelength range $\approx 309 - 2780$ nm) contains only 8243 assignments.

*Electronic address: lavrov@pobox.spbu.ru

The band spectrum of the D_2 molecule is caused by both singlet–singlet and triplet–triplet radiative electronic–vibro–rotational (rovibronic) transitions¹. The intercombination lines have not yet been observed.

The most interesting resonance singlet band systems are located in vacuum ultraviolet (VUV). Measurements of wavenumbers of separate rovibronic lines and empirical determination of singlet rovibronic term values is in progress up to now [10–15]. The precision of wavenumber measurements for the D_2 rovibronic lines in VUV is now close to $0.05 - 0.1 \text{ cm}^{-1}$ [14] by conventional methods, while a laser technique achieved unprecedented accuracy of $\approx 0.006 \text{ cm}^{-1}$ [11].

The triplet transitions are responsible for a major part of light emission of ionized gases and plasma in near infrared, visible and near ultraviolet². All empirical data concerning wavenumbers and rovibronic term values of D_2 obtained by means of emission, absorption, Raman and anticrossing spectroscopy were collected, analyzed and reported in [9]. Since that time very few new experimental data about triplet rovibronic transitions of D_2 were obtained by Fourier transform infrared (FTIR) [17], IR tunable laser [18], and emission [19, 20] spectroscopy. It should be noted that at present almost all available experimental data on rovibronic line wavenumbers of the D_2 molecule were obtained by photographic recording of emission or absorption spectra.

Our recent studies [19, 20] revealed that wavenumber values for triplet rovibronic transitions reported in [9] have significant differences from values predicted by Rydberg-Ritz combination principle and our own data obtained by photoelectric recording [20]³. The minority of the differences is caused by misprints and erroneous line assignments. But vast majority of the differences are about $0.01 \div 0.1 \text{ cm}^{-1}$ and show random spread around ”synthesized” wavenumber values, calculated as differences of optimal energy level values from [19]. We suppose that they appear due to a finite precision in reading from photo plates by

¹ Well known and rather important feature of emission spectra of diatomic hydrogen isotopomers — wide (160 – 500 nm) continuum due to spontaneous transitions from vibro–rotational levels of the bond $a^3\Sigma_g^+$ electronic state to the repulsive $b^3\Sigma_u^+$ state — is out of the scope of present paper because it can’t be used for determination of rovibronic term values.

² Bands located in visible part of spectrum are especially interesting because they are often used for spectroscopic diagnostics of non-equilibrium plasmas (see e.g. [16]).

³ The same situation was earlier observed for rovibronic transition wavelength values from [21] in the H_2 spectrum, see e.g. the spread of experimental points on the fig.3 in [22].

microphotometric comparators, round-up errors in calculating the wavenumber values from measured in air wavelengths, and shifts of the photographic density maxima for blended lines relative to an actual position of the line centers. This random spread of available wavenumber values together with absence of reliable error bars for each value seriously limited determination of rovibronic term values by means of optimization method [23] when it was applied for an analysis of triplet rovibronic transitions of the D_2 molecule in [19].

Therefore we decided to start systematic studies of visible part of emission spectra of the D_2 molecule for obtaining more precise and more reliable wavenumber values of rovibronic transitions. The present paper reports first results for certain limited part of the spectrum.

Experimental

We used experimental setup described elsewhere [22, 24]. Emission of plasma inside molybdenum capillary located between anode and cathode of a gas discharge tube was used as a light source. The flux of radiation through a hole in an anode was focused by achromatic lens on the entrance slit of the spectrometer. Detailed description of the self-made high resolution automatic spectrometer and corresponding software was reported in [24]. The 2.65 m Ebert-Fastie spectrograph with 1800 grooves per mm diffraction grating was equipped with additional camera lens (that gives effective focus length $F = 6786 \pm 8$ mm) and computer-controlled CMOS matrix detector (22.2×14.8 mm², 1728×1152 pixels). The apparatus has linear dispersion of $0.076 \div 0.065$ nm/mm in the wavelength range 400 – 700 nm, dynamic range of measurable intensities greater than 10^4 and maximum resolving power up to 2×10^5 . However, actual resolving power in our conditions was mainly limited by Doppler broadening of the D_2 spectral lines due to small reduced mass of nuclei.

It should be emphasized once more that the overwhelming majority of data on the wavenumbers for rovibronic transitions of the D_2 molecule was obtained by photographic recording of spectra. Our way of determination of the rovibronic transition wavenumbers developed in [20, 22, 24] is based on linear response of the CMOS matrix detector on the spectral irradiance and digital intensity recording. Both things provide an extremely important advantage of our technique over traditional photographic recording with microphotometric comparator reading. It not only makes it easier to measure the relative spectral line intensities but also makes it possible to investigate the shape of the individual line profiles and,

in the case of overlap of the contours of adjacent lines (so-called blending), to carry out numerically the deconvolution operation (inverse to the convolution operation) and thus to measure the intensity and wavelength of even blended lines. As is well known, it is this blending that makes it very hard to analyze dense multiline spectra of molecular hydrogen isotopomers [9, 21]

It is known that, in the case of long-focus spectrometers, the dependence of the wavelength on the coordinate x along direction of dispersion, is close to linear in the vicinity of the center of the focal plane. It can be represented as a power series expansion over of the small parameter x/F , which in our case does not exceed 2×10^{-3} .⁴ On the other hand, the wavelength dependence of the refractive index of air $n(\lambda)$ is also close to linear inside a small enough part of the spectrum. Thus, when recording narrow spectral intervals, the product $\lambda_{vac}(x) = \lambda(x)n(\lambda(x))$ has the form of a power series of low degree. This circumstance makes it possible to calibrate the spectrometer directly in vacuum wavelengths $\lambda_{vac} = 1/\nu$, thereby avoiding the technically troublesome problem of accurate measuring the refractive index of air under the various conditions under which measurements are made.

Another peculiarity of our calibration technique is using of experimental vacuum wavelength values from [9] as standard reference data. We already mentioned above that those data show small random spread around smooth curve representing dependence of the wavelengths on positions of corresponding lines in the focal plane of the spectrometer (see e.g. [22]). Moreover those random errors are in good accordance with normal Gaussian distribution function. Thus it is possible to obtain precision for new wavenumber values better than that of the reference data due to smoothing.

To be sure that the data from [9] are free from systematic errors we have had to perform special experiments with capillary-arc lamp analogous to that described in [25] (capillary diameter $d = 1.5$ mm and current density $j = 30$ A/cm²) but filled with the $H_2 + D_2 + Ne$ mixture (1:1:2) under total pressure $P \approx 8$ Torr.

For vacuum wavelength calibration we used bright free of blending lines of the D_2 and H_2 molecules as well as Ne spectral lines with reference data from [9, 21, 26] respectively.

As an example the dependence of vacuum line wavelength on its position on CMOS

⁴ The x -coordinate actually represents small displacement from the center of the matrix detector. F is the focal length of the spectrometer mirror.




FIG. 1: Fragment of dependences of vacuum wavelengths λ_{vac} (a) and the differences $\Delta\lambda_{vac}$ (b) of the brightest D_2 , H_2 and Ne spectral lines on the coordinate (in pixels) in the focal plane of the spectrometer. Points 1 — the values for D_2 molecule from [9]; Points 2 — the values for Ne atom from [26]; Points 3 — the values for H_2 molecule from [21]. Solid line represents the approximation of experimental data.

matrix in pixels for strong unblended lines is shown on fig.1(a) for wavelength region corresponding to size of CMOS matrix. One may see that the dependence of the wavelengths for most of the lines on the coordinate is monotonic and close to rectilinear. The calibration curve of the spectrometer was obtained by the polynomial least-squares fitting of the data. Our measurements showed that, using a linear hypothesis is inadequate and a third-degree polynomial is excessive, while an approximation by a second-degree polynomial provides calibration accuracy better than 2×10^{-3} nm. Such a wavelength calibration allows us to get new experimental values for the rovibronic line wavenumbers. The differences $\Delta\lambda_{vac}$ between the new values and used reference data are shown in fig.1(b). One may see that the differences have certain spread around calibration curve, that does not exceed 0.002 nm. Thus our measurements show that experimental wavenumber values from [9, 21, 26] are in

good agreement with each other. Therefore in our studies of the D_2 spectrum the vacuum wavelength values from [9] were used as the reference data set.

Such "internal reference light source" gave us an opportunity to eliminate experimental wavenumber errors caused by the shift between a spectrum under the study and the reference spectrum from another reference light source, due to a different illumination of the grating by the different lamps (see e.g.[15]).

Results and discussion

For small regions of the spectrum (≈ 0.5 nm wide)⁵ the observed spectral intensity distribution was approximated by superposition of a certain number of Gauss or Voigt profiles with the linewidth $\Delta\nu_{obs}$ ⁶ equal for all the profiles within a spectral region under the consideration. Thus, optimal values for adjustable parameters (line centers, relative intensities and one common value of $\Delta\nu_{obs}$ for the region) were obtained by solving the reverse spectroscopic problem in the framework of maximum-likelihood principle by means of special computer program based on Levenberg-Marquardt's algorithm [27, 28].

Determination of wavenumber values for line centers (wavenumbers of rovibronic transitions) by means of the deconvolution process described above gives us an opportunity to reach much higher resolution than that predicted by the Rayleigh criterion. This fact may be illustrated by the example shown in fig.2. It represents experimental intensity distributions (hollow circles) for the same narrow wavenumber range measured under three different conditions:

- (a) Hot cathode capillary-arc discharge lamp LD2-D [29] under current density $j = 10$ A/cm² and gas temperature in plasma $T = 1500 \pm 150$ K⁷ (large Doppler width, $\Delta\nu_D = 0.22$ cm⁻¹) and the entrance slit width $\Delta X = 60$ μm four times over than the so-called normal width (large instrumental profile);

⁵ That corresponds to one third of the matrix: 550 – 600 pixels wide.

⁶ We use usual meaning for a linewidth, namely full width on half maximum (FWHM). In our case observed linewidth $\Delta\nu_{obs}$ includes both instrumental profile and that of broadening in plasma, mainly due to Doppler effect.

⁷ The temperature was obtained from the intensity distribution in Q-branch of (2-2) band of $d^3\Pi_u^- \rightarrow a^3\Sigma_g^+$ electronic transition.




FIG. 2: Fragment of the D_2 spectrum in the spectral range $17024 - 17028 \text{ cm}^{-1}$ containing $R4$, $R5$ and $R6$ spectral lines for the $(1 - 1)$ band of the $i^3\Pi_g \rightarrow c^3\Pi_u$ electronic transition. Experimental intensity J in counts is shown by open circles. Dotted lines represent Gaussian (a), (b) and Voigt (c) profiles for separate lines obtained by deconvolution, while the solid line corresponds to the total intensity obtained by summing over the components. Cases (a), (b), and (c) correspond to experimental conditions (a), (b), and (c) (see text).

(b) the same conditions in plasma as those for case (a), but the slit width $\Delta X = 15 \mu m$ close to normal (providing optimal width of the instrumental profile);

(c) cold cathode glow discharge in water cooled quartz tube under $j = 0.4 \text{ A/cm}^2$, $T = 640 \pm 50 \text{ K}$ ⁸ (smaller Doppler width $\Delta\nu_D = 0.15 \text{ cm}^{-1}$), and $\Delta X = 15 \text{ }\mu\text{m}$.

The observed line profiles for strong unblended lines in the cases (a) and (b) were close to the Gaussian shape except for insignificant far wings. Therefore, the intensity distribution was approximated by superposition of a certain number of Gaussian profiles. In the case (c) the gas temperature is lower thus the observed line profiles were determined by Doppler and instrumental broadening. Therefore the intensity distributions obtained in the experiment (c) were fitted by the superposition of a certain number of Voigt profiles.

As the result of the fitting we obtained following values of observed linewidths $\Delta\nu_{obs} = 0.38, 0.27$, and 0.18 cm^{-1} for cases (a), (b), and (c) respectively.

One may see that when resolution of optical part of the spectrometer is insufficient (case (a)) then only 3 bright lines are distinguished. Decrease of $\Delta\nu_{obs}$ in the case (b) (due to more narrow instrumental profile) makes it possible to observe that each of those lines consist of two distinguishable components having the same intensity ratio close to 2. Further decrease of $\Delta\nu_{obs}$ in the case (c) (due to smaller Doppler broadening) leads to the same values of the component wavenumbers and ratio of their intensities (see table I).

Joint analysis of splitting in such visible "doublets" (about 0.20 cm^{-1}) and relative intensities of two main components of visible "doublets" (about 2.0) show that they represent partly resolved fine structure of lines determined by triplet splitting of lower rovibronic levels of various $(1s\sigma n l \pi)^3\Lambda_g \rightarrow (1s\sigma 2p\pi)^3\Pi_u$ electronic transitions.

Present paper reports the results of two main experiments corresponding to cases (a) and (c). The results for wavelength range $545 \div 627 \text{ nm}$ are presented in Table II⁹. One may see from the table that the wavelength values obtained in our experiments differ from those collected in [9] not only quantitatively but qualitatively as well. We observed much more lines and part of them could be visible components of the fine structure of rovibronic lines. Detailed analysis of the data is now in progress and will be reported elsewhere.

Separation of observed doublets ($0.17 \pm 0.01 \text{ cm}^{-1}$) corresponds to data obtained by means

⁸ The temperature was obtained both from the intensity distribution in Q-branch of (2-2) band of $d^3\Pi_u^- \rightarrow a^3\Sigma_g^+$ electronic transition and from Doppler broadening of spectral lines.

⁹ Spectral range for experiment (a) was $400 \div 700 \text{ nm}$ thus only a part of wavenumbers obtained in this experiment is presented in Table II. Therefore we used original numbering of spectral lines for that experiment, therefore the column K_1 does not begin with a unit.

of FTIR [17] and laser [18] spectroscopy in infrared part of the spectrum. The observed ratio of intensities of these doublets is close to that calculated by Burger–Dorgello–Ornstein sum rule (2.0).

Partly resolved fine structure of spectral lines provides the opportunity to expand the existing identification of triplet rovibronic lines by detecting those doublets in experimental spectra. Within the spectral region under the study (545 ÷ 627 nm) there are more than 200 pairs of unassigned lines which may represent visible doublets of partly resolved triplet structure of rovibronic transitions between $^3\Lambda_g$ and $c^3\Pi_u^-$ electronic states of the D_2 molecule.

Obtained results reveal new opportunities for identifying the great number of currently unassigned the D_2 lines in visible part of the spectrum.

Present work was financially supported in part by the Russian Foundation for Basic Research, Grant No. 10-03-00571-a.

-
- [1] Urey H C, Brickwedde F G, and Murphy G M 1932 *Phys. Rev.* **39** 164–165
 - [2] Urey H C, Brickwedde F G, and Murphy G M 1932 *Phys. Rev.* **40** 1–15
 - [3] Lewis G N, Ashley M F 1933 *Phys. Rev.* **43** 837
 - [4] Murphy G M, Johnston H 1934 *Phys. Rev.* **45** 550
 - [5] Dieke G H, Blue R W 1933 *Phys. Rev.* **45** 395–400
 - [6] Dieke G H, Blue R W 1934 *Nature* **133** 611–612
 - [7] Dieke G H, Blue R W 1935 *Phys. Rev.* **47** 261–272
 - [8] Dieke G H 1935 *Phys. Rev.* **47** 661–665
 - [9] Freund R.S., Schiavone J.A. and Crosswhite H.M. 1985 *J. Phys. Chem. Ref. Data.* **14** 235–383
 - [10] Roudjane M, Launay F and Tchang-Brillet W-U L 2007 *J. Chem. Phys.* **127** 054307-1–6
 - [11] Roudjane M, Ivanov T I, Vieitez M O, de Lange C A, Tchang-Brillet W UL and Ubachs W 2008 *Mol. Phys.* **106** 1193–1197
 - [12] Liu J, Sprecher D, Jungen Ch, Ubachs W, and Merkt F 2010 *J. Chem. Phys.* **132** 154301-1–11
 - [13] Glass-Maujean M, Jungen Ch, Roudjane M, and Tchang-Brillet W-Ü L 2011 *J. Chem. Phys.* **134** 204305-1–14
 - [14] Dickenson G D, Ivanov T I, Ubachs W, Roudjane M, de Oliveir N, Joyeux D, Nahon L, Tchang-Brillet W-U L, Glass-Maujean M, Schmoranzner H, Knie A, Kubler S and Ehresmann

- A 2011 *Mol. Phys.* **109** 2693–2708
- [15] Roudjane M, Launay F and Tchang-Brillet W-U L 2006 *J. Chem. Phys.* **125** 214305-1–9
- [16] Röpcke J, Davies P B, Hempel F and Lavrov B P 2008 *Low Temperature Plasmas. Fundamentals, Technologies, and Techniques (2nd Edn.) (Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim)* 215–242
- [17] Dabrowski I, Herzberg G 1984 *Acta Phys. Hung.* **55** 219–28
- [18] Davies P B, Guest M A, Johnson S A 1988 *J. Chem. Phys.* **88** 2884–90
- [19] Lavrov B P and Umrikhin I S 2008 *J. Phys. B: At. Mol. Opt. Phys.* **41** 105103-1–25
- [20] Lavrov B P and Umrikhin I S 2009 *Russ. J. Phys. Chem. B* **3** 397–403
- [21] Dieke G H 1972 *The Hydrogen Molecule Wavelength Tables of G.H. Dieke* ed H M Crosswhite (New York: Wiley) p 616
- [22] Astashkevich S A, Lavrov B P, Modin A V and Umrikhin I S 2008 *Russ. J. Phys. Chem. B* **2** 16–31
- [23] Lavrov B P and Ryazanov M R 2005 *JETP Letters* **81** 371–4
- [24] Lavrov B.P., Mikhailov A.S. and Umrikhin I.S. 2011 *J. Opt. Technol.* **78** 180–6
- [25] Lavrov B P and Shishatskaya L P 1979 *Sov. J. Opt. Technol.* **46** 692–694
- [26] Saloman E B and Sansonetti C J 2004 *J. Phys. Chem. Ref. Data* **33** p 1113
- [27] Levenberg K 1944 *Quart. Appl. Math* **2** 164–168
- [28] Marquardt D 1963 *SIAM J. Appl. Math.* **11** 431–441
- [29] Greben'kov V.S., Lavrov B.P., Tyutchev M.V. 1982 *Sov. J. Opt. Technol.* **49** 115–8

TABLE I: Wavenumber values ν (in cm^{-1}) of R4, R5 and R6 lines for the $(1-1)$ band of $i^3\Pi_g^- \rightarrow c^3\Pi_u^-$ electronic transition for three experiments (a), (b) and (c) (see text). N'' — quantum number of the total angular momentum of molecule excluding spins of electrons and nuclei for lower rovibronic level of the transition. ν_s and ν_w — wavenumbers for strong and weak components of visible doublet. The uncertainties of the wavenumber determination (one SD) are shown in brackets in units of least significant digit.

N''	$\nu^{(a)}$	$\nu_s^{(b)}$	$\nu_w^{(b)}$	$\nu_s^{(c)}$	$\nu_w^{(c)}$
4	17025.12(2)	17025.14(3)	17024.96(3)	17025.13(3)	17024.96(3)
5	17026.98(2)	17027.00(3)	17026.82(3)	17026.99(3)	17026.82(4)
6	17025.69(2)	17025.70(3)	17025.52(3)	17025.70(3)	17025.53(4)

TABLE II: Experimental wavenumber values (in cm^{-1}) for rovibronic spectral lines of D_2 molecule in $545 \div 627$ nm spectral region. $\nu^{(a)}$ — hot cathode capillary-arc discharge experiment (a), ν — data from [9], $\nu^{(c)}$ — glow discharge experiment (c). The uncertainties of the wavenumber determination (one SD) are shown in brackets in units of least significant digit. K_1 and K_2 — line index for experiments (a) and (c). Assignments are taken from the Appendix C of [9].

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		18331.19	18331.28(5)	1	
6296	18330.24(6)	18330.27	18330.316(15)	2	S+ GK-2B (3-5) P1
			18329.96(3)	3	
			18329.69(5)	4	
6297	18329.57(7)	18329.54	18329.53(3)	5	
6298	18328.94(7)	18329.07	18329.082(18)	6	
			18328.79(4)	7	
6299	18328.44(8)	18328.41	18328.44(5)	8	
6300	18327.88(7)	18327.84	18327.883(16)	9	
			18327.07(2)	10	
6301	18326.88(6)	18326.78	18326.792(15)	11	S- 4E-2C (1-1) R5
		18326.78			S+ GK-2B (4-6) P1
6302	18325.91(7)	18325.85	18325.93(4)	12	
			18325.73(5)	13	
6303	18325.33(7)	18325.38	18325.36(2)	14	S+ 4E-2C (0-0) P4
6304	18324.82(7)	18324.91	18324.963(18)	15	S+ GK-2B (5-7) R4
			18324.72(3)	16	
6305	18324.32(10)		18324.33(4)	17	
			18323.87(5)	18	
			18323.53(5)	19	
6306	18323.08(9)	18323.21	18323.13(3)	20	
		18322.57	18322.72(5)	21	
			18322.05(3)	22	
6307	18321.84(7)	18321.73	18321.723(18)	23	
6308	18321.15(7)	18321.26	18321.21(2)	24	S- 3E-2B (5-12) Q2
			18321.01(5)	25	
			18320.70(3)	26	
6309	18319.91(6)	18319.89	18319.94(2)	27	
			18319.77(3)	28	
6310	18319.28(6)	18319.35	18319.37(2)	29	
			18319.11(3)	30	
6311	18318.71(7)	18318.71	18318.70(2)	31	
6312	18318.17(8)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6313	18317.68(6)	18317.68	18317.71(3)	32	
			18317.64(4)	33	
6314	18316.63(7)	18316.67	18316.68(2)	34	
			18316.50(5)	35	
6315	18316.06(8)		18316.11(4)	36	
		18315.75	18315.72(4)	37	T+ 4b-2a (2-3) P1
6316	18315.32(8)		18315.39(5)	38	
		18315.16	18315.12(3)	39	
6317	18314.56(7)	18314.65	18314.632(17)	40	
6318	18314.00(7)	18314.30	18314.24(2)	41	
		18313.86	18313.87(2)	42	
6319	18313.50(7)	18313.43	18313.43(2)	43	
			18312.89(6)	44	
6320	18312.63(7)	18312.64	18312.623(17)	45	S+ GK-2B (0-3) P1
6321	18311.23(8)	18311.25	18311.223(18)	46	
6322	18310.77(7)	18310.78	18310.788(16)	47	
6323	18309.92(6)	18309.90	18309.894(15)	48	S+ GK-2B (4-6) P2
			18309.29(5)	49	
6324	18308.99(7)	18309.00	18308.983(15)	50	S+ WW-2B (0-3) R4
		18309.00			S+ GK-2B (3-5) P2
6325	18308.38(6)	18308.37	18308.386(13)	51	T+ 3c-2a (1-0) R0
6326	18307.30(9)	18307.45	18307.44(3)	52	
6327	18306.99(8)	18307.10	18307.10(2)	53	
		18306.65	18306.65(4)	54	T+ 4c-2a (5-7) P2
6328	18305.85(7)	18305.85	18305.84(2)	55	S+ GK-2B (0-3) R4
6329	18305.14(6)		18305.18(2)	56	
		18304.88	18304.880(16)	57	S- 3E-2B (5-12) Q1
6330	18304.53(6)	18304.51	18304.530(19)	58	T- 3e-2c (2-1) P3
			18304.34(3)	59	
6331	18303.77(7)	18303.75	18303.79(2)	60	
6332	18302.10(6)	18302.06	18302.108(17)	61	
6333	18301.24(6)	18301.30	18301.283(17)	62	T+ 3d-2c (1-0) R5
		18300.89	18300.89(3)	63	
6334	18300.60(7)	18300.49	18300.53(3)	64	
6335	18299.81(7)	18299.85	18299.868(14)	65	
		18299.71	18299.59(3)	66	
6336	18299.27(7)		18299.32(6)	67	
		18299.04	18299.13(2)	68	S- 4E-2C (1-1) Q1
6337	18297.53(7)	18297.55	18297.44(4)	69	
6338	18297.02(8)	18296.92	18296.96(3)	70	
6339	18296.25(6)	18296.23	18296.27(3)	71	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			18296.22(2)	72	
			18295.93(5)	73	
6340	18295.62(8)				
6341	18295.29(7)	18295.41	18295.47(2)	74	T+ 3d-2c (1-0) Q3
			18295.26(3)	75	
			18294.95(6)	76	
6342	18294.71(7)	18294.59	18294.70(3)	77	
			18294.52(4)	78	
6343	18293.84(7)	18293.82	18293.89(2)	79	
		18293.31			
6344	18292.90(6)	18292.90	18292.907(13)	80	S+ GK-2B (4-6) P3
6345	18292.48(8)		18292.55(3)	81	
6346	18291.86(7)	18291.83	18291.87(3)	82	
			18291.45(3)	83	
6347	18291.26(7)	18291.26	18291.23(2)	84	S+ EF-2B (29-5) P6
6348	18290.89(8)	18290.91	18290.93(4)	85	
6349	18290.12(4)	18290.13	18290.16(3)	86	
			18289.96(8)	87	
6350	18289.07(3)	18289.10	18289.121(19)	88	
6351	18288.86(3)		18288.89(3)	89	
		18288.40			
6352	18287.97(2)	18288.02	18288.017(17)	90	S+ GK-2B (0-3) P2
		18288.02			S+ GK-2B (0-3) R5
6353	18287.52(3)		18287.62(4)	91	
		18287.39	18287.18(3)	92	
6354	18286.98(2)				
			18286.73(3)	93	
6355	18286.19(2)	18286.40	18286.34(3)	94	
			18286.04(3)	95	
6356	18285.728(16)	18285.79	18285.741(17)	96	
6357	18285.252(16)	18285.26	18285.267(14)	97	S- 3E-2C (4-0) P5
		18285.26			S 4D-2C (0-0) R1
6358	18284.71(4)		18284.66(3)	98	
			18284.45(3)	99	
6359	18283.89(3)	18283.90	18283.92(2)	100	
6360	18283.54(3)		18283.51(3)	101	
6361	18283.18(2)	18283.23	18283.14(3)	102	
			18282.54(4)	103	
6362	18282.37(3)	18282.36	18282.33(3)	104	
6363	18281.559(15)	18281.59	18281.595(16)	105	S- 3E-2B (3-9) Q5
			18281.38(3)	106	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		18281.16	18281.16(3)	107	T+ 4b-2a (2-3) P2
6364	18280.91(2)		18280.90(3)	108	
6365	18280.68(3)	18280.78	18280.74(2)	109	
			18280.21(4)	110	
6366	18280.03(2)	18279.97	18279.979(18)	111	S+ GK-2B (4-6) P4
6367	18279.748(19)		18279.75(2)	112	
			18279.42(5)	113	
			18279.05(5)	114	
6368	18278.609(19)		18278.63(2)	115	
6369	18278.26(2)	18278.26	18278.27(2)	116	
6370	18277.34(2)	18277.39	18277.37(2)	117	S 4D-2C (0-0) Q1
			18277.13(3)	118	
6371	18276.71(3)		18276.80(5)	119	
6372	18276.41(3)	18276.54	18276.53(2)	120	
			18276.24(3)	121	
6373	18275.990(16)	18275.99	18275.986(17)	122	S- 4E-2C (1-1) Q2
		18275.24			
6374	18274.98(3)				
			18274.83(3)	123	
6375	18274.701(17)	18274.70	18274.679(15)	124	T- 3c-2a (1-0) Q1
		18274.70			S+ 3E-2B (0-4) R3
6376	18274.25(4)				
			18273.80(4)	125	
6377	18273.35(2)		18273.46(5)	126	
			18272.41(2)	127	
6378	18271.98(2)	18272.00	18271.98(2)	128	
6379	18271.573(16)	18271.59	18271.63(3)	129	
			18271.53(3)	130	
6380	18270.97(4)	18270.78			
6381	18270.261(16)	18270.24	18270.259(18)	131	
		18269.59			
6382	18269.094(15)	18269.10	18269.089(14)	132	S+ GK-2B (5-7) R3
6383	18268.37(4)		18268.43(4)	133	
		18268.31	18268.22(3)	134	
6384	18268.06(3)	18268.13	18267.98(2)	135	
		18267.90			
6385	18267.37(2)	18267.37	18267.352(16)	136	T- 3c-2a (7-5) Q1
		18266.57			
6386	18265.95(2)				
6387	18265.57(3)	18265.72			
		18265.28			T- 3c-2a (1-0) Q2

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6388	18264.951(15)		18264.951(14)	137	
6389	18264.39(2)		18264.35(3)	138	
6390	18263.82(2)	18263.91	18263.83(3)	139	
6391	18263.44(2)	18263.48	18263.52(3)	140	
6392	18262.79(2)		18262.78(3)	141	
			18262.59(3)	142	
6393	18262.403(19)	18262.39	18262.362(19)	143	
6394	18262.10(2)	18262.11	18262.087(17)	144	S+ GK-2B (3-5) P4
6395	18261.534(17)	18261.53	18261.542(17)	145	
6396	18261.10(2)	18261.14	18261.13(2)	146	S+ WZ-2B (0-9) R2
6397	18260.215(19)	18260.13	18260.20(2)	147	
6398	18259.130(16)	18259.12	18259.192(18)	148	T- 3e-2c (2-1) P4
			18259.02(2)	149	
6399	18258.42(6)				
6400	18257.81(8)				
6401	18257.070(16)	18257.06	18257.114(15)	150	
		18256.86	18256.863(16)	151	T- 3c-2a (7-5) Q2
6402	18256.73(3)		18256.61(4)	152	
6403	18256.36(2)	18256.37	18256.395(15)	153	S 4D-2C (0-0) R2
		18256.37			S+ GK-2B (0-3) P3
6404	18255.88(3)	18256.07	18256.00(2)	154	
6405	18255.40(2)	18255.45	18255.55(2)	155	
			18255.29(3)	156	
6406	18254.65(4)				
			18253.84(4)	157	
		18253.51	18253.52(4)	158	
6407	18253.01(6)		18252.91(2)	159	
6408	18252.63(3)	18252.62	18252.669(16)	160	
6409	18251.90(6)	18252.07	18252.02(5)	161	
			18251.61(4)	162	
6410	18251.40(3)	18251.52	18251.51(3)	163	
			18251.38(4)	164	
6411	18250.63(6)				
6412	18250.36(3)	18250.38	18250.415(14)	165	T- 3c-2a (1-0) Q3
6413	18249.73(3)	18249.75	18249.773(15)	166	S+ GK-2B (5-7) R2
			18249.51(2)	167	
		18248.81			
6414	18248.28(3)	18248.29			
6415	18247.77(4)	18247.81			
		18247.35	18247.44(4)	168	
6416	18247.12(3)		18247.19(3)	169	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6417	18246.73(4)	18246.90	18246.87(2)	170	
6418	18246.26(7)	18246.50	18246.54(4)	171	
			18245.69(5)	172	
6419	18245.38(3)	18245.47	18245.48(2)	173	
			18245.24(4)	174	
6420	18244.66(3)	18244.61	18244.74(5)	175	
			18244.19(3)	176	
6421	18243.96(3)	18243.88	18243.94(2)	177	
6422	18243.35(3)	18243.49	18243.48(2)	178	
		18243.35	18243.361(19)	179	
6423	18242.72(4)		18242.78(3)	180	
			18242.63(2)	181	
6424	18242.42(3)	18242.42	18242.415(18)	182	T+ 3d-2c (1-0) Q4
		18242.42			T+ 4b-2a (2-3) P3
		18242.42			S+ GK-2B (3-5) P5
6425	18241.86(4)	18241.62			
6426	18241.05(3)	18241.09	18241.094(16)	183	T- 3c-2a (7-5) Q3
		18241.09			S+ GK-2B (5-7) R1
			18240.64(6)	184	
6427	18240.59(4)	18240.56	18240.54(3)	185	
6428	18240.28(3)	18240.27	18240.27(2)	186	S- 4E-2C (1-1) P2
		18240.27			S+ GK-2B (6-8) R4
			18239.73(3)	187	
6429	18239.41(3)	18239.38	18239.436(19)	188	S- 3E-2B (3-9) Q4
			18239.15(3)	189	
6430	18239.00(4)	18239.00	18238.97(2)	190	
6431	18238.81(4)		18238.81(2)	191	
6432	18238.23(3)	18238.27	18238.29(3)	192	
			18238.11(4)	193	
6433	18237.81(3)	18237.81	18237.81(2)	194	
6434	18236.65(3)	18236.66	18236.681(16)	195	
6435	18235.99(3)	18236.00	18236.00(3)	196	
6436	18235.20(3)	18235.24	18235.251(19)	197	S+ 3E-2B (3-9) R1
			18235.07(3)	198	
6437	18234.65(3)	18234.67	18234.653(17)	199	
		18234.16			
6438	18233.79(3)	18233.80	18233.791(17)	200	S+ GK-2B (5-7) R0
6439	18233.40(3)	18233.36	18233.43(2)	201	
6440	18233.15(4)		18233.23(3)	202	
		18232.72	18232.72(3)	203	
6441	18232.54(3)		18232.46(3)	204	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6442	18231.75(5)	18231.71			
6443	18231.03(3)	18231.03	18231.030(15)	205	T- 3c-2a (1-0) Q4
		18231.03			S- 4E-2C (2-2) R3
6444	18230.40(5)	18230.38	18230.33(4)	206	
6445	18230.00(3)	18230.04	18230.021(18)	207	S- 4E-2C (2-2) R2
6446	18229.55(4)				
6447	18228.97(3)	18229.00	18228.980(19)	208	S- 4E-2C (2-2) R4
6448	18228.56(5)	18228.52	18228.50(3)	209	
6449	18228.18(3)	18228.19	18228.171(17)	210	S+ GK-2B (6-8) R3
		18227.24			
6450	18226.83(3)	18226.83	18226.852(18)	211	
			18226.68(2)	212	
6451	18226.42(3)	18226.42	18226.38(2)	213	
		18225.77	18225.77(4)	214	
6452	18225.44(3)	18225.46	18225.45(3)	215	
6453	18224.95(5)	18225.05	18225.03(2)	216	S- 4E-2C (2-2) R1
6454	18224.60(3)	18224.57	18224.65(4)	217	S- 4E-2C (2-2) R5
			18224.50(4)	218	
6455	18224.14(3)	18224.13	18224.119(16)	219	S 4D-2C (0-0) Q2
		18224.13			S 4D-2C (0-0) R3
6456	18223.83(4)	18223.87	18223.84(2)	220	
6457	18223.31(5)	18223.26	18223.29(2)	221	
6458	18223.04(3)	18222.99	18223.02(2)	222	
6459	18222.24(5)		18222.03(5)	223	
6460	18221.76(4)	18221.71	18221.80(5)	224	
6461	18221.22(3)	18221.08	18221.24(3)	225	
6462	18220.21(3)	18220.21	18220.206(16)	226	T- 3c-2a (7-5) Q4
6463	18219.56(4)	18219.43	18219.59(2)	227	
			18219.33(4)	228	
6464	18218.02(3)	18218.00	18218.02(2)	229	S- 4E-2C (2-2) R6
6465	18217.19(3)	18217.21	18217.19(2)	230	S+ GK-2B (0-3) P4
			18216.91(4)	231	
6466	18216.36(4)	18216.31	18216.31(4)	232	S- 4E-2C (1-1) Q4
6467	18215.64(3)	18215.63	18215.642(19)	233	
6468	18214.95(5)	18215.08			S 4D-2C (0-0) P2
			18214.68(3)	234	
6469	18214.54(3)	18214.53	18214.557(18)	235	S+ GK-2B (6-8) R2
6470	18213.88(5)				
6471	18213.46(3)	18213.57	18213.62(2)	236	
			18213.43(3)	237	
6472	18212.61(2)	18212.60	18212.620(16)	238	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			18212.31(2)	239	
6473	18212.20(3)		18212.13(4)	240	
6474	18211.87(3)	18211.93	18211.88(2)	241	
6475	18211.16(3)	18211.18	18211.18(4)	242	
6476	18210.48(3)	18210.61	18210.63(3)	243	
			18210.20(2)	244	
6477	18209.75(3)	18209.74	18209.73(2)	245	
6478	18209.32(3)	18209.33	18209.40(2)	246	T- 3e-2c (2-1) P5
			18209.22(3)	247	
6479	18208.71(4)	18208.51	18208.65(5)	248	
		18207.85	18207.835(18)	249	
6480	18207.72(2)	18207.70	18207.631(16)	250	T+ 3c-2a (1-0) P2
		18207.70			S+ GK-2B (5-7) P1
6481	18207.00(2)	18207.01	18207.011(16)	251	T- 3c-2a (1-0) Q5
		18206.20			
6482	18205.78(2)	18205.81	18205.798(16)	252	S- 3E-2B (3-9) Q3
6483	18205.27(3)				
6484	18204.59(5)	18204.87			
		18204.35			
6485	18203.64(3)	18203.62	18203.640(16)	253	
6486	18202.96(2)	18202.98	18202.986(13)	254	S+ GK-2B (6-8) R1
6487	18202.41(4)		18202.50(5)	255	
		18202.06			
6488	18201.73(5)				
6489	18201.15(3)	18201.17	18201.14(3)	256	
6490	18200.68(3)	18200.70	18200.71(3)	257	
6491	18199.48(2)	18199.48	18199.461(19)	258	T+ 4b-2a (2-3) P4
6492	18198.60(3)	18198.57			
6493	18197.69(2)	18197.70	18197.71(3)	259	
		18197.36			
6494	18196.92(3)	18196.86	18196.84(2)	260	
6495	18196.40(3)				
		18196.07	18196.08(2)	261	
6496	18195.47(3)				
6497	18194.24(2)	18194.22	18194.207(19)	262	T- 3c-2a (7-5) Q5
6498	18193.71(2)	18193.72	18193.70(2)	263	
6499	18192.98(3)	18192.98	18192.93(3)	264	
6500	18192.50(4)	18192.51	18192.50(4)	265	S+ 3E-2B (3-9) R0
			18191.59(4)	266	
6501	18191.46(2)	18191.46	18191.36(3)	267	
6502	18190.56(5)	18190.58	18190.62(2)	268	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6503	18190.23(4)	18190.25 18189.97	18190.16(4)	269	S+ 3E-2B (0-4) R2
6504	18189.42(2)	18189.44	18189.449(15)	270	S 4D-2C (0-0) R4
6505	18189.05(4)	18188.86			
6506	18188.33(2)	18188.34 18188.34	18188.323(17)	271	S- 4E-2C (1-1) P3 S+ GK-2B (6-8) R0
6507	18187.55(3)	18187.42	18187.43(2)	272	
6508	18186.14(2)	18186.11	18186.112(14)	273	S+ GK-2B (5-7) P2
6509	18185.41(3)	18185.51 18185.51	18185.51(2)	274	S+ 3F-2B (2-8) R1 S- 4E-2C (2-2) Q1
			18185.293(16)	275	
6510	18184.97(4)	18184.96	18184.97(6)	276	
6511	18184.26(2)	18184.23	18184.28(2)	277	T+ 3d-2c (1-0) Q5
6512	18183.57(3)	18183.54	18183.58(3)	278	
6513	18182.58(3)	18182.78			S- 4E-2C (1-1) Q5
6514	18181.91(6)		18181.58(3)	279	
6515	18181.24(3)	18181.14	18181.18(3)	280	
6516	18180.67(3)	18180.67	18180.680(16) 18180.40(2)	281 282	S- 3E-2B (3-9) Q2
6517	18180.11(6)	18180.00			
6518	18179.56(4)	18179.56	18179.58(2)	283	
6519	18179.10(4)	18179.13 18178.85	18179.34(5)	284	
6520	18178.42(2)	18178.38	18178.410(13)	285	T- 3c-2a (1-0) Q6
6521	18177.86(3)		18177.91(2) 18177.74	286 287	
6522	18177.26(2)		18177.32(3) 18177.18	288 289	
			18176.85	290	
6523	18176.29(2)	18176.31	18176.298(18)	291	
6524	18175.52(4)	18175.53			
6525	18174.70(4)				
		18174.34			T+ 3d-2c (1-0) P4
6526	18174.03(3)	18173.99	18174.07(3) 18173.85(4)	292 293	S- 3E-2B (0-4) Q6
6527	18173.39(4)	18173.37 18172.55	18173.38(2)	294	
6528	18171.99(3)	18172.04 18171.30			
			18171.32(3)	295	
6529	18171.10(3)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6530	18170.68(3)	18170.50			
6531	18169.93(2)	18169.91 18168.95	18169.94(2)	296	S+ GK-2B (0-3) P5
6532	18168.61(5)				
6533	18168.33(4)	18168.29 18167.49	18168.13(3)	297	
6534	18167.12(4)				
6535	18166.76(2)	18166.75	18166.76(2)	298	
6536	18166.42(3)	18166.46	18166.43(3)	299	
6537	18165.37(3)	18165.37	18165.36(3)	300	S 4D-2C (0-0) Q3
6538	18164.73(2)	18164.76	18164.752(19)	301	T+ 3c-2a (1-0) P3
6539	18164.00(2)	18163.98	18163.99(2)	302	S- 3E-2B (3-9) Q1
6540	18163.30(2)	18163.34	18163.30(2)	303	
6541	18162.84(2)	18162.87	18162.84(2)	304	
6542	18162.32(3)	18162.34	18162.36(4)	305	
6543	18161.79(2)	18161.81	18161.78(2)	306	S+ GK-2B (5-7) P3
6544	18161.13(3)	18161.05			
6545	18160.01(2)	18160.00	18159.99(2)	307	S+ 3E-2B (3-9) P3
6546	18159.24(3)	18159.23 18158.48	18159.20(3)	308	
6547	18158.06(2)	18158.07 18157.80	18158.05(2)	309	
6548	18157.07(3)	18157.07	18157.12(3)	310	
6549	18156.58(3)	18156.58	18156.56(2)	311	
6550	18156.11(3)	18156.01	18155.96(3)	312	S+ WZ-2B (0-9) P4
6551	18155.71(2)	18155.70	18155.74(3) 18155.58(3)	313 314	
6552	18155.38(3)				
6553	18154.85(3)	18154.62			
6554	18154.24(2)	18154.22	18154.22(2)	315	
6555	18153.71(4)	18153.67			
6556	18153.34(2)	18153.30	18153.35(3)	316	
6557	18152.78(2)	18152.78	18152.78(2)	317	S 4D-2C (0-0) R5
6558	18152.28(2)	18152.30 18151.79	18152.22(3)	318	
6559	18151.17(5)	18151.16	18151.16(4)	319	
6560	18150.66(3)		18150.74(4)	320	
6561	18150.38(3)	18150.51	18150.43(5)	321	
6562	18149.06(3)		18149.04(2)	322	
6563	18148.57(2)	18148.54	18148.56(3)	323	
6564	18147.90(4)	18147.82			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6565	18147.33(2)	18147.26	18147.28(2)	324	S+ 3E-2B (3-9) P2
6566	18146.46(3)	18146.53			
6567	18145.89(2)	18145.83	18145.85(2)	325	S+ GK-2B (7-9) R3
		18145.67			
6568	18145.26(2)	18145.26	18145.24(2)	326	T- 3c-2a (1-0) Q7
6569	18144.52(3)	18144.45	18144.41(6)	327	
6570	18144.16(3)	18144.12	18144.19(4)	328	
6571	18143.01(3)	18142.99			S- 4E-2C (2-2) Q3
6572	18142.38(2)	18142.39	18142.35(5)	329	
6573	18141.83(3)	18141.77	18141.82(2)	330	T+ 3d-2c (2-1) R1
6574	18141.60(3)	18141.77	18141.63(2)	331	S+ GK-2B (6-8) P2
6575	18141.21(3)	18141.16	18141.33(3)	332	
6576	18140.18(3)	18140.17	18140.21(4)	333	
6577	18139.52(2)	18139.53	18139.49(3)	334	
6578	18139.19(2)	18139.16	18139.17(2)	335	S+ GK-2B (5-7) P4
6579	18138.56(2)	18138.53	18138.55(3)	336	
6580	18138.03(5)				
6581	18137.50(3)	18137.51	18137.49(3)	337	
6582	18136.72(3)		18136.68(3)	338	
		18135.10			
6583	18134.46(3)		18134.61(3)	339	
6584	18134.08(4)	18134.20			
6585	18133.32(2)	18133.33	18133.32(3)	340	
6586	18132.91(2)	18132.94	18133.01(3)	341	
6587	18132.06(2)	18132.09	18132.09(3)	342	S- 4E-2C (1-1) P4
6588	18131.30(2)	18131.19	18131.21(5)	343	
6589	18130.15(3)	18130.30			
6590	18129.58(3)	18129.57	18129.62(4)	344	T+ 3d-2c (2-1) R2
6591	18129.29(3)		18129.37(5)	345	
			18129.09(5)	346	
6592	18128.92(4)	18128.86	18128.85(4)	347	S- 4E-2C (2-2) P2
6593	18128.49(5)	18128.49	18128.40(6)	348	
6594	18127.98(3)	18128.02	18127.98(4)	349	
6595	18127.58(2)	18127.60	18127.59(4)	350	S+ GK-2B (5-7) P5
6596	18127.29(2)	18127.30	18127.25(5)	351	
		18126.39			
6597	18125.74(2)	18125.73	18125.71(3)	352	S+ GK-2B (6-8) P3
6598	18125.19(3)	18125.01	18125.15(8)	353	
6599	18124.53(3)	18124.44	18124.50(4)	354	
6600	18124.29(2)	18124.28	18124.24(4)	355	S- 3E-2B (0-4) Q5
6601	18123.38(2)	18123.38	18123.33(6)	356	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6602	18122.85(4)				
6603	18122.18(3)	18122.17	18122.06(5)	357	
6604	18121.80(2)	18121.78	18121.79(4)	358	T+ 3d-2c (1-0) Q6
6605	18121.43(4)		18121.58(5)	359	
6606	18121.08(3)	18121.18	18121.19(5)	360	S+ 3E-2B (0-4) P5
			18120.90(5)	361	
6607	18120.59(4)	18120.51	18120.52(5)	362	
6608	18119.91(2)	18119.89	18119.87(4)	363	S- 4E-2C (3-3) R3
		18119.89			S- 4E-2C (3-3) R4
6609	18119.29(2)	18119.30	18119.27(4)	364	
		18118.80	18118.77(7)	365	
6610	18118.20(3)	18118.16			
		18117.74			
6611	18117.37(2)	18117.36	18117.34(3)	366	T+ 3c-2a (1-0) P4
		18117.36			S- 4E-2C (3-3) R5
6612	18116.89(3)		18116.89(6)	367	
6613	18116.39(3)	18116.36	18116.37(4)	368	S- 4E-2C (3-3) R2
		18115.65			
6614	18115.23(3)	18115.20	18115.19(6)	369	S+ 3E-2B (0-4) R1
6615	18114.58(2)	18114.47	18114.57(4)	370	S 4D-2C (0-0) R6
			18114.35(5)	371	
6616	18114.13(2)	18114.19	18114.14(4)	372	S+ GK-2B (0-3) P6
		18114.14			
		18113.85	18113.78(5)	373	
6617	18113.44(2)	18113.46	18113.49(4)	374	T+ 3d-2c (2-1) Q1
			18113.30(4)	375	
6618	18112.98(3)	18112.89	18112.87(4)	376	
6619	18112.00(3)	18112.12	18112.11(5)	377	
6620	18111.68(2)	18111.65	18111.73(4)	378	
			18111.51(5)	379	
6621	18111.16(3)				
		18110.92			
6622	18110.57(4)	18110.64			
6623	18109.85(3)		18109.80(4)	380	
6624	18109.63(2)	18109.66	18109.61(4)	381	T+ 3c-2a (2-1) R5
		18109.66			T+ 3d-2c (2-1) R3
			18109.48(5)	382	
6625	18109.16(2)	18109.23	18109.14(4)	383	
6626	18108.59(3)	18108.62	18108.63(5)	384	
		18108.26			S+ 3F-2B (2-8) P3
6627	18107.95(2)	18107.89	18107.94(4)	385	T+ 3c-2a (2-1) R6

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6628	18107.72(2)		18107.74(5)	386	
			18107.63(6)	387	
6629	18107.25(3)				
6630	18106.81(2)	18106.77	18106.77(4)	388	S+ GK-2B (6-8) P4
6631	18106.17(2)	18106.17	18106.17(3)	389	T+ 3c-2a (2-1) R4
			18105.89(6)	390	
6632	18105.59(4)				
		18105.25			
			18104.70(6)	391	
6633	18104.55(3)	18104.47	18104.44(5)	392	
6634	18103.82(3)	18103.84	18103.83(4)	393	S 4D-2C (0-0) Q4
		18103.17	18103.17(5)	394	
6635	18102.84(2)	18102.82	18102.81(4)	395	S+ GK-2B (7-9) R2
		18102.10			
6636	18101.60(5)	18101.61	18101.63(6)	396	
6637	18101.11(3)	18101.12	18101.13(4)	397	
6638	18100.73(3)	18100.78	18100.75(4)	398	T+ 3d-2c (2-1) P1
		18100.35	18100.37(7)	399	
		18099.20			
6639	18098.70(3)	18098.85	18098.69(4)	400	
6640	18098.45(4)		18098.52(5)	401	
		18098.33	18098.37(4)	402	
6641	18098.26(3)		18098.27(4)	403	
6642	18097.64(3)	18097.63	18097.66(3)	404	T+ 3c-2a (2-1) R3
6643	18097.21(4)		18097.26(6)	405	
6644	18096.56(5)	18096.46			
6645	18095.51(3)	18095.49	18095.59(3)	406	
			18094.70(4)	407	
6646	18094.58(3)	18094.48	18094.473(18)	408	
6647	18093.08(3)	18093.14	18093.16(2)	409	
6648	18092.04(4)	18092.10	18092.16(3)	410	T+ 3d-2c (1-0) P5
6649	18091.22(3)	18091.20	18091.263(15)	411	S+ GK-2B (7-9) R1
6650	18090.95(3)	18091.00	18091.009(18)	412	S+ GK-2B (7-9) R0
6651	18090.28(3)	18090.30	18090.309(16)	413	S+ GK-2B (6-8) P5
6652	18089.62(3)	18089.64	18089.69(4)	414	
			18089.17(4)	415	
6653	18089.08(3)	18089.06	18089.06(2)	416	T+ 3c-2a (2-1) R8
6654	18088.46(5)		18088.54(4)	417	
			18088.17(4)	418	
6655	18087.91(5)		18087.89(3)	419	
6656	18086.85(3)	18086.83	18086.74(3)	420	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		18086.16			
6657	18085.46(5)	18085.70			
		18085.21			
6658	18084.63(4)	18084.72			
6659	18084.09(3)	18084.09	18084.078(14)	421	T+ 3c-2a (2-1) R2
6660	18083.75(7)	18084.09			S- 3E-2B (0-4) Q4
		18083.88	18083.84(3)	422	
6661	18083.27(3)	18083.30	18083.236(18)	423	T+ 3d-2c (2-1) R4
6662	18082.70(3)	18082.73	18082.741(16)	424	T+ 3d-2c (2-1) Q2
		18082.73	18082.551(19)	425	S- 4E-2C (2-2) P3
		18081.55			
6663	18081.31(3)				
6664	18080.67(4)	18080.60	18080.70(3)	426	
		18079.82			
6665	18079.21(3)	18079.23	18079.18(2)	427	S 3A-2B (2-9) R3
6666	18078.25(3)	18078.26	18078.27(2)	428	
			18078.15(2)	429	
6667	18076.30(5)	18076.43			S- 3E-2C (5-1) R3
6668	18075.80(4)	18075.79	18075.75(3)	430	
6669	18075.07(3)	18075.05	18075.059(19)	431	S 4D-2C (0-0) R7
			18074.90(2)	432	
6670	18074.49(4)	18074.57	18074.46(3)	433	
6671	18073.65(3)	18073.64			
		18073.29			S- 4E-2C (1-1) P5
6672	18072.78(3)	18072.76	18072.74(2)	434	S+ GK-2B (6-8) P6
6673	18072.35(7)				
6674	18071.88(3)	18071.87	18071.83(2)	435	T+ 3c-2a (2-1) R9
6675	18071.44(3)	18071.43	18071.440(17)	436	
		18071.20	18071.28(3)	437	
6676	18071.05(4)		18071.10(2)	438	
			18070.59(4)	439	
6677	18070.36(3)	18070.29	18070.23(3)	440	S+ 3E-2B (0-4) P4
6678	18068.74(5)	18068.73			
6679	18068.28(3)				
6680	18067.78(3)	18067.66	18067.61(4)	441	S+ GK-2B (7-9) P1
		18067.66			S- 4E-2C (3-3) Q1
6681	18066.56(4)	18066.83			
		18066.38	18066.37(5)	442	
6682	18066.00(3)	18066.11	18065.98(3)	443	
6683	18065.67(3)	18065.70	18065.637(14)	444	T+ 3c-2a (2-1) R1
6684	18065.34(3)	18065.38	18065.317(14)	445	T+ 3c-2a (1-0) P5

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6685	18065.04(4)		18065.06(2)	446	
6686	18064.57(3)	18064.59			
6687	18064.03(7)				
6688	18063.42(3)	18063.41	18063.384(15)	447	S+ GK-2B (0-3) P7
6689	18062.67(4)	18062.55	18062.60(4)	448	
6690	18060.84(4)	18060.81	18060.86(4)	449	
6691	18060.20(6)	18060.30	18060.28(4)	450	
6692	18059.41(4)	18059.50			
6693	18058.82(3)	18058.80	18058.821(15)	451	
6694	18058.31(4)				
6695	18057.82(5)	18057.88	18058.01(5)	452	
6696	18057.15(3)	18057.13	18057.190(18)	453	
			18057.08(2)	454	
6697	18056.63(4)				
6698	18056.22(4)		18056.19(3)	455	
6699	18055.90(4)	18055.90	18055.92(2)	456	
6700	18055.46(4)	18055.48	18055.490(17)	457	
6701	18054.98(5)				
6702	18054.49(4)	18054.49	18054.54(2)	458	T+ 3d-2c (2-1) P2
6703	18053.95(3)	18053.95	18053.942(18)	459	
6704	18053.45(3)	18053.49	18053.491(19)	460	S- 3E-2B (0-4) Q3
6705	18052.86(4)	18052.76			S- 4E-2C (3-3) Q2
6706	18052.26(4)		18052.24(4)	461	
6707	18051.95(4)	18052.00	18051.97(3)	462	T+ 3d-2c (2-1) R5
6708	18051.47(4)	18051.42	18051.57(3)	463	S+ EF-2B (32-7) R3
6709	18050.99(4)	18051.08	18051.17(4)	464	S 3A-2B (3-11) R4
			18050.73(4)	465	
6710	18050.14(3)	18050.16	18050.14(3)	466	
6711	18049.27(3)	18049.29	18049.27(3)	467	
6712	18048.61(4)	18048.63	18048.60(4)	468	
6713	18047.77(5)	18047.66	18047.75(4)	469	
6714	18047.54(7)		18047.42(4)	470	
6715	18047.21(10)				
6716	18046.82(14)	18046.74			
6717	18046.26(4)	18046.11			
6718	18045.71(4)	18045.70	18045.70(3)	471	S+ GK-2B (7-9) P2
6719	18045.02(5)				
6720	18044.49(4)	18044.44	18044.61(3)	472	
			18044.41(4)	473	
		18044.01			
6721	18043.39(5)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6722	18043.10(5)	18043.08			
6723	18042.71(4)		18042.76(4)	474	
6724	18042.39(3)	18042.40	18042.40(2)	475	T+ 3c-2a (2-1) R0
6725	18041.97(5)				
6726	18041.53(4)	18041.51	18041.50(3)	476	T+ 3d-2c (2-1) Q3
6727	18041.37(5)	18041.51	18041.34(4)	477	S 3A-2B (2-9) R2
6728	18040.58(4)	18040.61	18040.62(4)	478	S 4D-2C (0-0) Q5
6729	18040.05(4)	18039.90			S+ EF-2B (32-7) R1
6730	18039.45(4)	18039.45	18039.45(4)	479	
6731	18038.86(4)	18038.81	18038.89(3)	480	
6732	18038.71(6)		18038.71(4)	481	
6733	18038.28(3)	18038.29	18038.29(3)	482	
			18038.19(6)	483	
6734	18037.45(5)	18037.53	18037.36(5)	484	
6735	18037.06(3)	18037.09	18037.05(2)	485	
6736	18036.62(6)	18036.74	18036.74(4)	486	T+ 3b-2a (8-2) R1
		18036.28			
6737	18035.96(5)	18035.95			
6738	18035.55(6)		18035.47(6)	487	
6739	18035.15(4)	18035.11	18035.17(4)	488	
6740	18034.85(4)	18034.82	18034.87(3)	489	
6741	18034.21(4)	18034.07			
			18033.75(4)	490	
6742	18033.66(3)	18033.63	18033.63(3)	491	
6743	18033.22(7)				
6744	18032.88(10)		18032.86(5)	492	
6745	18032.53(5)	18032.46	18032.47(3)	493	T+ 3b-2a (8-2) R0
6746	18031.74(4)	18031.79	18031.78(3)	494	S- 4E-2C (2-2) P4
6747	18031.38(4)	18031.38	18031.39(3)	495	S- 3E-2B (0-4) Q2
6748	18030.75(4)	18030.72	18030.76(4)	496	
6749	18029.85(4)	18029.64	18029.69(5)	497	S+ EF-2B (32-7) R0
6750	18029.18(4)	18029.15	18029.20(4)	498	S+ 3E-2B (0-4) P3
6751	18028.61(3)	18028.58	18028.66(2)	499	
6752	18028.37(4)		18028.50(3)	500	
		18027.96			
6753	18027.30(4)	18027.37	18027.41(3)	501	T+ 3b-2a (8-2) R2
			18027.19(3)	502	
6754	18026.55(4)	18026.55	18026.60(3)	503	S+ GK-2B (2-5) R3
6755	18025.81(5)	18026.02	18025.86(6)	504	
6756	18024.33(4)				
6757	18023.56(3)	18023.49			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6758	18022.18(2)	18022.06			
6759	18021.89(2)				
6760	18021.38(4)	18021.32			
6761	18020.564(14)	18020.59	18020.58(3)	505	S+ GK-2B (2-5) R2
6762	18020.116(12)	18020.10	18020.12(3)	506	
6763	18019.483(17)	18019.46			
6764	18019.11(3)	18019.02			
6765	18018.37(2)				
		18018.15			
6766	18017.88(2)	18017.71			
6767	18017.223(14)	18017.22	18017.24(3)	507	S- 3E-2B (0-4) Q1
6768	18016.492(13)	18016.42	18016.52(3)	508	T+ 3d-2c (2-1) R6
6769	18015.932(14)	18015.94	18015.95(3)	509	S+ GK-2B (7-9) P3
6770	18015.207(18)	18015.14			
6771	18014.29(2)	18014.14			
6772	18013.93(3)		18013.77(5)	510	
6773	18013.08(2)	18013.11	18013.10(4)	511	S- 4E-2C (3-3) P2
		18013.11			S- 4E-2C (1-1) P6
6774	18012.644(15)	18012.65	18012.64(4)	512	
		18011.78			
6775	18011.24(2)	18011.12	18011.19(4)	513	S+ GK-2B (2-5) R1
6776	18010.985(18)		18010.96(3)	514	
6777	18010.58(2)	18010.43			
6778	18009.689(12)	18009.70	18009.68(3)	515	T- 3c-2a (2-1) Q1
6779	18009.096(19)	18009.05			
		18008.12			
6780	18007.30(2)	18007.36			
6781	18006.702(12)	18006.71	18006.68(3)	516	T+ 3c-2a (1-0) P6
6782	18006.099(16)	18005.97	18006.09(4)	517	S 3A-2B (2-9) R1
6783	18005.80(2)		18005.87(4)	518	
6784	18005.068(13)	18005.08	18005.05(4)	519	T+ 3d-2c (1-0) P6
			18004.85(5)	520	
6785	18004.60(2)	18004.53	18004.53(4)	521	T+ 3b-2a (8-2) R3
6786	18003.916(16)	18003.91			
		18002.60	18002.52(5)	522	
		18001.84	18001.92(3)	523	
6787	18001.829(16)		18001.74(5)	524	
6788	18001.302(14)	18001.30	18001.28(3)	525	S+ EF-2B (32-7) P1
		18001.30			S+ 3E-2B (0-4) P2
6789	18000.76(3)				
6790	18000.197(12)	18000.19	18000.18(3)	526	T- 3c-2a (2-1) Q2

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6791	17999.70(3)		17999.71(5)	527	
6792	17999.29(3)	17999.31	17999.24(4)	528	S- 4E-2C (4-4) R3
6793	17998.90(3)	17998.88	17998.83(5)	529	
		17997.74	17997.73(5)	530	S+ GK-2B (7-9) P4
6794	17997.487(18)	17997.44	17997.44(4)	531	
6795	17996.735(15)	17996.73	17996.72(3)	532	
6796	17995.685(15)	17995.67	17995.65(4)	533	
6797	17994.522(19)	17994.51	17994.51(3)	534	T+ 3d-2c (2-1) P3
6798	17994.21(3)	17994.17	17994.15(4)	535	S- 4E-2C (4-4) R2
6799	17992.538(14)	17992.52	17992.57(3)	536	T+ 3d-2c (2-1) Q4
			17992.39(3)	537	
6800	17992.06(2)				
6801	17991.355(15)	17991.33	17991.34(4)	538	
6802	17990.82(3)				
		17990.18			
		17989.48			
		17988.86	17988.90(5)	539	S 3A-2B (3-11) R3
6803	17988.778(14)	17988.69	17988.74(5)	540	
			17987.88(6)	541	
6804	17987.689(14)	17987.70	17987.65(4)	542	
6805	17987.113(19)		17987.11(4)	543	
6806	17986.802(15)	17986.82	17986.84(3)	544	
			17986.68(4)	545	
6807	17986.001(12)	17985.99	17985.99(3)	546	T- 3c-2a (2-1) Q3
6808	17985.233(17)	17985.25	17985.22(3)	547	S+ GK-2B (8-10) R2
		17984.49			
		17983.96			S- 4E-2C (4-4) R1
6809	17983.379(19)	17983.31	17983.41(5)	548	T+ 3b-2a (8-2) P1
			17983.28(5)	549	
6810	17982.28(3)	17982.30	17982.30(3)	550	
			17982.12(4)	551	
6811	17981.66(2)	17981.65	17981.69(3)	552	
			17981.52(4)	553	
6812	17980.85(3)	17980.82	17980.83(5)	554	
6813	17980.13(5)	17979.91	17980.17(5)	555	
6814	17979.26(3)	17979.26	17979.27(3)	556	
6815	17978.80(3)	17978.82	17978.83(3)	557	T- 3c-2a (8-6) Q1
6816	17978.39(6)	17978.10			
6817	17977.46(3)	17977.48	17977.45(3)	558	S- 4E-2C (2-2) P5
6818	17976.54(3)	17976.58	17976.59(4)	559	
			17976.36(5)	560	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6819	17975.85(2)	17975.87	17975.94(4)	561	
			17975.78(3)	562	
6820	17975.27(3)	17975.23	17975.27(4)	563	
6821	17974.92(3)	17974.94	17974.94(3)	564	S+ GK-2B (8-10) R1
		17974.04			
6822	17973.49(5)				
6823	17973.28(3)	17973.28	17973.31(3)	565	
		17973.10	17973.13(3)	566	
6824	17972.90(3)				
6825	17972.12(2)	17972.11	17972.10(4)	567	S+ GK-2B (1-4) R7
		17971.85	17971.75(4)	568	S 3A-2B (2-9) R0
		17971.85			S- 4E-2C (3-3) P3
6826	17971.39(5)	17971.21			
6827	17970.84(3)				
6828	17970.30(3)	17970.30	17970.27(5)	569	
6829	17969.41(4)	17969.37	17969.36(3)	570	
6830	17968.81(4)		17968.81(5)	571	
6831	17968.52(3)	17968.53	17968.49(3)	572	T- 3c-2a (8-6) Q2
6832	17967.89(4)	17967.88	17967.80(4)	573	S+ GK-2B (2-5) P1
6833	17967.69(5)				
6834	17967.11(2)	17967.11	17967.08(3)	574	T- 3c-2a (2-1) Q4
6835	17966.57(3)				
		17966.19			
		17965.63			
6836	17964.87(3)	17964.87	17964.84(4)	575	
6837	17964.51(3)	17964.47	17964.44(5)	576	
6838	17964.02(3)	17963.99	17963.96(4)	577	S+ GK-2B (8-10) R0
6839	17962.88(4)	17962.93			
6840	17962.21(3)				
6841	17961.61(3)	17961.62			
6842	17960.89(3)	17960.73	17960.78(3)	578	S+ EF-2B (32-7) P3
6843	17960.24(5)	17960.23			
6844	17959.77(3)	17959.77	17959.82(4)	579	
6845	17959.57(4)	17959.59	17959.62(4)	580	T- 3f-2c (0-0) R14
6846	17958.81(2)	17958.80	17958.78(3)	581	
		17957.98			
6847	17957.26(4)	17957.36			
		17956.29	17956.34(4)	582	T+ 3b-2a (10-3) R0
6848	17956.10(3)	17956.03	17956.02(5)	583	
		17955.66			
		17954.67	17954.74(5)	584	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17953.82			T+ 3b-2a (10-3) R1
6849	17953.17(3)	17953.14	17953.14(3)	585	T- 3c-2a (8-6) Q3
6850	17952.50(4)		17952.47(3)	586	
6851	17951.46(4)	17951.47			
6852	17950.87(3)	17950.81	17950.80(4)	587	
6853	17950.68(4)				
		17950.00			
6854	17949.15(3)	17949.19	17949.18(4)	588	
6855	17948.71(3)	17948.80			S+ GK-2B (2-5) P2
		17948.47			S 4D-2C (0-0) P5
6856	17947.70(3)	17947.64			
6857	17946.65(2)	17946.62	17946.65(3)	589	
6858	17945.70(4)	17945.80			
6859	17945.130(17)	17945.13	17945.13(3)	590	T+ 3c-2a (2-1) P2
		17945.13			S+ 3F-2C (3-0) R3
6860	17944.62(3)				
6861	17944.13(4)	17944.30			
6862	17943.650(16)	17943.66	17943.67(3)	591	T- 3c-2a (2-1) Q5
6863	17943.19(3)				
6864	17942.72(3)	17942.69			T- 3f-2c (0-0) R13
6865	17942.40(2)	17942.49	17942.45(4)	592	S+ 3E-2B (4-11) R1
6866	17941.67(3)	17941.78			
		17941.57			
6867	17941.24(2)	17941.20	17941.29(3)	593	
6868	17940.482(16)	17940.48	17940.50(3)	594	
6869	17939.95(4)				
6870	17939.52(2)	17939.57			
6871	17938.96(4)				
6872	17938.52(2)	17938.56	17938.57(3)	595	T+ 3b-2a (8-2) P2
6873	17937.95(3)	17937.81	17937.86(4)	596	T+ 3d-2c (2-1) Q5
6874	17937.74(2)		17937.69(4)	597	
6875	17936.88(3)				
6876	17936.53(2)	17936.69	17936.69(2)	598	S+ GK-2B (8-10) P1
		17936.69			S+ EF-2B (32-7) P4
		17936.43	17936.41(3)	599	S 3A-2B (2-9) P4
6877	17935.82(3)	17935.83	17935.80(3)	600	S 3A-2B (3-11) R2
6878	17935.31(2)	17935.34	17935.28(4)	601	
6879	17934.63(2)	17934.82	17934.81(3)	602	T+ 3b-2a (10-3) R2
		17934.61	17934.55(3)	603	
6880	17933.61(2)	17933.55			
		17933.18			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6881	17932.710(18)	17932.72	17932.704(18)	604	T- 3c-2a (8-6) Q4
6882	17931.81(2)	17931.84			S 3A-2B (2-9) P1
6883	17930.969(17)	17930.97	17930.992(19)	605	
			17930.83(3)	606	
6884	17930.62(3)	17930.63	17930.58(2)	607	S 3A-2B (2-9) P3
6885	17930.27(2)	17930.28	17930.28(2)	608	S- 3E-2B (1-6) Q5
6886	17929.92(3)		17929.97(4)	609	
6887	17929.33(3)				
		17929.01			
6888	17928.72(3)				
			17928.467(19)	610	
6889	17928.113(19)	17928.11	17928.098(19)	611	S+ 3F-2C (3-0) R2
6890	17927.50(2)	17927.52	17927.51(3)	612	S+ GK-2B (2-5) P3
		17926.81			
		17926.43			S 3A-2B (2-9) P2
6891	17925.67(4)	17925.70	17925.65(3)	613	S- 4E-2C (3-3) P4
6892	17924.921(18)	17924.92	17924.916(18)	614	S- 3E-2B (4-11) Q3
6893	17924.365(18)	17924.36	17924.362(18)	615	T+ 3d-2c (2-1) P4
6894	17923.91(3)	17924.15	17924.06(4)	616	
		17923.56			
6895	17922.72(2)	17922.70	17922.700(17)	617	
6896	17922.145(19)	17922.15	17922.16(2)	618	T- 3f-2c (0-0) R12
6897	17921.81(3)	17921.84	17921.82(4)	619	S- 3E-2C (5-1) P3
		17921.17	17921.18(2)	620	S- 4E-2C (2-2) P6
6898	17921.02(2)	17920.81	17920.89(2)	621	
6899	17920.603(18)	17920.57	17920.64(2)	622	T+ 3f-2c (0-0) R9
6900	17919.91(2)	17919.88	17919.89(3)	623	S+ GK-2B (8-10) P2
		17919.60			
6901	17918.80(2)	17918.80	17918.80(3)	624	S+ GK-2B (1-4) R6
6902	17918.09(2)	17918.12	17918.09(2)	625	
6903	17917.71(4)	17917.78			
6904	17917.16(3)	17917.21	17917.33(3)	626	
6905	17916.700(19)	17916.68	17916.71(3)	627	
6906	17916.16(4)		17916.25(3)	628	
6907	17915.725(16)	17915.73	17915.732(15)	629	T- 3c-2a (2-1) Q6
6908	17915.20(3)				
		17914.77			
		17914.45			T+ 3d-2c (1-0) P7
6909	17914.050(18)	17914.04	17914.054(17)	630	
		17913.75	17913.74(4)	631	
6910	17913.45(3)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17912.53	17912.39(3)	632	
6911	17912.319(18)	17912.24	17912.20(4)	633	
6912	17910.86(3)	17910.87			S 4D-2C (0-0) Q7
		17909.97			
6913	17909.57(5)				
6914	17909.28(3)		17909.35(3)	634	
		17909.24	17909.18(3)	635	
6915	17908.48(3)	17908.39	17908.41(3)	636	
			17908.32(2)	637	
6916	17907.91(3)	17907.88	17907.89(2)	638	
6917	17907.33(3)	17907.34	17907.34(2)	639	T- 3c-2a (8-6) Q5
		17907.34			S+ 3F-2C (3-0) R1
			17906.83(5)	640	
6918	17906.55(4)				
6919	17905.40(4)	17905.47			
6920	17904.68(3)	17904.71	17904.72(2)	641	
			17904.11(4)	642	
6921	17903.97(3)	17903.95	17903.962(17)	643	T+ 3c-2a (2-1) P3
		17903.95			S+ GK-2B (2-5) P4
6922	17903.45(3)	17903.54	17903.47(3)	644	
6923	17902.80(3)	17902.92	17902.88(4)	645	
		17902.65			
6924	17902.26(6)				
6925	17901.55(3)	17901.58	17901.570(19)	646	S+ GK-2B (8-10) P3
6926	17900.92(3)	17900.99	17901.02(3)	647	S 3A-2B (3-11) R1
			17900.83(4)	648	
6927	17900.24(3)	17900.18	17900.29(2)	649	
			17900.04(3)	650	
6928	17899.47(3)	17899.49	17899.47(2)	651	S- 3E-2B (4-11) Q2
6929	17899.06(5)	17899.16			T+ 3b-2a (10-3) R3
6930	17898.12(3)	17898.07			T- 3f-2c (0-0) R11
		17897.62			
6931	17896.55(4)	17896.45			
6932	17895.96(4)				
6933	17895.53(4)	17895.54			
		17894.56			
6934	17894.14(4)				
6935	17893.52(6)				
6936	17893.07(3)	17893.10	17893.077(17)	652	
6937	17892.54(3)	17892.76	17892.60(4)	653	
6938	17892.12(7)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6939	17891.48(3)	17891.65			
6940	17890.92(3)	17890.94	17890.928(19)	654	
6941	17890.50(4)				
6942	17890.26(5)	17890.36	17890.32(3)	655	S- 4E-2C (1-1) P8
6943	17890.00(4)	17889.91	17890.00(2)	656	S+ 3E-2B (1-6) R1
		17889.91			S- 4E-2C (4-4) P2
		17889.37			
6944	17888.80(4)	17888.82	17888.79(4)	657	
6945	17888.26(3)	17888.22	17888.27(2)	658	S- 3E-2B (1-6) Q4
6946	17887.85(5)	17887.84			
6947	17887.47(9)				
6948	17886.86(3)	17886.87	17886.861(17)	659	
6949	17886.26(4)	17886.19	17886.18(2)	660	
6950	17886.03(4)				
6951	17885.47(5)				
6952	17884.68(5)	17884.55			
6953	17883.99(4)	17883.94			
6954	17883.39(3)	17883.38	17883.388(17)	661	T- 3c-2a (2-1) Q7
6955	17882.96(3)		17883.04(4)	662	
		17882.81	17882.82(3)	663	S+ GK-2B (8-10) P4
6956	17882.54(3)	17882.54	17882.53(2)	664	S- 3E-2B (4-11) Q1
6957	17882.09(6)		17882.15(4)	665	
		17881.02			
6958	17880.73(3)	17880.71	17880.73(2)	666	T+ 3b-2a (8-2) P3
6959	17879.99(3)	17879.87			
6960	17878.63(3)	17878.62	17878.680(18)	667	T+ 3d-2c (2-1) Q6
			17878.51(2)	668	
6961	17878.16(5)				
6962	17877.56(4)	17877.40			S+ GK-2B (2-5) P5
6963	17877.08(3)	17877.05	17877.10(2)	669	T- 3c-2a (8-6) Q6
			17876.93(4)	670	
6964	17876.55(6)				
6965	17876.10(5)	17876.04			S- 4E-2C (3-3) P5
6966	17875.37(3)		17875.39(2)	671	
		17875.30	17875.24(3)	672	S 3A-2B (3-11) R0
		17875.30			S+ GK-2B (1-4) R5
6967	17874.76(3)	17874.63			
6968	17874.33(4)				
		17873.64	17873.60(2)	673	
6969	17873.54(3)	17873.49			T+ 3f-2c (0-0) R8
6970	17873.02(4)	17872.93	17872.94(3)	674	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6971	17872.75(5)	17872.66	17872.63(4)	675	
6972	17872.04(4)	17871.96	17872.02(2)	676	
6973	17871.68(4)	17871.62			
6974	17871.00(3)	17870.97	17870.985(19)	677	T- 3f-2c (0-0) R10
		17870.97			S+ 3E-2B (4-11) P3
6975	17870.43(4)	17870.27			
		17869.97			
6976	17869.49(3)	17869.54	17869.56(2)	678	
			17869.34(4)	679	
6977	17868.90(3)	17868.91	17868.91(2)	680	
6978	17868.41(4)		17868.68(5)	681	
6979	17866.59(4)	17866.65	17866.64(3)	682	
6980	17866.11(4)	17866.19	17866.21(2)	683	
6981	17865.76(4)	17865.81	17865.81(2)	684	T+ 3b-2a (10-3) P2
			17865.69(4)	685	
6982	17865.34(7)	17865.24	17865.30(5)	686	
			17864.82(6)	687	
6983	17864.55(3)	17864.59	17864.55(2)	688	
		17864.31	17864.19(4)	689	
			17863.47(4)	690	
		17862.73			
6984	17862.24(4)	17862.28			
6985	17861.48(3)	17861.50	17861.47(3)	691	
6986	17860.91(4)	17860.94	17860.98(4)	692	
		17860.22			
		17859.84			
6987	17859.43(4)	17859.39			
			17859.06(3)	693	
6988	17859.02(3)	17858.98	17858.95(3)	694	T+ 3d-2c (3-2) R1
6989	17858.62(3)	17858.63	17858.608(16)	695	T+ 3c-2a (2-1) P4
		17858.39	17858.43(4)	696	
6990	17858.10(5)		17858.00(4)	697	
6991	17857.70(5)	17857.75	17857.67(4)	698	
6992	17855.37(3)	17855.40	17855.38(2)	699	S- 3E-2B (1-6) Q3
6993	17854.75(3)	17854.92	17854.92(2)	700	S 4D-2C (0-0) P6
		17854.92	17854.71(2)	701	S 3A-2B (3-11) P1
6994	17854.46(4)	17854.72			
6995	17853.53(4)	17853.42			
6996	17852.75(4)	17852.63			S- 4E-2C (4-4) P3
6997	17852.06(5)				
			17850.91(3)	702	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
6998	17850.80(3)	17850.75	17850.70(2)	703	T+ 3d-2c (3-2) R2
6999	17848.03(5)	17848.25			
7000	17847.24(4)		17847.05(2)	704	
7001	17846.81(3)	17846.80	17846.798(19)	705	T- 3c-2a (2-1) Q8
		17846.80			T+ 3d-2c (2-1) P5
			17846.56(3)	706	
7002	17846.43(4)	17846.36	17846.33(4)	707	
7003	17846.07(7)				
7004	17845.60(3)	17845.83			
		17845.60	17845.59(2)	708	
7005	17844.98(4)				
7006	17844.76(5)	17844.83			
7007	17843.71(3)	17843.70	17843.64(3)	709	
7008	17843.25(4)	17843.22	17843.24(4)	710	
7009	17842.71(3)	17842.68	17842.695(18)	711	T+ 3c-2a (3-2) R5
7010	17842.12(3)	17842.03	17842.121(16)	712	T+ 3c-2a (3-2) R4
7011	17841.87(4)		17841.915(18)	713	
7012	17841.58(4)	17841.66	17841.63(3)	714	S+ GK-2B (1-4) R4
7013	17840.83(3)	17840.86			T- 3f-2c (0-0) R9
7014	17840.09(4)				
7015	17838.58(4)		17838.55(3)	715	
7016	17837.55(3)	17837.53	17837.55(3)	716	S- 3E-2B (2-8) Q7
7017	17836.65(4)	17836.63	17836.67(3)	717	
7018	17836.10(6)	17835.91			S 3A-2B (3-11) P4
7019	17835.68(4)	17835.62			S+ 3E-2B (1-6) P4
7020	17835.05(3)	17835.04	17835.054(16)	718	T+ 3c-2a (3-2) R3
7021	17834.31(4)	17834.27	17834.30(4)	719	T+ 3d-2c (3-2) R3
7022	17834.16(6)		17834.21(6)	720	
7023	17832.90(4)	17832.90	17832.91(3)	721	
7024	17832.39(4)	17832.36			
7025	17831.70(4)	17831.68	17831.65(2)	722	
7026	17831.27(3)	17831.28	17831.26(2)	723	S- 3E-2B (1-6) Q2
7027	17830.73(3)	17830.74	17830.74(2)	724	
7028	17830.36(3)	17830.42	17830.39(3)	725	
7029	17828.36(3)	17828.38	17828.40(2)	726	T+ 3d-2c (3-2) Q1
			17828.18(3)	727	
7030	17828.00(4)	17827.88	17827.83(2)	728	
7031	17827.49(3)	17827.49	17827.478(17)	729	
		17826.81			
7032	17826.17(3)	17826.19	17826.16(2)	730	
7033	17825.09(3)	17825.07	17825.11(3)	731	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7034	17824.77(4)	17824.82	17824.79(3)	732	
7035	17823.93(3)	17823.93	17823.98(3)	733	T+ 3f-2c (0-0) R7
7036	17823.78(4)	17823.93	17823.84(3)	734	S- 4E-2C (3-3) P6
7037	17823.22(3)	17823.33	17823.22(2)	735	
7038	17822.61(3)	17822.59	17822.604(14)	736	T+ 3c-2a (3-2) R2
7039	17822.26(3)		17822.38(2)	737	
7040	17821.89(3)	17821.75	17821.94(3)	738	
7041	17821.07(3)	17821.14	17821.092(19)	739	
			17820.81(4)	740	
7042	17820.30(3)	17820.25	17820.250(19)	741	
7043	17820.05(3)	17820.05	17819.993(19)	742	
7044	17819.42(3)	17819.46	17819.412(17)	743	
			17819.23(2)	744	
		17818.73			
7045	17818.16(3)	17818.22	17818.229(18)	745	S+ WX-2B (0-2) P1
			17818.107(19)	746	
		17817.50			
7046	17817.10(3)	17817.12	17817.072(18)	747	S+ GK-2B (1-4) R3
7047	17815.90(3)	17815.90	17815.914(19)	748	T+ 3d-2c (2-1) Q7
			17815.71(3)	749	
7048	17815.49(4)	17815.47	17815.42(2)	750	S- 3E-2B (1-6) Q1
		17814.56			
7049	17813.85(3)	17813.86	17813.830(17)	751	
		17813.53	17813.46(4)	752	
7050	17812.83(3)	17812.87	17812.86(2)	753	
			17812.74(4)	754	
		17812.35	17812.32(3)	755	
		17811.81			
7051	17811.20(3)	17811.29	17811.29(2)	756	T+ 3d-2c (3-2) R4
		17810.95	17810.97(3)	757	S- 4E-2C (4-4) P4
7052	17810.64(3)	17810.78	17810.55(3)	758	
		17810.59			
7053	17809.90(3)	17809.85	17809.853(17)	759	T+ 3b-2a (8-2) P4
7054	17809.28(3)	17809.28	17809.266(15)	760	T+ 3c-2a (2-1) P5
7055	17808.68(3)	17808.64	17808.64(3)	761	S+ 3E-2B (1-6) P3
7056	17807.88(3)	17807.86	17807.90(2)	762	T- 3f-2c (0-0) R8
7057	17807.51(5)	17807.38	17807.71(3)	763	
7058	17806.77(5)	17806.71			
7059	17806.07(3)	17806.03	17806.05(2)	764	T- 3c-2a (2-1) Q9
7060	17805.27(3)	17805.25	17805.254(14)	765	
		17804.34			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7061	17803.21(3)	17803.39	17803.35(4)	766	T+ 3b-2a (10-3) P3
			17803.17(3)	767	
7062	17802.37(3)	17802.31	17802.28(3)	768	T+ 3d-2c (3-2) Q2
7063	17801.97(3)	17801.97	17802.025(17)	769	
			17801.846(19)	770	
7064	17801.30(3)	17801.30	17801.299(15)	771	S+ GK-2B (1-4) R2
7065	17800.87(4)	17800.95	17800.96(3)	772	
			17800.69(3)	773	
		17800.31			
7066	17799.68(3)	17799.71	17799.74(3)	774	S+ WX-2B (0-2) P2 S+ GK-2B (1-4) R1
7067	17798.75(3)	17798.76	17798.76(2)	775	
7068	17798.35(3)	17798.36	17798.365(17)	776	
7069	17797.40(6)		17797.31(2)	777	
7070	17797.03(4)	17797.08	17797.06(3)	778	
7071	17796.48(4)	17796.42	17796.428(18)	779	
7072	17795.94(4)	17795.91	17795.93(2)	780	
7073	17794.47(4)	17794.48	17794.41(5)	781	
7074	17793.92(3)	17793.92	17793.915(16)	782	
7075	17793.34(3)	17793.34	17793.38(2)	783	
			17793.31(3)	784	
7076	17792.62(5)	17792.55	17792.51(5)	785	
7077	17791.38(4)	17791.42	17791.41(2)	786	
		17791.42			
			17790.99(5)	787	
7078	17790.82(3)	17790.82	17790.745(17)	788	
7079	17790.31(3)	17790.36	17790.30(2)	789	
		17789.96			
			17789.65(5)	790	
		17787.13			
7080	17786.36(4)	17786.37	17786.36(3)	791	S- 4E-2B (0-11) Q1
		17785.97			
7081	17785.60(3)		17785.58(2)	792	
7082	17785.07(5)				T+ 3c-2a (3-2) R0 T+ 3d-2c (3-2) R5
7083	17784.61(4)	17784.64	17784.60(2)	793	
7084	17783.87(4)	17783.80	17783.91(4)	794	
7085	17783.06(3)	17783.04	17783.06(2)	795	
		17783.04			
7086	17782.75(4)		17782.88(3)	796	
		17782.39			
7087	17781.92(3)	17781.95	17781.95(2)	797	
			17781.79(3)	798	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7088	17781.42(4)	17781.31	17781.39(4)	799	
			17780.34(4)	800	
7089	17779.34(3)	17779.32	17779.34(3)	801	
			17779.11(4)	802	
7090	17777.48(5)	17777.47	17777.55(4)	803	
7091	17776.69(4)	17776.68	17776.69(3)	804	
7092	17775.84(3)	17775.82	17775.82(3)	805	S- 3E-2B (2-8) Q6
7093	17775.24(5)		17775.14(3)	806	
7094	17774.78(5)	17774.75			
		17773.75	17773.66(4)	807	
7095	17773.43(4)	17773.32	17773.30(2)	808	
7096	17772.82(3)	17772.81	17772.82(3)	809	T+ 3f-2c (0-0) R6
7097	17772.42(3)	17772.44	17772.49(3)	810	T- 3f-2c (0-0) R7
		17772.08	17772.32(5)	811	
7098	17771.94(5)				
7099	17771.31(4)	17771.34	17771.35(3)	812	
7100	17770.76(4)	17770.70			
7101	17769.89(5)				
7102	17768.67(4)				
7103	17768.27(4)	17768.24	17768.27(3)	813	
		17767.26			
7104	17766.79(5)	17766.89	17766.79(4)	814	
		17766.52			
7105	17765.98(3)	17766.00	17766.01(2)	815	
		17765.77			
7106	17765.59(3)	17765.57	17765.62(3)	816	T+ 3d-2c (3-2) Q3
			17765.44(3)	817	
7107	17764.92(4)	17764.89	17764.88(6)	818	S- 4E-2C (4-4) P5
7108	17764.45(5)	17764.51			T+ 3d-2c (2-1) P6
7109	17763.67(4)	17763.61			
7110	17762.84(3)	17762.81	17762.80(2)	819	
7111	17761.94(5)				
			17761.44(3)	820	
7112	17761.34(3)	17761.33	17761.31(3)	821	T- 3c-2a (2-1) Q10
		17761.33			T+ 3f-2c (1-1) R9
7113	17760.94(4)		17761.05(4)	822	
		17760.71	17760.75(3)	823	S 4D-2C (0-0) P7
7114	17760.38(4)	17760.37	17760.38(3)	824	T+ 3b-2a (6-1) R1
7115	17759.46(4)	17759.55			
7116	17759.01(4)	17758.99	17759.07(4)	825	S+ GK-2B (1-4) P1
7117	17758.33(4)	17758.28	17758.45(5)	826	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7118	17757.75(4)	17757.77			
7119	17757.03(3)	17757.09	17757.07(3)	827	
			17756.56(5)	828	
7120	17756.43(3)	17756.43	17756.43(2)	829	T+ 3b-2a (6-1) R2
7121	17755.98(3)	17756.03	17756.05(2)	830	T+ 3c-2a (2-1) P6
7122	17755.33(5)				
7123	17754.82(5)	17754.87			
		17753.23			
		17752.87			
7124	17752.08(4)	17752.14	17752.14(4)	831	T+ 3b-2a (6-1) R0
7125	17751.57(4)	17751.60	17751.62(3)	832	T- 3c-2a (3-2) Q1
7126	17750.82(4)	17750.88	17750.90(6)	833	
			17750.72(6)	834	
			17750.33(4)	835	
7127	17750.25(4)	17750.20	17750.14(4)	836	S+ WX-2B (0-2) P3
7128	17750.10(6)				
		17746.09			S- 3F-2B (0-5) Q5
		17745.85			
7129	17744.71(4)	17744.74	17744.71(4)	837	
		17743.90			
7130	17742.83(5)	17743.00			
7131	17742.31(4)	17742.31	17742.31(3)	838	T- 3c-2a (3-2) Q2
7132	17741.84(6)				
		17741.47			
		17740.95			
7133	17740.26(4)	17740.31	17740.25(4)	839	T+ 3b-2a (6-1) R3
7134	17739.40(5)				
		17738.82			
		17738.20			
7135	17737.47(4)	17737.44	17737.48(4)	840	
7136	17737.23(6)		17737.33(4)	841	
7137	17735.57(7)				
7138	17735.14(4)		17735.17(5)	842	
		17735.01	17735.08(5)	843	
7139	17734.85(4)	17734.82	17734.87(4)	844	T- 3f-2c (0-0) R6
7140	17734.66(5)		17734.71(4)	845	
7141	17733.98(5)	17734.05			
7142	17733.47(5)	17733.61	17733.59(5)	846	
7143	17732.93(5)	17733.00			
		17730.04			
7144	17729.45(4)	17729.41	17729.46(5)	847	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7145	17728.88(5)				
7146	17728.46(4)	17728.47	17728.45(3)	848	T- 3c-2a (3-2) Q3
7147	17727.86(5)	17727.87	17727.90(6)	849	S+ 3E-2B (2-8) R2
7148	17726.36(4)	17726.27	17726.34(4)	850	T+ 3b-2a (8-2) P5
7149	17725.06(5)	17725.07	17725.07(4)	851	T+ 3b-2a (10-3) P4
		17723.97			
7150	17723.32(3)	17723.31	17723.32(4)	852	S- 3E-2B (2-8) Q5
7151	17722.82(3)	17722.82	17722.83(4)	853	T+ 3f-2c (1-1) R8
7152	17721.83(4)	17722.03			
7153	17721.26(3)	17721.29	17721.33(4)	854	T+ 3f-2c (0-0) R5
		17721.29			T+ 3d-2c (3-2) Q4
			17721.18(4)	855	
7154	17720.79(4)	17720.65			
7155	17720.32(5)	17720.45			
		17719.93	17719.87(6)	856	
7156	17719.63(3)	17719.68	17719.64(4)	857	
7157	17719.33(4)	17719.30	17719.36(5)	858	
7158	17718.43(4)	17718.30			
7159	17717.52(5)	17717.44			S- 4E-2C (4-4) P6
		17717.14			
7160	17716.73(3)	17716.74	17716.73(4)	859	T+ 3d-2c (3-2) P3
		17714.34			
7161	17713.92(4)	17713.95	17713.944(18)	860	
7162	17713.63(3)	17713.73	17713.646(19)	861	
		17713.65			
			17712.88(4)	862	
7163	17712.77(3)	17712.73	17712.70(3)	863	
7164	17712.56(4)				
7165	17712.00(3)	17712.02	17711.993(17)	864	T+ 3b-2a (6-1) R4
7166	17711.54(3)	17711.58	17711.60(2)	865	
			17711.41(3)	866	
7167	17711.15(3)	17710.93	17711.07(4)	867	
7168	17710.52(3)				
7169	17710.05(3)	17710.04	17710.042(19)	868	T- 3c-2a (3-2) Q4
7170	17709.53(3)	17709.53	17709.58(3)	869	
			17709.40(5)	870	
7171	17709.08(4)	17709.08	17708.971(18)	871	T- 3f-2c (1-1) R9
7172	17708.54(5)		17708.56(4)	872	
7173	17707.79(3)	17707.80	17707.78(4)	873	
		17707.49			
		17706.94			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7174	17706.36(3)	17706.34	17706.40(3)	874	
			17706.21(5)	875	
7175	17705.17(4)	17705.43			S+ GK-2B (1-4) P3
7176	17704.67(4)	17704.62			
7177	17703.76(3)	17703.78	17703.77(2)	876	
			17703.40(4)	877	
7178	17702.60(3)	17702.52	17702.58(3)	878	
		17701.82			
7179	17700.95(3)	17700.95			
7180	17700.40(5)				
7181	17699.88(3)	17699.86	17699.93(3)	879	
7182	17699.62(3)		17699.81(3)	880	
		17699.26	17699.32(4)	881	
7183	17699.06(3)	17699.04	17699.057(16)	882	T+ 3c-2a (2-1) P7
7184	17698.25(3)	17698.14			
7185	17697.52(4)	17697.55	17697.57(2)	883	T- 3c-2a (9-7) Q1
7186	17697.06(3)	17697.03	17697.08(2)	884	
7187	17696.70(5)	17696.62	17696.92(4)	885	
7188	17695.83(4)				
7189	17695.53(3)		17695.59(2)	886	
		17695.45	17695.42(2)	887	T- 3f-2c (0-0) R5
		17695.45			S+ WX-2B (0-2) P4
7190	17695.02(3)	17694.97	17695.03(2)	888	
7191	17694.51(4)				
7192	17694.09(5)				
7193	17692.04(3)	17691.96	17692.03(3)	889	
7194	17691.76(3)	17691.76	17691.82(4)	890	
7195	17691.40(4)	17691.34			T+ 3f-2c (0-0) Q14
7196	17690.82(3)	17690.77	17690.80(3)	891	
		17689.81			
7197	17689.53(3)	17689.50	17689.575(17)	892	
		17689.45	17689.42(3)	893	
7198	17689.26(3)	17689.24	17689.246(14)	894	T+ 3c-2a (3-2) P2
		17688.24			
		17688.03			
7199	17687.53(4)	17687.51	17687.511(16)	895	T- 3c-2a (9-7) Q2
7200	17687.16(3)	17687.17	17687.176(14)	896	T- 3c-2a (3-2) Q5
7201	17686.06(5)	17686.04			
7202	17685.00(4)	17684.98			
		17684.60	17684.74(4)	897	
7203	17684.39(4)		17684.33(4)	898	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7204	17683.82(3)	17683.85	17683.87(5)	899	
		17683.46	17683.43(4)	900	
7205	17683.19(4)	17683.02			
7206	17682.55(4)		17682.40(4)	901	
7207	17682.11(3)	17682.12	17682.15(4)	902	T+ 3f-2c (1-1) R7
			17682.04(4)	903	
7208	17681.30(3)	17681.31	17681.36(3)	904	T- 3f-2c (1-1) R8
			17681.19(4)	905	
		17680.79			
7209	17679.96(4)	17680.02	17679.99(4)	906	S- 3E-2B (2-8) Q4
			17679.75(5)	907	
7210	17679.37(5)		17679.48(5)	908	
7211	17678.39(3)	17678.32	17678.38(5)	909	
7212	17677.99(5)	17678.06	17678.05(5)	910	
7213	17677.03(3)	17677.08	17677.04(4)	911	
7214	17676.71(3)	17676.74	17676.71(4)	912	
7215	17675.70(5)	17675.73			
		17674.84			
7216	17674.08(3)	17674.08	17674.07(5)	913	
7217	17673.72(4)	17673.76	17673.74(4)	914	S+ 3E-2B (2-8) R1
7218	17673.02(4)	17673.15			
		17672.87			
7219	17672.48(3)	17672.49	17672.46(3)	915	S- 3F-2C (3-0) P5
7220	17671.67(3)	17671.69	17671.66(4)	916	T+ 3b-2a (6-1) R5
7221	17670.93(3)	17670.91	17670.94(3)	917	T+ 3d-2c (3-2) Q5
			17670.75(4)	918	
7222	17670.53(3)	17670.52	17670.52(4)	919	T+ 3f-2c (0-0) R4
7223	17670.34(4)		17670.39(5)	920	
		17669.61			
		17668.36			
7224	17667.67(3)	17667.66			T+ 3f-2c (0-0) Q12
7225	17666.87(3)		17666.98(4)	921	
		17666.77	17666.76(3)	922	
7226	17665.98(3)	17665.97	17665.97(4)	923	
		17664.50			
7227	17663.83(5)	17663.71			S+ GK-2B (1-4) P5
7228	17662.91(5)	17662.74			
		17662.54			
		17661.88			
7229	17660.96(4)	17660.91			S 4D-2B (0-11) R1
7230	17660.45(3)	17660.45	17660.45(3)	924	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7231	17659.91(3)	17659.90	17659.91(3)	925	T- 3c-2a (3-2) Q6
			17659.59(4)	926	
7232	17659.37(3)	17659.37	17659.37(3)	927	
7233	17658.19(4)	17658.18			
7234	17656.94(3)	17656.91	17656.94(3)	928	
7235	17655.71(4)	17655.94			
7236	17655.13(3)		17655.14(3)	929	
7237	17654.93(3)	17654.95	17654.93(3)	930	T- 3f-2c (0-0) R4
7238	17654.45(5)				
		17654.09			
7239	17653.21(5)	17653.31			S+ EF-2B (29-6) R1
7240	17652.51(3)	17652.53	17652.56(4)	931	T+ 3d-2c (3-2) P4
		17652.53	17652.41(5)	932	S+ EF-2B (29-6) R0
7241	17652.07(4)				
7242	17651.54(4)	17651.52	17651.62(6)	933	T+ 3f-2c (0-0) Q11
7243	17651.25(5)		17651.38(6)	934	
		17651.19	17651.10(6)	935	
7244	17650.68(4)	17650.62	17650.70(4)	936	T- 3f-2c (1-1) R7
7245	17650.50(4)		17650.54(4)	937	
		17649.92			
7246	17649.26(3)	17649.27	17649.29(3)	938	T+ 3c-2a (3-2) P3
		17649.01			
7247	17648.51(4)	17648.54	17648.55(5)	939	
		17647.49			S+ EF-2B (29-6) R2
7248	17645.69(2)	17645.71	17645.71(3)	940	S- 3E-2B (2-8) Q3
			17644.56(5)	941	
7249	17643.77(3)	17643.70			
7250	17643.05(3)	17643.06	17643.11(4)	942	
7251	17642.34(2)	17642.37	17642.37(4)	943	
7252	17641.42(4)	17641.49			
7253	17640.89(3)	17640.92	17640.88(5)	944	
7254	17640.47(3)	17640.52	17640.52(5)	945	
7255	17640.10(2)	17640.13	17640.15(4)	946	T+ 3f-2c (1-1) R6
			17640.03(4)	947	
7256	17639.65(4)				
7257	17638.91(2)	17638.93	17638.91(3)	948	
			17638.74(4)	949	
7258	17638.44(2)	17638.45	17638.46(3)	950	T+ 3c-2a (2-1) P8
			17638.32(4)	951	
7259	17638.02(4)				
		17637.61			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7260	17636.87(2)	17636.89	17636.84(4)	952	
7261	17635.75(3)	17635.94	17635.79(5)	953	S+ EF-2B (29-6) R3
			17635.60(6)	954	
7262	17635.22(4)	17635.17			
7263	17634.18(3)	17634.15	17634.12(4)	955	
7264	17633.97(3)				
7265	17633.39(2)	17633.46	17633.38(4)	956	
7266	17633.10(3)	17633.29	17633.02(6)	957	
7267	17632.62(2)	17632.58	17632.61(3)	958	T+ 3f-2c (0-0) Q10
7268	17632.42(3)		17632.43(4)	959	
7269	17631.98(3)	17632.00	17631.95(5)	960	
7270	17631.57(3)	17631.57			
			17631.26(5)	961	
7271	17631.04(2)	17630.89	17630.96(4)	962	T+ 3b-2a (10-3) P5
7272	17630.63(2)	17630.63	17630.62(3)	963	
7273	17630.28(3)	17630.34	17630.29(4)	964	
7274	17629.46(3)	17629.32	17629.39(6)	965	
7275	17628.94(5)				
7276	17628.35(2)	17628.34	17628.36(3)	966	T- 3c-2a (3-2) Q7
7277	17627.75(2)	17627.75	17627.75(4)	967	S+ EF-2B (29-6) P1
7278	17627.32(3)		17627.38(5)	968	
7279	17626.92(2)	17626.93	17626.92(3)	969	
7280	17625.00(2)	17625.06	17625.04(3)	970	T+ 3f-2c (2-2) R12
7281	17623.79(3)	17623.80	17623.80(9)	971	S+ EF-2B (29-6) R4
			17623.69(8)	972	
7282	17623.13(2)	17623.14	17623.19(5)	973	
			17623.08(6)	974	
7283	17622.49(4)	17622.56			
		17622.26			
7284	17621.87(2)	17621.86	17621.92(3)	975	T+ 3f-2c (0-0) R3
7285	17621.59(5)		17621.79(3)	976	
		17621.10			
		17620.98			
7286	17620.19(3)	17620.19	17620.21(4)	977	S- 3E-2B (2-8) Q2
		17619.61			
7287	17619.51(2)	17619.48	17619.48(4)	978	T+ 3b-2a (6-1) R6
7288	17618.55(3)	17618.55			
7289	17617.76(2)	17617.76	17617.82(3)	979	T- 3f-2c (1-1) R6
			17617.64(3)	980	
7290	17617.42(3)		17617.43(4)	981	
7291	17616.55(2)	17616.58	17616.63(4)	982	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17616.46(4)	983	
7292	17615.70(2)	17615.70	17615.76(3)	984	
			17615.57(3)	985	
7293	17615.10(3)	17615.11	17615.13(4)	986	
		17614.58			
7294	17614.10(2)	17614.07	17614.15(3)	987	T- 3f-2c (0-0) R3
7295	17613.78(3)		17613.97(3)	988	
		17613.28			
7296	17612.648(18)	17612.65	17612.71(4)	989	
			17612.55(5)	990	
7297	17611.364(16)	17611.42	17611.44(5)	991	T+ 3f-2c (2-2) R11
		17611.42			T+ 3f-2c (0-0) Q9
			17611.26(5)	992	
7298	17610.914(18)	17610.93	17610.92(4)	993	
7299	17610.33(3)	17610.38	17610.35(5)	994	
7300	17609.80(2)	17609.83	17609.84(5)	995	S+ GK-2B (3-6) R5
7301	17609.16(3)				
7302	17608.391(18)	17608.40	17608.40(4)	996	
7303	17607.91(4)				
7304	17607.15(5)	17607.16			
7305	17606.50(3)	17606.55	17606.52(6)	997	
7306	17606.047(16)	17606.07	17606.08(5)	998	
			17605.99(6)	999	
7307	17605.50(3)	17605.56	17605.53(4)	1000	
7308	17605.104(15)	17605.11	17605.09(3)	1001	T+ 3c-2a (3-2) P4
7309	17604.515(16)	17604.51	17604.48(3)	1002	
			17604.30(4)	1003	
7310	17603.98(3)	17603.79	17604.12(4)	1004	
7311	17603.318(18)	17603.39	17603.32(4)	1005	S- 3E-2B (2-8) Q1
		17603.30			
7312	17602.97(2)	17603.04			
7313	17600.71(2)	17600.85	17600.79(5)	1006	
		17600.58			
7314	17599.43(3)	17599.26			
7315	17598.72(3)	17598.69	17598.65(4)	1007	T+ 3b-2a (6-1) P3
7316	17598.19(2)	17598.17	17598.17(6)	1008	
7317	17597.727(15)	17597.72	17597.75(4)	1009	T+ 3f-2c (1-1) R5
			17597.64(4)	1010	
7318	17597.20(3)				
7319	17596.513(19)	17596.53	17596.47(4)	1011	S+ 3E-2B (2-8) P3
		17595.76			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7320	17595.42(3)	17595.42			
7321	17594.800(16)	17594.80	17594.82(4)	1012	T+ 3f-2c (2-2) R10
			17594.65(5)	1013	
		17593.52			
		17593.15			
7322	17592.662(15)	17592.66	17592.63(3)	1014	T- 3c-2a (3-2) Q8
7323	17591.43(3)	17591.64			
		17591.26			
7324	17590.736(16)	17590.73	17590.70(3)	1015	T+ 3c-2a (4-3) R5
		17590.55	17590.33(3)	1016	
7325	17590.19(5)	17590.44			
7326	17589.94(3)	17589.99	17589.95(4)	1017	
		17589.73			
		17589.09			
7327	17588.615(15)	17588.61	17588.60(3)	1018	T+ 3c-2a (4-3) R4
		17588.61			T+ 3f-2c (0-0) Q8
			17588.42(4)	1019	
		17587.97			
7328	17587.68(4)	17587.61			
		17587.26			
		17586.74	17586.82(4)	1020	T+ 3c-2a (4-3) R6
7329	17586.683(17)	17586.41	17586.64(3)	1021	
			17586.26(5)	1022	
7330	17585.95(2)		17585.97(5)	1023	
		17585.86	17585.82(4)	1024	
		17585.19			
7331	17584.628(18)	17584.60	17584.65(4)	1025	
			17584.48(5)	1026	
		17583.80			
7332	17583.195(16)	17583.19	17583.23(3)	1027	T- 3f-2c (1-1) R5
			17583.07(4)	1028	
		17582.54			
		17582.16			
		17581.87			S+ 3E-2B (2-8) P2
7333	17581.317(18)	17581.33	17581.32(3)	1029	T+ 3c-2a (4-3) R3
			17581.09(5)	1030	
		17580.68	17580.69(4)	1031	T+ 3d-2c (3-2) P5
7334	17580.52(3)	17580.40	17580.37(5)	1032	
		17579.59			
		17579.30			
7335	17578.81(2)	17578.82	17578.79(3)	1033	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17578.01			
		17577.22			
7336	17576.83(5)	17576.95			
			17576.50(4)	1034	
7337	17576.37(3)	17576.35	17576.36(3)	1035	T+ 3f-2c (0-0) R2
7338	17575.97(4)		17576.19(4)	1036	
		17575.40			
7339	17575.18(3)	17575.15	17575.17(4)	1037	T+ 3f-2c (2-2) R9
7340	17574.87(3)		17574.99(6)	1038	
7341	17574.42(3)	17574.42	17574.42(4)	1039	T+ 3c-2a (2-1) P9
7342	17573.78(5)	17573.91			
7343	17573.45(3)				
7344	17573.32(3)	17573.36	17573.42(3)	1040	T- 3f-2c (0-0) R2
			17573.23(3)	1041	
7345	17572.71(3)		17572.74(5)	1042	
7346	17572.38(3)	17572.58	17572.55(6)	1043	
			17572.33(6)	1044	
		17571.20			
		17570.42			
		17569.78	17569.56(6)	1045	
7347	17569.52(3)		17569.44(5)	1046	
7348	17569.13(3)	17569.14	17569.11(4)	1047	T+ 3c-2a (4-3) R2
		17568.91			
7349	17568.55(4)	17568.53	17568.50(5)	1048	S+ GK-2B (3-6) R4
7350	17568.19(3)				
		17567.70			
		17567.19			
		17566.07			
		17565.87			
		17565.50			
7351	17565.07(3)	17565.12	17565.06(4)	1049	T+ 3f-2c (0-0) Q7
7352	17564.87(3)	17564.92	17564.82(4)	1050	
		17564.86			
7353	17564.24(3)	17564.20	17564.26(6)	1051	T- 3f-2c (0-0) Q13
		17563.85	17564.15(6)	1052	
7354	17563.83(4)				
7355	17563.33(3)	17563.35	17563.42(6)	1053	T- 3f-2c (0-0) Q14
			17563.27(5)	1054	
7356	17562.86(3)	17562.84	17562.86(5)	1055	T- 3f-2c (0-0) Q12
			17562.73(5)	1056	
7357	17561.97(3)	17561.98	17561.92(5)	1057	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17561.24			
7358	17559.98(3)	17559.97	17559.98(5)	1058	T- 3f-2c (0-0) Q15
			17559.81(5)	1059	
7359	17559.36(2)	17559.36	17559.41(6)	1060	T- 3f-2c (0-0) Q11
			17559.30(5)	1061	
7360	17558.78(3)	17558.77	17558.74(5)	1062	
7361	17558.19(4)	17558.19			S+ GK-2B (4-7) R2
		17557.57			
		17557.33			
7362	17556.83(3)	17556.84	17556.84(4)	1063	T+ 3c-2a (3-2) P5
			17556.63(5)	1064	
7363	17556.49(3)		17556.43(6)	1065	
7364	17555.82(3)	17555.82	17555.86(5)	1066	T+ 3f-2c (1-1) R4
			17555.75(5)	1067	
7365	17555.40(3)				
		17554.92			
		17554.48			
7366	17554.13(4)		17554.01(5)	1068	
7367	17553.85(3)	17553.85	17553.80(5)	1069	T- 3f-2c (0-0) Q10
			17553.67(5)	1070	
7368	17553.49(4)	17553.31	17553.33(7)	1071	
7369	17552.90(3)	17552.85	17552.88(5)	1072	T- 3c-2a (3-2) Q9
7370	17552.42(3)	17552.43	17552.46(4)	1073	
7371	17552.23(3)	17552.22	17552.22(4)	1074	T+ 3c-2a (4-3) R1
		17551.95			
7372	17551.63(4)	17551.59			S- 3F-2B (0-5) Q2
7373	17551.03(3)	17551.06	17551.03(5)	1075	
		17550.19			
7374	17549.74(4)		17549.79(5)	1076	
		17549.64	17549.60(5)	1077	
7375	17549.45(3)	17549.45	17549.41(5)	1078	T+ 3d-2c (4-3) R1
7376	17548.87(4)	17548.98			
		17548.48			
7377	17548.13(3)	17548.17			
		17547.91			
7378	17547.44(3)	17547.43	17547.50(4)	1079	T- 3f-2c (1-1) R4
7379	17547.16(3)		17547.32(4)	1080	
			17546.64(6)	1081	
7380	17546.52(2)	17546.55	17546.52(5)	1082	T- 3f-2c (0-0) Q9
		17546.18	17546.25(5)	1083	
7381	17545.97(3)		17546.04(6)	1084	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17545.74(6)	1085	
7382	17545.40(3)	17545.40	17545.42(5)	1086	
		17545.10	17545.06(5)	1087	T+ 3d-2c (4-3) R2
			17544.74(5)	1088	
7383	17544.67(3)	17544.69	17544.65(6)	1089	T+ 3f-2c (2-2) R7
7384	17544.20(5)				
7385	17543.54(3)	17543.65			
7386	17542.86(3)	17542.88	17542.90(6)	1090	
		17542.73			
7387	17542.43(4)	17542.24			
7388	17541.74(3)	17541.74	17541.82(4)	1091	T+ 3f-2c (0-0) Q6
7389	17541.55(3)		17541.63(4)	1092	
7390	17541.05(3)	17541.11	17541.10(5)	1093	S+ GK-2B (3-6) R3
		17540.96			
7391	17539.63(3)	17539.68	17539.70(4)	1094	
		17539.56	17539.55(4)	1095	
7392	17538.81(3)	17538.83	17538.84(3)	1096	
7393	17538.14(5)	17538.17	17538.13(5)	1097	S+ GK-2B (4-7) R1
7394	17537.63(4)	17537.64	17537.68(4)	1098	T- 3f-2c (0-0) Q8
			17537.57(4)	1099	
7395	17536.93(4)	17536.91	17536.95(4)	1100	
		17536.09			
7396	17535.72(4)	17535.71	17535.72(3)	1101	
		17535.52			
7397	17534.99(5)	17535.24			
7398	17534.56(4)	17534.57	17534.55(2)	1102	T+ 3f-2c (0-0) R1
7399	17534.11(4)	17534.27	17534.18(3)	1103	
7400	17533.85(4)	17533.89	17533.91(2)	1104	T- 3f-2c (0-0) R1
		17533.89	17533.71(3)	1105	S+ EF-2B (29-6) P4
		17533.74			
7401	17533.41(5)	17533.22			
7402	17532.68(4)	17532.72	17532.66(3)	1106	T+ 3d-2c (4-3) R3
		17532.55			
		17531.57			
		17531.35			
			17530.95(3)	1107	
7403	17530.70(4)	17530.70	17530.68(2)	1108	T+ 3c-2a (4-3) R0
7404	17530.21(4)	17530.49	17530.25(4)	1109	
		17529.78			
7405	17529.46(4)	17529.33	17529.38(5)	1110	
7406	17528.92(4)	17528.85	17528.89(4)	1111	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7407	17528.41(4)	17528.34	17528.37(3)	1112	
7408	17527.89(5)		17527.88(3)	1113	
7409	17527.42(4)	17527.42	17527.41(2)	1114	T- 3f-2c (0-0) Q7
			17527.14(5)	1115	
7410	17526.99(4)	17526.94	17526.89(3)	1116	T- 3f-2c (2-2) R7
7411	17526.71(7)	17526.94			S+ GK-2B (3-6) R2
		17526.54			
7412	17525.99(5)	17525.90			
7413	17525.26(5)	17525.24			
7414	17524.81(7)	17524.91			
		17524.74			
7415	17524.06(4)	17524.03	17524.02(4)	1117	
		17523.10			
		17522.36			
		17522.19			S+ GK-2B (4-7) R0
		17521.54			
7416	17520.87(5)	17520.86	17520.90(6)	1118	
		17520.33			
7417	17519.91(4)	17519.91	17519.93(3)	1119	T+ 3f-2c (0-0) Q5
			17519.77(4)	1120	
7418	17519.21(4)	17519.26	17519.17(4)	1121	
7419	17518.82(6)	17519.15			
		17517.96	17518.22(7)	1122	
		17517.69	17517.67(6)	1123	
		17517.11			
7420	17516.73(5)	17516.72	17516.66(3)	1124	
7421	17516.32(4)	17516.28	17516.29(2)	1125	T- 3f-2c (0-0) Q6
		17516.28			S+ GK-2B (3-6) R1
7422	17515.78(6)	17515.69			
7423	17515.15(4)	17515.12	17515.14(2)	1126	T+ 3f-2c (1-1) R3
7424	17514.63(4)	17514.47	17514.74(4)	1127	
7425	17513.70(6)		17513.65(6)	1128	
7426	17512.37(4)	17512.37	17512.42(3)	1129	
			17512.26(4)	1130	
		17511.83			
			17511.52(4)	1131	
7427	17511.40(4)	17511.34	17511.36(3)	1132	T+ 3f-2c (2-2) R6
7428	17511.08(4)	17511.15	17511.15(3)	1133	T- 3f-2c (1-1) R3
			17510.96(3)	1134	
			17510.74(5)	1135	
7429	17510.50(4)	17510.40	17510.48(5)	1136	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7430	17509.25(3)	17509.24	17509.22(3)	1137	T- 3c-2a (3-2) Q10
		17508.67			S+ GK-2B (5-8) R4
7431	17507.73(3)	17507.75	17507.74(3)	1138	
7432	17507.14(2)	17507.13	17507.10(3)	1139	T+ 3c-2a (2-1) P10
		17506.50			
		17505.94	17506.07(7)	1140	
		17505.56	17505.39(4)	1141	
7433	17505.33(2)	17505.24	17505.23(5)	1142	
7434	17504.633(18)	17504.64	17504.69(3)	1143	T- 3f-2c (0-0) Q5
			17504.58(3)	1144	
7435	17504.25(3)	17504.36	17504.34(3)	1145	T+ 3c-2a (3-2) P6
7436	17503.79(3)	17503.98	17503.93(3)	1146	
7437	17503.35(4)		17503.39(4)	1147	
		17502.79	17502.87(5)	1148	
			17502.70(8)	1149	
7438	17502.222(18)	17502.21	17502.27(4)	1150	
			17502.14(5)	1151	
		17501.53			
		17501.31			
7439	17500.712(17)	17500.73	17500.76(4)	1152	T+ 3f-2c (0-0) Q4
			17500.68(5)	1153	
			17500.55(4)	1154	
7440	17500.26(2)	17500.24	17500.22(3)	1155	T- 3c-2a (4-3) Q1
		17499.67			
7441	17499.151(18)	17499.19	17499.18(3)	1156	T- 3f-2c (2-2) R6
		17499.19	17499.02(3)	1157	S- 3E-2B (3-10) Q5
7442	17498.53(3)		17498.56(6)	1158	
		17498.39	17498.28(4)	1159	
7443	17496.67(2)	17496.02	17496.68(4)	1160	
			17496.49(4)	1161	
7444	17496.08(2)		17496.06(4)	1162	
			17495.82(6)	1163	
7445	17495.072(19)	17495.09	17495.10(4)	1164	
			17494.86(5)	1165	
7446	17494.53(2)	17494.43	17494.48(3)	1166	
7447	17494.32(2)		17494.35(4)	1167	
			17494.21(4)	1168	
7448	17493.77(3)	17493.62	17493.91(4)	1169	
7449	17493.019(17)	17493.02	17493.04(3)	1170	T- 3f-2c (0-0) Q4
			17492.92(3)	1171	
		17491.87			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7450	17491.174(17)	17491.17	17491.14(3)	1172	T- 3c-2a (4-3) Q2
		17490.55			S+ GK-2B (4-7) P1
7451	17489.75(3)	17489.88			
7452	17489.20(2)	17489.15	17489.16(4)	1173	
7453	17488.07(3)				
7454	17487.19(3)		17487.24(4)	1174	
			17487.07(4)	1175	
7455	17486.56(4)		17486.44(5)	1176	
7456	17485.762(19)	17485.76	17485.72(4)	1177	
7457	17485.121(18)	17485.09	17485.12(3)	1178	T+ 3f-2c (0-0) Q3
7458	17484.90(3)		17484.94(3)	1179	
7459	17484.331(18)	17484.33	17484.29(3)	1180	T+ 3e-2c (0-0) R8
7460	17483.57(2)	17483.54	17483.55(3)	1181	T+ 3f-2c (1-1) Q10
7461	17483.38(3)		17483.36(4)	1182	
7462	17482.89(2)	17482.89			
7463	17482.184(17)	17482.19	17482.21(4)	1183	T- 3f-2c (0-0) Q3
			17482.12(4)	1184	
			17482.00(4)	1185	
7464	17481.74(4)				
		17481.30			
7465	17480.82(2)		17480.80(4)	1186	
			17480.67(4)	1187	
7466	17479.63(3)				
7467	17479.00(3)				
		17478.18			
7468	17477.680(19)	17477.68	17477.63(3)	1188	T- 3c-2a (4-3) Q3
7469	17477.253(18)	17477.25	17477.25(3)	1189	S+ 3F-2C (2-2) R5
			17477.15(4)	1190	
7470	17476.33(2)	17476.33	17476.32(3)	1191	T+ 3f-2c (1-1) R2
7471	17475.97(4)		17476.16(3)	1192	
7472	17475.48(4)	17475.47			
7473	17474.85(2)	17474.84	17474.85(3)	1193	T- 3f-2c (1-1) R2
7474	17474.64(3)	17474.72	17474.67(3)	1194	
7475	17474.08(3)	17474.18	17474.05(3)	1195	S+ WZ-2B (0-10) R2
		17474.05			
7476	17473.54(2)	17473.55	17473.56(3)	1196	T+ 3f-2c (0-0) Q2
7477	17473.34(3)	17473.37	17473.37(3)	1197	S+ EF-2B (21-2) R1
7478	17472.88(2)	17472.90	17472.90(3)	1198	T- 3f-2c (0-0) Q2
			17472.76(4)	1199	
			17472.57(5)	1200	
7479	17472.34(2)		17472.34(4)	1201	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17472.18(6)	1202	
7480	17470.75(4)	17470.96	17470.77(5)	1203	
7481	17470.32(3)		17470.40(5)	1204	
		17470.12	17470.20(4)	1205	S+ EF-2B (21-2) R0
7482	17469.94(2)		17470.02(4)	1206	
			17469.86(4)	1207	
7483	17469.58(2)	17469.60	17469.62(3)	1208	
			17469.46(4)	1209	
7484	17469.23(4)		17469.18(5)	1210	
7485	17468.78(2)	17468.77	17468.81(4)	1211	S+ EF-2B (21-2) R2
7486	17467.75(3)				
7487	17466.96(3)				
7488	17462.87(2)	17462.89	17462.89(3)	1212	
			17462.68(3)	1213	
7489	17462.44(2)	17462.48	17462.49(4)	1214	T+ 3e-2c (0-0) R7
			17462.36(3)	1215	
7490	17461.80(2)	17461.77	17461.77(4)	1216	
			17461.59(4)	1217	
7491	17460.41(3)	17460.37			
7492	17459.68(2)	17459.68	17459.64(3)	1218	T- 3c-2a (4-3) Q4
7493	17458.97(4)				
7494	17458.75(4)	17458.85	17458.83(3)	1219	S+ GK-2B (4-7) P3
			17458.56(3)	1220	
7495	17458.41(3)	17458.41	17458.37(3)	1221	S+ GK-2B (0-4) R1
			17457.29(6)	1222	
7496	17457.01(3)		17456.96(5)	1223	
7497	17456.32(3)		17456.24(3)	1224	
7498	17455.90(3)	17455.96	17455.97(4)	1225	S+ EF-2B (21-2) R3
7499	17455.49(4)	17455.71	17455.70(5)	1226	
			17455.17(3)	1227	
7500	17454.99(2)	17455.00	17454.99(3)	1228	S+ GK-2B (0-4) R2
			17454.81(3)	1229	
7501	17454.45(6)		17454.60(4)	1230	
7502	17454.14(9)	17454.25	17454.19(5)	1231	S+ GK-2B (0-4) R0
7503	17453.76(4)				
7504	17452.89(3)				
7505	17452.29(3)	17452.17	17452.20(4)	1232	
7506	17451.91(3)	17451.91	17451.89(4)	1233	S- 3F-2B (2-9) Q4
			17451.65(6)	1234	
7507	17451.24(3)	17451.26	17451.25(3)	1235	S+ GK-2B (5-8) R3
7508	17450.51(3)	17450.47	17450.43(5)	1236	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7509	17450.20(3)		17450.21(5)	1237	
7510	17449.61(3)	17449.57 17448.50			
7511	17447.95(2)	17447.95 17447.75	17447.98(4) 17447.82(5)	1238 1239	
7512	17447.57(3)	17447.53 17447.53 17447.47	17447.55(4)	1240	S+ 3E-2B (3-10) R1 S+ GK-2B (4-7) P4
7513	17447.15(4)		17447.00(4)	1241	
7514	17446.65(2)	17446.62	17446.63(3)	1242	
7515	17445.24(5)	17445.26			
7516	17443.83(4)	17443.79	17443.83(4) 17442.91(4)	1243 1244	S+ GK-2B (0-4) R3
7517	17442.88(2)	17442.84	17442.83(3)	1245	T+ 3f-2c (2-2) R4
7518	17441.86(3)	17441.91	17441.89(4)	1246	
7519	17440.99(6)	17441.29 17440.86			S+ EF-2B (21-2) P1
7520	17440.23(3)	17440.19 17440.19	17440.22(3)	1247	T+ 3c-2a (4-3) P2 S+ GK-2B (6-9) R4
7521	17439.65(2)	17439.67 17439.67	17439.67(3)	1248	T+ 3f-2c (1-1) Q7 T+ 3f-2c (1-1) R1
7522	17439.30(2)	17439.33	17439.38(3) 17439.19(3)	1249 1250	T- 3f-2c (1-1) R1
7523	17438.71(4)	17438.68	17438.65(3)	1251	
7524	17438.56(3)	17438.58	17438.48(3)	1252	T- 3f-2c (2-2) R4
7525	17437.98(3)		17438.07(4) 17437.69(5)	1253 1254	
7526	17437.38(2)	17437.36	17437.38(3)	1255	T- 3c-2a (4-3) Q5
7527	17436.60(3)	17436.68 17436.56	17436.63(4)	1256	
			17436.20(4)	1257	
7528	17436.09(2)	17436.07	17436.05(4)	1258	T+ 3e-2c (0-0) R6
7529	17435.70(2)	17435.72	17435.77(4) 17435.64(6) 17435.32(5)	1259 1260 1261	S+ EF-2B (21-2) R4
7530	17434.79(5)	17434.80 17434.49			
7531	17434.07(4)	17434.16 17434.06	17434.09(3)	1262	
7532	17433.45(3)	17433.50	17433.55(4) 17433.44(3)	1263 1264	T- 3f-2c (1-1) Q11

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17433.02(5)	1265	
7533	17432.80(3)	17432.80	17432.81(3)	1266	T- 3f-2c (1-1) Q12
7534	17431.95(3)	17431.95	17432.01(3)	1267	
			17431.85(4)	1268	
7535	17431.68(4)	17431.73	17431.69(3)	1269	T- 3f-2c (1-1) Q10
7536	17431.22(5)	17431.41	17431.30(4)	1270	
		17431.18			
7537	17430.69(4)	17430.70	17430.70(3)	1271	S+ GK-2B (5-8) R2
			17430.36(4)	1272	
7538	17430.08(4)		17430.11(3)	1273	
		17429.89	17429.87(4)	1274	
7539	17429.75(3)	17429.74	17429.73(3)	1275	T- 3f-2c (1-1) Q13
7540	17429.12(4)	17429.12	17429.10(3)	1276	
			17428.91(3)	1277	
			17428.67(4)	1278	
7541	17428.56(3)	17428.53	17428.55(3)	1279	T- 3f-2c (1-1) Q9
7542	17427.83(6)	17427.71			
7543	17427.12(4)	17427.07	17427.08(4)	1280	S+ WW-2B (0-4) R4
7544	17426.37(5)	17426.43	17426.44(4)	1281	S+ GK-2B (6-9) R3
7545	17425.94(4)	17426.03	17426.01(3)	1282	S+ GK-2B (0-4) P1
7546	17425.61(4)		17425.82(4)	1283	
7547	17424.80(4)	17424.89	17424.79(3)	1284	
		17424.71			
7548	17424.42(4)	17424.37	17424.45(2)	1285	T+ 3f-2c (1-1) Q6
		17424.37	17424.28(3)	1286	T- 3f-2c (1-1) Q14
7549	17424.20(4)		17424.09(4)	1287	
7550	17423.77(4)		17423.70(3)	1288	
7551	17423.53(3)	17423.59	17423.52(3)	1289	T- 3f-2c (1-1) Q8
		17423.59			T- 3c-2a (10-8) Q1
7552	17422.21(4)	17422.36	17422.30(5)	1290	
		17422.20	17421.99(4)	1291	
7553	17421.83(4)	17421.96	17421.78(5)	1292	
7554	17421.20(4)	17421.21	17421.19(3)	1293	S+ GK-2B (5-8) R1
7555	17420.47(5)	17420.50			
7556	17419.96(4)	17420.00	17420.01(4)	1294	S- 3E-2B (3-10) Q3
7557	17419.64(3)	17419.65	17419.69(3)	1295	T- 3f-2c (3-3) R8
			17419.55(5)	1296	
7558	17418.70(4)	17418.72	17418.71(3)	1297	
7559	17417.57(4)	17417.55			
7560	17417.17(3)	17417.17	17417.17(2)	1298	T- 3f-2c (1-1) Q7
7561	17416.58(4)	17416.53			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7562	17416.05(3)	17416.09	17416.04(3)	1299	
7563	17415.56(3)	17415.53	17415.57(3)	1300	
		17415.19			S+ EF-2B (21-2) P2
7564	17414.45(5)	17414.18	17414.47(3)	1301	
7565	17413.83(4)	17413.84	17413.83(3)	1302	T- 3c-2a (10-8) Q2
		17413.54			S+ GK-2B (5-8) R0
7566	17412.05(4)	17412.05	17412.07(3)	1303	
7567	17411.53(4)	17411.47	17411.54(4)	1304	S+ GK-2B (6-9) R2
		17411.06			
7568	17410.75(3)	17410.75	17410.74(3)	1305	T- 3c-2a (4-3) Q6
7569	17410.36(3)	17410.37	17410.40(3)	1306	T+ 3f-2c (1-1) Q5
			17410.22(3)	1307	
7570	17409.84(3)	17409.83	17409.82(2)	1308	T- 3f-2c (1-1) Q6
7571	17409.35(5)	17409.29			
7572	17408.75(3)	17408.75	17408.76(3)	1309	T+ 3f-2c (2-2) R3
			17408.62(4)	1310	
7573	17408.30(5)				
		17407.95			
		17407.24	17407.09(4)	1311	
7574	17406.80(4)	17406.74	17406.78(3)	1312	T- 3f-2c (2-2) R3
7575	17406.63(4)		17406.61(3)	1313	
7576	17405.90(3)	17405.91	17405.88(2)	1314	T+ 3f-2c (3-3) R7
			17405.50(4)	1315	
7577	17405.38(4)	17405.22	17405.33(5)	1316	
7578	17404.62(3)	17404.61	17404.65(3)	1317	T+ 3e-2c (0-0) R5
		17404.34	17404.53(3)	1318	
7579	17403.86(4)	17403.86	17403.82(3)	1319	
7580	17403.07(5)	17403.14	17403.04(5)	1320	
7581	17402.41(4)	17402.45	17402.39(4)	1321	S+ GK-2B (0-4) P2
			17401.97(3)	1322	
7582	17401.92(3)	17401.87	17401.88(3)	1323	T- 3f-2c (1-1) Q5
		17401.87			T+ 3c-2a (4-3) P3
			17401.72(3)	1324	
7583	17401.49(4)				
7584	17400.97(5)	17401.12			
		17400.89	17400.62(5)	1325	
7585	17400.36(3)	17400.39	17400.36(3)	1326	T- 3f-2c (3-3) R7
			17400.21(4)	1327	
		17399.76			
7586	17399.18(4)	17399.25	17399.17(3)	1328	T- 3c-2a (10-8) Q3
		17399.25			S+ GK-2B (6-9) R1

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7587	17398.67(5)	17398.72			
7588	17398.12(3)	17398.11	17398.09(2)	1329	T+ 3f-2c (1-1) Q4
7589	17397.93(4)		17397.91(2)	1330	
7590	17397.43(6)	17397.28			
7591	17396.59(4)	17396.72	17396.60(4)	1331	
		17395.92			
7592	17395.39(4)	17395.34	17395.25(5)	1332	S- 3F-2B (2-9) Q3
7593	17394.70(4)	17394.75	17394.62(3)	1333	
7594	17394.02(3)	17394.03	17393.95(3)	1334	T- 3f-2c (1-1) Q4
			17393.85(3)	1335	
7595	17393.54(6)		17393.65(4)	1336	
		17393.19			
		17392.58			
			17391.92(7)	1337	
7596	17391.54(3)	17391.57	17391.48(4)	1338	
7597	17390.79(3)	17390.85	17390.82(4)	1339	
			17390.62(5)	1340	
7598	17390.12(3)		17390.04(4)	1341	
7599	17388.66(3)	17388.71	17388.60(4)	1342	
7600	17388.16(3)	17388.12	17388.12(3)	1343	T+ 3f-2c (1-1) Q3
7601	17387.84(3)		17387.94(4)	1344	
			17387.69(4)	1345	
7602	17387.28(4)	17387.33			
7603	17386.63(3)	17386.62	17386.60(3)	1346	T- 3f-2c (1-1) Q3
			17386.49(3)	1347	
7604	17386.19(4)				
		17385.79			
7605	17385.27(4)	17385.31			
		17384.49			
7606	17383.99(3)	17383.99	17384.02(4)	1348	
			17383.89(4)	1349	
7607	17383.36(4)	17383.42			
7608	17382.80(4)	17382.85	17382.79(4)	1350	
			17382.60(4)	1351	
7609	17382.34(3)	17382.31	17382.30(4)	1352	T+ 3f-2c (0-0) P3
7610	17382.09(5)		17382.18(5)	1353	
			17381.96(5)	1354	
7611	17381.67(4)	17381.62	17381.63(4)	1355	T- 3f-2c (0-0) P3
		17381.62	17381.41(5)	1356	S+ EF-2B (21-2) P3
7612	17381.35(4)	17381.46			
7613	17380.70(3)	17380.70	17380.67(3)	1357	T+ 3f-2c (1-1) Q2

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17380.48(4)	1358	
7614	17380.39(3)	17380.38	17380.31(4)	1359	T- 3f-2c (1-1) Q2
			17380.16(4)	1360	
7615	17380.00(3)		17379.92(4)	1361	
		17379.72	17379.65(5)	1362	T- 3c-2a (10-8) Q4
7616	17379.55(3)	17379.56	17379.45(4)	1363	
		17378.97			
7617	17378.41(3)	17378.39	17378.40(4)	1364	T- 3f-2c (3-3) R6
			17378.25(4)	1365	
7618	17378.10(5)		17378.09(6)	1366	
		17377.19			
7619	17376.52(3)	17376.34	17376.50(4)	1367	S- 3E-2B (3-10) Q1
			17376.30(5)	1368	
7620	17376.00(4)	17375.93			
7621	17375.39(3)	17375.44	17375.36(3)	1369	
		17375.31	17375.21(4)	1370	T+ 3f-2c (2-2) R2
7622	17374.67(3)	17374.64	17374.67(3)	1371	T- 3f-2c (2-2) R2
7623	17374.40(4)	17374.28	17374.49(3)	1372	S+ 3E-2B (3-10) P3
7624	17373.56(4)	17373.56	17373.57(5)	1373	
			17373.44(5)	1374	
		17372.76			
7625	17372.39(4)	17372.37	17372.35(4)	1375	S+ GK-2B (0-4) P3
7626	17371.48(6)	17371.55			
		17370.71			
7627	17370.03(6)	17370.04	17370.07(5)	1376	
7628	17369.52(4)	17369.54	17369.33(6)	1377	
7629	17369.01(7)		17368.79(4)	1378	
7630	17368.56(4)	17368.56	17368.55(4)	1379	
		17368.06			
			17367.73(5)	1380	
7631	17367.48(4)	17367.48	17367.51(4)	1381	T+ 3e-2c (0-0) R4
		17367.10	17367.38(5)	1382	S+ GK-2B (5-8) P2
7632	17366.66(6)	17366.66			
7633	17366.12(6)	17366.10			
7634	17365.08(4)	17365.12			
		17364.71			
7635	17364.06(4)	17364.05	17364.08(4)	1383	T+ 3f-2c (0-0) P4
7636	17363.65(6)		17363.92(5)	1384	
7637	17362.89(4)	17362.92	17362.88(5)	1385	
7638	17361.91(5)	17361.93	17361.87(5)	1386	T+ 3b-2a (6-1) P6
		17361.83			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7639	17361.07(4)	17361.02	17361.09(4)	1387	T- 3f-2c (0-0) P4
7640	17360.86(5)	17360.64	17360.91(5)	1388	
7641	17360.13(4)	17360.28	17360.04(5)	1389	S+ 3E-2B (3-10) P2
		17360.10			S+ GK-2B (7-10) R3
			17359.57(5)	1390	
7642	17359.39(4)	17359.37	17359.36(4)	1391	T+ 3c-2a (4-3) P4
		17359.15			
		17358.67			
			17358.29(7)	1392	
7643	17358.19(4)	17358.19	17358.11(5)	1393	
7644	17357.76(4)	17357.75	17357.77(5)	1394	T+ 3f-2c (3-3) R5
			17357.68(5)	1395	
			17356.91(5)	1396	
7645	17356.87(4)	17356.82	17356.76(5)	1397	
			17356.58(5)	1398	
7646	17356.41(4)	17356.40	17356.27(6)	1399	
7647	17355.37(4)	17355.42	17355.50(6)	1400	
			17355.29(6)	1401	
7648	17354.20(4)	17354.28	17354.23(5)	1402	T- 3f-2c (3-3) R5
		17354.28	17354.07(5)	1403	S+ GK-2B (6-9) P1
7649	17353.50(4)	17353.54	17353.52(6)	1404	
		17353.33			
7650	17352.57(4)	17352.55	17352.61(7)	1405	
		17351.18			
		17350.96			
7651	17350.33(3)	17350.29	17350.35(4)	1406	T+ 3f-2c (0-0) P5
			17350.24(5)	1407	
7652	17349.89(5)				
		17349.36			
		17348.75			
		17347.72	17347.62(6)	1408	
		17346.30	17345.93(9)	1409	
7653	17345.95(4)	17346.00	17345.77(8)	1410	
		17345.74			
7654	17345.18(4)	17345.15	17345.17(5)	1411	T- 3c-2a (4-3) Q8
		17345.15			T+ 3f-2c (2-2) Q12
7655	17344.68(9)	17344.54			
7656	17344.05(4)	17343.99	17344.03(4)	1412	S+ GK-2B (5-8) P3
			17343.64(6)	1413	
7657	17343.56(4)	17343.56	17343.51(6)	1414	
			17343.37(6)	1415	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7658	17342.96(4)	17342.96	17342.97(4)	1416	T- 3f-2c (2-2) R1
			17342.84(4)	1417	
		17342.70			
7659	17342.61(4)	17342.59	17342.64(4)	1418	T+ 3f-2c (2-2) Q11
		17342.43	17342.48(5)	1419	T- 3f-2c (0-0) P5
7660	17342.26(4)	17342.30	17342.30(5)	1420	
7661	17341.90(4)	17342.12	17342.09(5)	1421	
			17341.82(5)	1422	
7662	17341.40(5)		17341.68(5)	1423	
		17341.20			S+ GK-2B (5-8) P6
		17341.20			S+ EF-2B (21-2) P4
			17340.77(5)	1424	
7663	17340.73(4)	17340.69	17340.66(5)	1425	T+ 3f-2c (0-0) P6
7664	17340.17(5)	17339.87			
7665	17339.40(4)	17339.41			
7666	17338.81(6)	17338.95			S+ GK-2B (6-9) P2
7667	17338.09(4)	17338.07	17338.13(5)	1426	
			17337.96(5)	1427	
7668	17337.66(4)	17337.62	17337.64(5)	1428	
7669	17337.21(5)		17337.22(5)	1429	
7670	17337.01(4)	17337.08	17337.01(5)	1430	
		17336.30			
7671	17335.92(5)	17336.05	17335.93(6)	1431	
		17335.93			
7672	17335.19(5)	17335.22	17335.24(6)	1432	S+ GK-2B (0-4) P4
		17334.96			
			17334.44(5)	1433	
7673	17334.38(3)	17334.37	17334.35(5)	1434	T+ 3f-2c (0-0) P7
7674	17333.91(6)				
		17333.47			
		17333.04			
7675	17332.51(3)	17332.53	17332.58(5)	1435	T+ 3f-2c (2-2) Q9
			17332.44(6)	1436	
		17330.76			
7676	17330.20(2)	17330.24	17330.22(4)	1437	T+ 3f-2c (0-0) P8
		17330.17	17330.09(3)	1438	
7677	17329.41(3)	17329.40	17329.36(4)	1439	
7678	17328.71(4)	17328.76			
		17328.58			
7679	17328.17(2)	17328.16	17328.18(3)	1440	T- 3f-2c (3-3) R4
7680	17327.83(3)	17327.97	17327.95(3)	1441	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17327.74(4)	1442	
7681	17327.25(2)	17327.30	17327.23(3)	1443	T+ 3f-2c (0-0) P9
		17327.30			S 3A-2B (2-10) R5
7682	17326.70(3)	17326.70	17326.79(4)	1444	
7683	17325.82(3)	17325.85	17325.82(3)	1445	
7684	17325.52(3)	17325.55	17325.54(3)	1446	T+ 3f-2c (2-2) Q8
			17325.35(4)	1447	
		17325.17			
7685	17325.13(2)	17325.10	17325.15(4)	1448	T- 3f-2c (0-0) P6
			17324.98(4)	1449	
		17324.51	17324.54(6)	1450	
7686	17324.44(2)	17324.38	17324.37(4)	1451	T+ 3f-2c (0-0) P10
7687	17323.99(2)	17324.00	17323.98(3)	1452	T+ 3e-2c (0-0) R3
		17324.00	17323.84(5)	1453	S+ GK-2B (6-9) P3
7688	17323.15(6)		17323.24(5)	1454	
7689	17322.64(4)	17322.90	17322.83(4)	1455	S+ GK-2B (5-8) P4
			17322.63(4)	1456	
7690	17322.01(4)	17322.22	17322.17(4)	1457	
		17321.76	17321.78(4)	1458	S+ 3E-2B (0-5) R2
7691	17320.93(2)	17320.94	17320.94(4)	1459	T+ 3f-2c (0-0) P11
			17320.79(5)	1460	
7692	17320.08(5)	17320.22	17320.12(5)	1461	
		17320.05			
		17319.90			
		17319.20	17319.19(5)	1462	
		17318.28			
7693	17317.80(2)	17317.82	17317.82(3)	1463	T+ 3f-2c (2-2) Q7
			17317.65(4)	1464	
		17317.39			
7694	17316.83(3)	17316.80	17316.86(5)	1465	
			17316.72(4)	1466	
7695	17316.20(3)	17316.21	17316.18(4)	1467	T+ 3f-2c (0-0) P12
		17315.92	17315.83(4)	1468	S+ GK-2B (7-10) R2
7696	17315.39(3)	17315.34	17315.26(5)	1469	
		17313.90	17313.40(12)	1470	
		17313.43			S+ GK-2B (5-8) P5
7697	17313.08(3)	17313.07	17313.05(3)	1471	T+ 3c-2a (4-3) P5
		17310.55			
7698	17309.97(3)	17309.93	17309.98(3)	1472	T+ 3f-2c (0-0) P13
		17309.93			T+ 3f-2c (2-2) Q6
7699	17309.77(4)		17309.81(3)	1473	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17309.38			
7700	17309.10(2)	17309.10	17309.09(3)	1474	
7701	17308.54(2)	17308.53	17308.58(4)	1475	T- 3f-2c (0-0) P7
			17308.43(5)	1476	
			17308.11(5)	1477	
7702	17308.05(2)	17308.04	17308.01(4)	1478	
7703	17307.40(2)	17307.40	17307.39(3)	1479	T- 3f-2c (2-2) Q8
			17307.13(3)	1480	
7704	17306.82(3)	17306.75	17306.80(3)	1481	T- 3f-2c (2-2) Q10
7705	17306.36(3)	17306.56	17306.53(3)	1482	S+ 3F-2B (2-9) P3
		17306.56	17306.31(4)	1483	S+ GK-2B (6-9) P4
		17306.41			
		17305.94			
		17305.73			
			17305.31(4)	1484	
7706	17305.26(2)	17305.25	17305.21(3)	1485	T- 3f-2c (2-2) Q7
7707	17304.60(3)	17304.58	17304.58(6)	1486	
		17304.45			
7708	17303.89(6)	17304.10			
		17303.56	17303.54(4)	1487	S+ GK-2B (7-10) R1
7709	17303.37(2)	17303.37	17303.38(4)	1488	T+ 3e-2c (1-1) R7
			17303.28(4)	1489	
7710	17302.79(3)	17302.94	17302.81(4)	1490	S+ GK-2B (7-10) R0
		17302.69			
7711	17302.47(3)	17302.47	17302.51(3)	1491	T+ 3f-2c (2-2) Q5
			17302.34(3)	1492	
7712	17301.99(3)		17301.99(3)	1493	
7713	17301.80(3)	17301.88	17301.84(3)	1494	T- 3f-2c (2-2) Q6
		17301.81	17301.73(3)	1495	
7714	17300.98(4)	17300.91	17300.95(3)	1496	T- 3f-2c (3-3) R3
7715	17300.82(4)		17300.78(3)	1497	
7716	17299.87(3)	17299.91	17299.86(4)	1498	S+ 3E-2C (3-0) R1
7717	17298.52(4)	17298.56			
			17298.02(3)	1499	
7718	17297.95(3)	17297.95	17297.91(3)	1500	T- 3f-2c (2-2) Q5
7719	17297.44(3)	17297.49	17297.43(3)	1501	
		17297.06			
7720	17296.75(5)				
7721	17296.46(4)	17296.51	17296.54(4)	1502	
			17296.07(5)	1503	
7722	17295.80(3)	17295.78	17295.82(3)	1504	T+ 3f-2c (2-2) Q4

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7723	17295.64(5)		17295.65(3)	1505	
		17294.93			
7724	17294.08(5)	17294.29			
7725	17293.61(3)	17293.61	17293.62(4)	1506	T- 3f-2c (2-2) Q4
			17293.52(4)	1507	
7726	17293.15(6)	17293.02			S+ EF-2B (21-2) P5
		17292.86			
7727	17292.47(3)	17292.47	17292.47(4)	1508	T+ 3f-2c (1-1) P3
			17292.35(5)	1509	
7728	17292.09(3)	17292.15	17292.13(4)	1510	T- 3f-2c (1-1) P3
		17292.07			T- 3f-2c (0-0) P8
		17292.07			S+ GK-2B (6-9) P5
			17291.98(4)	1511	
7729	17291.58(4)				
		17290.98			
7730	17290.22(3)	17290.23	17290.24(4)	1512	T+ 3f-2c (2-2) Q3
		17290.23	17290.07(4)	1513	S+ GK-2B (0-4) P5
7731	17289.79(4)		17289.73(6)	1514	
7732	17289.41(3)	17289.41	17289.41(4)	1515	T- 3f-2c (2-2) Q3
7733	17289.16(6)		17289.31(4)	1516	
7734	17288.63(3)	17288.64	17288.58(4)	1517	
7735	17287.79(4)	17287.79	17287.74(5)	1518	
		17287.28			
		17286.66			
7736	17285.97(3)	17285.91	17285.98(3)	1519	T- 3f-2c (2-2) Q2
7737	17285.77(3)		17285.78(4)	1520	
			17285.61(4)	1521	
7738	17285.25(3)		17285.14(6)	1522	
7739	17284.70(3)	17284.76	17284.71(4)	1523	T- 3f-2c (4-4) R9
7740	17284.04(5)		17284.03(5)	1524	
7741	17283.60(4)	17283.59	17283.57(6)	1525	
7742	17282.93(3)	17282.91	17282.87(4)	1526	
		17282.51	17282.50(4)	1527	
7743	17281.29(4)	17281.31	17281.28(5)	1528	
7744	17280.69(3)		17280.64(4)	1529	
7745	17279.30(3)	17279.31	17279.31(6)	1530	T+ 3f-2c (0-0) P16
		17279.12	17279.07(5)	1531	
7746	17278.42(3)	17278.46	17278.42(4)	1532	
7747	17278.14(4)	17278.14	17278.18(4)	1533	
7748	17277.65(4)	17277.48	17277.47(5)	1534	
7749	17276.86(5)	17276.79	17276.76(5)	1535	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7750	17276.54(4)	17276.70	17276.49(5)	1536	S+ GK-2B (6-9) P6
		17276.50			
7751	17276.12(3)	17276.10	17276.11(4)	1537	T+ 3e-2c (1-1) R6
7752	17275.77(3)	17275.80	17275.83(4)	1538	S- 3E-2C (3-0) R1
			17275.63(5)	1539	
7753	17275.51(3)	17275.52	17275.44(5)	1540	T- 3f-2c (0-0) P9
7754	17274.71(5)	17274.82			
		17274.73	17274.41(6)	1541	
7755	17274.24(3)	17274.20	17274.23(4)	1542	T+ 3e-2c (0-0) R2
7756	17273.82(4)	17273.81	17273.90(4)	1543	
		17273.54	17273.70(5)	1544	
7757	17273.13(3)	17273.14	17273.13(3)	1545	
7758	17272.84(3)	17272.90	17272.88(3)	1546	T+ 3f-2c (3-3) R2
			17272.70(4)	1547	
7759	17271.75(4)	17271.91			
		17271.60			
7760	17271.12(3)	17271.10	17271.10(4)	1548	T+ 3f-2c (1-1) P4
		17270.22			
7761	17269.64(3)	17269.60	17269.67(4)	1549	T- 3f-2c (1-1) P4
7762	17269.45(3)		17269.49(4)	1550	
			17269.15(5)	1551	
7763	17268.80(3)	17268.82	17268.80(7)	1552	
		17268.71			
7764	17267.62(2)	17267.63	17267.63(4)	1553	T- 3f-2c (4-4) R7
7765	17266.49(5)		17266.47(5)	1554	
7766	17266.24(5)		17266.27(4)	1555	
7767	17265.86(6)				
7768	17265.48(4)	17265.48			
			17264.90(6)	1556	
7769	17264.79(3)		17264.74(5)	1557	
7770	17264.05(3)	17264.05	17264.07(5)	1558	T+ 3f-2c (0-0) P17
7771	17263.73(3)	17263.73	17263.75(5)	1559	
		17263.37			
7772	17262.89(2)	17262.93	17262.91(4)	1560	T+ 3c-2a (4-3) P6
7773	17262.49(4)		17262.60(5)	1561	
		17262.29	17262.29(5)	1562	
7774	17261.20(3)		17261.19(5)	1563	
7775	17260.66(2)	17260.69	17260.66(4)	1564	
7776	17259.43(4)	17259.53			
			17258.96(4)	1565	
7777	17258.86(3)	17258.83	17258.83(4)	1566	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7778	17258.52(3)	17258.50	17258.57(4)	1567	T- 3f-2c (0-0) P10
7779	17258.27(3)		17258.40(4)	1568	
			17258.04(7)	1569	
7780	17257.65(3)	17257.63	17257.60(5)	1570	T- 3c-2a (5-4) Q1
7781	17256.74(3)	17256.87	17256.76(5)	1571	
7782	17256.24(4)	17256.12			
7783	17255.46(3)	17255.48	17255.47(3)	1572	
7784	17255.09(4)		17255.12(7)	1573	
7785	17254.68(3)	17254.63	17254.60(4)	1574	T- 3f-2c (4-4) R6
7786	17253.83(4)				
7787	17253.64(7)	17253.73			
7788	17253.11(3)	17253.14	17253.14(4)	1575	
7789	17252.87(4)		17252.99(4)	1576	
			17252.70(4)	1577	T+ 3f-2c (1-1) P5
7790	17252.64(2)	17252.65	17252.61(4)	1578	
7791	17252.23(4)				
		17251.77			T- 3f-2c (1-1) P5
7792	17250.84(3)	17250.84	17250.91(5)	1579	
			17250.76(5)	1580	
7793	17250.13(3)	17250.15	17250.13(4)	1581	
7794	17249.62(3)	17249.67	17249.45(4)	1582	
7795	17249.34(5)	17249.29	17249.27(4)	1583	T- 3f-2c (1-1) P5
7796	17249.12(4)	17249.10	17249.09(5)	1584	
7797	17248.64(3)	17248.61	17248.65(3)	1585	
7798	17248.48(3)		17248.48(4)	1586	
7799	17247.95(18)	17247.87			
		17247.76			T- 3c-2a (5-4) Q2
7800	17247.37(3)	17247.35	17247.38(4)	1587	
7801	17246.64(2)	17246.64	17246.65(3)	1588	
7802	17246.21(3)		17246.30(5)	1589	
7803	17245.94(6)		17245.97(5)	1590	
		17245.73	17245.77(5)	1591	S+ 3E-2B (0-5) R1
7804	17245.64(4)		17245.58(5)	1592	
7805	17245.31(4)				
7806	17244.95(3)	17245.11			T- 3f-2c (3-3) R1
7807	17244.44(2)	17244.41	17244.46(3)	1593	
		17244.20	17244.22(3)	1594	
7808	17244.08(3)		17244.04(4)	1595	T+ 3e-2c (1-1) R5
		17243.95			
7809	17243.90(3)	17243.83	17243.89(3)	1596	
7810	17243.58(3)	17243.62	17243.63(4)	1597	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7811	17243.19(4)				
7812	17242.94(6)	17243.00			
7813	17242.55(6)				
7814	17242.19(5)	17242.13			
7815	17241.43(3)	17241.60	17241.50(5)	1598	
			17241.36(5)	1599	
7816	17240.87(3)	17240.85	17240.91(4)	1600	T- 3f-2c (0-0) P11
7817	17240.61(4)	17240.72	17240.69(4)	1601	
7818	17240.06(3)	17240.01			
			17239.58(4)	1602	
7819	17239.51(2)	17239.51	17239.48(4)	1603	
		17238.62			
7820	17237.60(3)	17237.66			S+ GK-2B (0-4) P6
			17237.15(4)	1604	
7821	17237.04(2)	17237.02	17237.01(3)	1605	T+ 3f-2c (1-1) P6
		17236.42			
		17236.11			
		17235.91			
7822	17235.43(2)	17235.42	17235.48(4)	1606	T- 3f-2c (4-4) R5
			17235.31(5)	1607	
			17234.85(4)	1608	
7823	17234.75(3)	17234.62	17234.66(4)	1609	
		17234.06			
7824	17233.44(3)	17233.44	17233.43(3)	1610	T- 3c-2a (5-4) Q3
7825	17232.86(4)		17232.88(5)	1611	
			17232.69(8)	1612	
7826	17232.40(4)	17232.50	17232.48(10)	1613	
7827	17231.66(3)	17231.82	17231.76(5)	1614	
			17231.60(4)	1615	
7828	17231.11(5)				
7829	17230.73(4)	17230.74	17230.71(4)	1616	
7830	17230.19(3)	17230.24	17230.23(4)	1617	T+ 3b-2a (4-0) R2
		17230.24			S+ GK-2B (7-10) P3
7831	17229.63(7)	17229.56	17229.53(4)	1618	T+ 3b-2a (4-0) R1
7832	17229.45(3)	17229.09	17229.31(5)	1619	
7833	17228.61(2)	17228.61	17228.64(3)	1620	T- 3f-2c (1-1) P6
		17228.61	17228.44(3)	1621	S- 3E-2C (3-0) Q1
7834	17228.27(2)	17228.29	17228.21(4)	1622	T+ 3e-2c (0-0) Q7
		17228.29			S+ EF-2B (32-8) R2
7835	17227.66(3)	17227.70	17227.70(5)	1623	
			17227.50(6)	1624	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7836	17227.08(3)	17227.08	17227.09(3)	1625	T+ 3e-2c (0-0) Q8
7837	17226.89(4)		17226.91(4)	1626	
		17226.22			
		17225.94			
7838	17225.50(3)	17225.55	17225.50(3)	1627	
			17225.34(4)	1628	
7839	17225.11(2)	17225.12	17225.11(2)	1629	T+ 3e-2c (0-0) Q6
7840	17224.77(4)		17224.93(3)	1630	
		17224.54	17224.58(3)	1631	
7841	17224.39(4)		17224.40(3)	1632	
7842	17223.78(2)	17223.81	17223.82(3)	1633	T+ 3f-2c (1-1) P7
			17223.72(2)	1634	
			17223.53(3)	1635	
7843	17223.37(4)		17223.35(3)	1636	
		17222.98			
7844	17222.72(3)	17222.82	17222.67(2)	1637	
			17222.46(3)	1638	
7845	17222.32(3)	17222.28	17222.25(3)	1639	T+ 3e-2c (0-0) Q9
7846	17222.13(3)		17222.08(3)	1640	
7847	17221.35(3)	17221.26	17221.19(4)	1641	T+ 3b-2a (9-3) R1
7848	17219.80(4)		17219.78(7)	1642	
7849	17219.56(2)	17219.55	17219.56(2)	1643	T+ 3b-2a (9-3) R0
			17219.41(2)	1644	
7850	17219.03(2)	17219.08	17218.98(2)	1645	T+ 3e-2c (0-0) R1
7851	17218.55(2)	17218.63	17218.57(3)	1646	
		17218.56	17218.44(2)	1647	
		17218.30			S 3A-2B (2-10) R1
7852	17217.94(3)	17217.87	17217.77(3)	1648	
7853	17217.51(2)	17217.58	17217.48(3)	1649	
7854	17216.86(2)	17216.83	17216.84(3)	1650	T+ 3e-2c (0-0) Q5
7855	17216.62(3)		17216.66(3)	1651	
7856	17215.86(2)	17215.91	17215.80(2)	1652	T- 3c-2a (5-4) Q4
7857	17215.17(2)	17215.19	17215.15(2)	1653	T- 3f-2c (4-4) R4
7858	17214.88(4)		17214.99(2)	1654	
7859	17214.23(2)	17214.20	17214.19(3)	1655	T+ 3e-2c (0-0) Q10
7860	17214.04(3)	17214.12	17214.03(3)	1656	
7861	17213.34(3)	17213.35	17213.25(3)	1657	
7862	17212.96(4)	17213.09	17212.98(3)	1658	
7863	17212.43(2)	17212.43	17212.41(3)	1659	T+ 3f-2c (1-1) P8
			17212.31(3)	1660	
7864	17211.51(5)	17211.51	17211.40(3)	1661	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7865	17210.44(2)	17210.44	17210.39(3)	1662	
		17210.34			
7866	17209.77(2)	17209.75	17209.71(2)	1663	
7867	17209.24(2)	17209.21	17209.21(2)	1664	T- 3f-2c (1-1) P7
			17209.04(2)	1665	
7868	17208.88(3)				
		17208.74	17208.78(3)	1666	T+ 3b-2a (9-3) R2
			17208.64(3)	1667	
7869	17208.69(5)				
7870	17208.15(3)	17208.10			
7871	17207.27(2)	17207.28	17207.26(3)	1668	
		17207.14	17207.07(3)	1669	
		17206.71			
7872	17206.62(2)	17206.60	17206.60(3)	1670	T+ 3e-2c (1-1) R4
			17206.50(3)	1671	
7873	17205.93(4)	17205.96			
		17205.12			
		17204.56	17204.51(5)	1672	
7874	17203.49(2)	17203.48	17203.56(4)	1673	T+ 3e-2c (0-0) Q11
			17203.41(3)	1674	
		17203.04	17202.97(5)	1675	S+ GK-2B (8-11) R1
7875	17202.87(2)	17202.85	17202.85(3)	1676	T+ 3e-2c (0-0) Q4
			17202.67(3)	1677	
			17202.32(3)	1678	
7876	17202.20(2)	17202.20	17202.19(3)	1679	T+ 3f-2c (1-1) P9
			17202.10(3)	1680	
7877	17201.42(5)	17201.35			
7878	17200.91(6)				
7879	17200.65(3)	17200.68	17200.69(2)	1681	T- 3f-2c (2-2) P3
			17200.54(3)	1682	
7880	17200.33(3)		17200.38(4)	1683	
			17200.13(5)	1684	
		17199.83			
7881	17199.20(7)		17199.30(8)	1685	
			17199.03(6)	1686	
7882	17198.54(4)	17198.49	17198.48(3)	1687	
7883	17197.85(10)	17197.78			
7884	17197.30(3)	17197.28	17197.30(2)	1688	T+ 3f-2c (3-3) Q7
			17197.14(3)	1689	
7885	17196.87(3)	17196.88	17196.87(3)	1690	
			17196.74(5)	1691	
7886	17196.36(2)	17196.36	17196.38(2)	1692	T+ 3f-2c (3-3) Q6

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17196.22(2)	1693	
7887	17195.98(5)				
7888	17195.35(5)	17195.41			
7889	17194.63(2)	17194.64	17194.64(3)	1694	T+ 3f-2c (3-3) Q5
		17194.55	17194.49(3)	1695	
7890	17194.13(3)	17194.13	17194.09(4)	1696	T- 3c-2a (5-4) Q5
7891	17193.54(4)	17193.45			
7892	17192.98(3)		17192.96(4)	1697	
7893	17192.76(3)	17192.80	17192.77(3)	1698	T+ 3f-2c (3-3) Q4
		17192.74	17192.61(3)	1699	
7894	17192.26(2)	17192.24	17192.28(3)	1700	T+ 3f-2c (1-1) P10
			17192.18(4)	1701	
7895	17191.59(2)	17191.59	17191.61(4)	1702	T- 3f-2c (3-3) Q4
			17191.50(4)	1703	
			17191.31(5)	1704	
7896	17190.97(2)	17190.98	17190.96(3)	1705	T- 3f-2c (3-3) Q7
			17190.81(4)	1706	
7897	17190.44(2)	17190.47	17190.46(3)	1707	T- 3f-2c (3-3) Q3
		17190.20	17190.34(4)	1708	
7898	17190.02(2)	17190.05	17190.02(3)	1709	T- 3f-2c (1-1) P8
			17189.83(4)	1710	
7899	17189.52(3)	17189.56	17189.46(3)	1711	
7900	17189.29(3)	17189.35	17189.28(3)	1712	T- 3f-2c (3-3) Q2
			17189.16(4)	1713	
7901	17188.83(5)				
7902	17188.21(2)	17188.23	17188.18(3)	1714	T- 3f-2c (3-3) Q8
7903	17187.77(3)	17187.79	17187.82(4)	1715	
		17187.42	17187.63(5)	1716	
		17186.92			
7904	17186.35(3)	17186.42	17186.35(4)	1717	S+ 3E-2B (4-12) R1
		17186.42	17186.17(5)	1718	S- 3E-2B (0-5) Q3
7905	17185.86(3)	17185.92	17185.88(5)	1719	
7906	17185.46(5)	17185.51			
7907	17184.38(4)	17184.40	17184.40(5)	1720	
			17184.23(6)	1721	
7908	17183.80(3)	17183.83	17183.79(4)	1722	
7909	17183.48(2)	17183.52	17183.54(4)	1723	T- 3f-2c (3-3) Q9
			17183.42(4)	1724	
7910	17182.98(3)	17182.96	17182.97(5)	1725	T+ 3e-2c (0-0) Q3
		17182.83			
7911	17182.43(3)	17182.42	17182.34(4)	1726	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7912	17182.11(2)	17182.21	17182.11(4)	1727	T- 3f-2c (0-0) P14
		17182.10	17181.98(4)	1728	
7913	17181.63(3)	17181.79			
		17181.71	17181.77(4)	1729	T+ 3b-2a (9-3) R3
7914	17181.32(6)		17181.59(4)	1730	
7915	17180.49(3)	17180.41	17180.41(6)	1731	S 3A-2B (3-12) R2
7916	17179.23(11)	17179.27			
		17178.56			
7917	17177.69(9)	17177.70			
		17177.44			
7918	17177.06(2)	17177.06	17177.06(4)	1732	T+ 3f-2c (2-2) P4
			17176.93(4)	1733	
			17176.65(4)	1734	
7919	17176.41(2)	17176.42	17176.44(3)	1735	T- 3f-2c (2-2) P4
			17176.28(4)	1736	
7920	17175.84(3)	17175.64			
7921	17175.35(3)	17175.49	17175.36(5)	1737	
		17175.07	17175.12(4)	1738	
7922	17174.94(2)	17174.95	17174.95(4)	1739	T- 3e-2c (0-0) R5
			17174.76(4)	1740	
7923	17174.47(3)	17174.41	17174.45(3)	1741	T- 3e-2c (0-0) R4
7924	17174.31(3)		17174.27(3)	1742	
7925	17173.76(3)	17173.82			
7926	17173.05(3)	17173.26	17173.24(7)	1743	T+ 3b-2a (9-3) P1
			17172.89(5)	1744	
			17172.68(6)	1745	
7927	17172.49(2)	17172.52	17172.51(4)	1746	
		17172.45	17172.34(4)	1747	T- 3e-2c (0-0) R6
		17171.36	17171.27(4)	1748	T+ 3f-2c (1-1) P12
			17171.04(6)	1749	
7928	17170.86(3)		17170.81(4)	1750	
7929	17170.54(3)	17170.53	17170.56(3)	1751	T- 3f-2c (1-1) P9
		17170.53	17170.38(4)	1752	T- 3e-2c (0-0) R3
		17170.53			S- 3E-2B (4-12) Q3
		17169.87			
		17169.76			
7930	17169.11(3)		17169.14(3)	1753	
7931	17168.90(4)	17169.03	17168.94(3)	1754	T- 3f-2c (4-4) R2
			17168.78(4)	1755	
7932	17168.12(3)	17168.17	17168.14(3)	1756	T- 3c-2a (5-4) Q6
			17167.88(4)	1757	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17167.73(5)	1758	
7933	17167.44(3)	17167.42	17167.46(4)	1759	T- 3e-2c (0-0) R7
		17167.42	17167.29(4)	1760	S- 3E-2C (3-0) P2
		17167.26			
7934	17166.75(3)	17166.75	17166.72(4)	1761	
			17166.49(5)	1762	
7935	17166.35(3)	17166.35	17166.31(4)	1763	
		17164.84	17164.88(6)	1764	S+ GK-2B (8-11) P1
7936	17164.37(2)	17164.38	17164.39(3)	1765	T+ 3e-2c (1-1) R3
			17164.26(4)	1766	
7937	17163.53(4)	17163.33	17163.37(5)	1767	
7938	17162.60(2)	17162.59	17162.65(3)	1768	T- 3e-2c (0-0) R2
			17162.46(3)	1769	
7939	17161.79(5)	17161.95	17161.77(4)	1770	
		17161.68	17161.55(6)	1771	
		17161.53			
7940	17160.59(3)	17160.60	17160.64(5)	1772	T- 3f-2c (0-0) P15
			17160.49(7)	1773	
7941	17159.96(2)	17159.96	17160.01(3)	1774	T- 3e-2c (0-0) R8
			17159.83(4)	1775	
			17159.65(5)	1776	
7942	17159.24(3)	17159.26	17159.22(3)	1777	T+ 3f-2c (1-1) P13
		17158.46			S+ GK-2B (2-6) R1
		17157.86	17157.54(6)	1778	T+ 3e-2c (0-0) Q2
7943	17157.51(3)	17157.66			
		17157.43	17157.25(5)	1779	
		17157.29			
7944	17156.90(2)	17156.95	17156.93(4)	1780	
		17156.87	17156.74(4)	1781	
7945	17156.56(3)		17156.40(4)	1782	
		17155.97			
7946	17155.60(3)	17155.66	17155.59(4)	1783	
		17155.22			
7947	17155.103(19)	17155.14	17155.14(4)	1784	T+ 3f-2c (2-2) P5
			17155.05(4)	1785	
7948	17153.92(2)	17153.98	17153.97(4)	1786	
			17153.80(5)	1787	
		17153.35			
7949	17153.19(2)	17153.20	17153.20(4)	1788	T- 3f-2c (2-2) P5
7950	17152.99(3)		17153.01(4)	1789	
7951	17152.27(4)	17152.24			S 3A-2B (2-10) P4

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7952	17150.62(2)	17150.62	17150.65(3)	1790	T- 3f-2c (1-1) P10
		17150.62	17150.45(4)	1791	T- 3e-2c (0-0) R9
7953	17150.34(2)		17150.27(4)	1792	
7954	17150.01(2)	17150.07	17150.03(3)	1793	T- 3e-2c (0-0) R1
		17150.07			T+ 3c-2a (4-3) P8
		17149.91	17149.85(4)	1794	
7955	17149.35(4)		17149.49(6)	1795	
		17148.68			
7956	17147.70(5)	17147.72	17147.67(4)	1796	S- 3E-2B (0-5) Q1
7957	17145.44(3)	17145.66	17145.40(4)	1797	
		17145.35			S+ 3E-2C (3-0) P3
		17144.80	17144.83(6)	1798	S 3A-2B (2-10) P3
7958	17144.70(2)	17144.80	17144.67(4)	1799	S 3A-2B (3-12) R1
7959	17144.15(2)	17144.17	17144.14(3)	1800	T- 3f-2c (4-4) R1
7960	17143.89(3)	17144.11	17144.01(4)	1801	S 3A-2B (2-10) P1
			17143.82(4)	1802	
		17143.31			
		17142.88			S+ EF-2B (32-8) P3
		17142.61			
		17142.03	17141.93(5)	1803	
7961	17141.39(2)	17141.40	17141.38(4)	1804	
		17140.84	17140.70(5)	1805	
7962	17140.40(2)	17140.39	17140.36(4)	1806	T+ 3b-2a (9-3) R4
7963	17139.73(4)		17139.70(6)	1807	
7964	17139.38(3)	17139.35	17139.35(7)	1808	
7965	17138.696(19)	17138.70	17138.74(4)	1809	T- 3e-2c (0-0) R10
			17138.55(4)	1810	
7966	17138.13(2)	17138.13	17138.11(4)	1811	T- 3c-2a (5-4) Q7
		17137.92			
7967	17137.47(2)	17137.48	17137.47(4)	1812	
7968	17136.90(2)	17136.94	17136.92(4)	1813	
7969	17136.25(3)	17136.21	17136.23(5)	1814	
			17136.04(6)	1815	
7970	17135.72(2)	17135.70	17135.74(5)	1816	
			17135.62(6)	1817	
7971	17135.34(4)		17135.22(5)	1818	
			17134.92(5)	1819	
7972	17134.86(2)	17134.86	17134.82(4)	1820	T+ 3f-2c (2-2) P6
		17134.04			
7973	17133.57(3)	17133.43	17133.41(6)	1821	
		17132.61			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
7974	17131.71(3)	17131.73	17131.78(2)	1822	
		17131.47	17131.51(3)	1823	
7975	17131.28(3)				
7976	17130.65(2)	17130.63	17130.691(9)	1824	T- 3f-2c (2-2) P6
7977	17130.41(3)	17130.63	17130.517(11)	1825	T+ 3e-2c (0-0) Q1
7978	17130.01(2)	17130.01	17130.08(2)	1826	T- 3f-2c (1-1) P11
			17129.93(2)	1827	
7979	17129.71(4)				
7980	17128.97(3)	17128.97	17128.974(15)	1828	T+ 3b-2a (9-3) P2
7981	17128.35(2)	17128.38	17128.43(3)	1829	
			17128.31(2)	1830	
7982	17127.75(3)		17127.76(3)	1831	
7983	17127.39(2)	17127.41	17127.445(16)	1832	
			17127.26(3)	1833	
7984	17126.30(3)	17126.37	17126.319(16)	1834	
7985	17125.85(2)	17125.89	17125.887(15)	1835	
		17125.55			
7986	17125.07(2)	17125.07	17125.117(19)	1836	T- 3e-2c (0-0) R11
7987	17124.86(3)	17124.71	17124.95(3)	1837	
7988	17123.59(4)	17123.74	17123.66(3)	1838	
7989	17123.06(3)	17123.11	17122.90(3)	1839	
7990	17122.75(3)	17122.79			
7991	17122.00(4)	17122.13	17122.13(4)	1840	
7992	17121.50(3)	17121.54	17121.56(2)	1841	
		17121.09			
7993	17120.71(2)	17120.71	17120.709(12)	1842	
7994	17120.28(3)		17120.35(2)	1843	
7995	17119.53(2)	17119.52	17119.587(19)	1844	
		17119.44	17119.45(2)	1845	
7996	17119.05(4)				
7997	17118.66(5)	17118.66			S 3A-2B (3-12) R0
		17118.58			
		17118.37			
7998	17117.95(2)	17117.98	17117.984(10)	1846	T+ 3e-2c (1-1) R2
			17117.80(2)	1847	
7999	17117.54(3)	17117.47	17117.54(5)	1848	
8000	17117.08(3)	17117.12	17117.092(16)	1849	
8001	17116.44(3)	17116.53			S+ 3E-2B (4-12) P3
			17116.25(2)	1850	
8002	17115.99(2)	17115.99	17115.989(8)	1851	T+ 3f-2c (2-2) P7
8003	17115.63(4)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8004	17115.12(3)	17115.11			
8005	17114.45(2)	17114.44	17114.444(17)	1852	
8006	17114.07(3)	17114.10	17114.076(19)	1853	
8007	17113.73(2)	17113.74	17113.744(10)	1854	
8008	17113.32(2)	17113.53	17113.50(2)	1855	
			17113.234(18)	1856	
8009	17112.93(2)	17112.89	17112.950(17)	1857	
8010	17112.63(4)	17112.49	17112.78(2)	1858	
8011	17112.24(3)	17112.20	17112.184(13)	1859	
			17111.85(4)	1860	
8012	17111.61(2)	17111.62	17111.626(19)	1861	
		17111.46			
8013	17111.15(3)	17111.19	17111.184(15)	1862	
8014	17110.75(3)	17110.76	17110.762(16)	1863	
8015	17110.09(4)	17110.08			
8016	17109.54(2)	17109.51	17109.565(17)	1864	T- 3e-2c (0-0) R12
8017	17109.35(4)		17109.44(2)	1865	
			17109.22(4)	1866	
8018	17108.84(2)	17108.88	17108.83(2)	1867	
8019	17108.41(2)	17108.40	17108.432(11)	1868	T- 3f-2c (2-2) P7
			17108.266(17)	1869	
8020	17108.05(3)		17107.87(5)	1870	
8021	17107.64(3)	17107.68	17107.593(17)	1871	
		17107.41			
			17107.16(2)	1872	
8022	17107.12(2)	17107.09	17107.07(2)	1873	T- 3f-2c (3-3) P3
8023	17106.60(3)				
8024	17106.31(2)	17106.30	17106.328(15)	1874	
			17106.166(19)	1875	
8025	17105.55(3)	17105.53	17105.38(4)	1876	
8026	17104.72(3)	17104.69	17104.712(14)	1877	
8027	17104.14(2)	17104.13	17104.13(2)	1878	T- 3c-2a (5-4) Q8
8028	17103.26(3)	17103.23	17103.237(14)	1879	
8029	17101.99(3)	17101.99	17102.02(2)	1880	
			17101.86(5)	1881	
8030	17101.47(2)	17101.49	17101.498(9)	1882	T- 3e-2c (0-0) Q1
8031	17101.16(3)	17101.17	17101.214(14)	1883	
8032	17100.51(4)	17100.65			
8033	17100.00(3)	17099.96	17099.907(15)	1884	
8034	17099.78(3)				
8035	17099.34(5)		17099.38(3)	1885	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17099.04			
8036	17098.71(4)	17098.80			
		17098.69			S 3A-2B (3-12) P1
			17098.399(17)	1886	
8037	17098.26(2)	17098.24	17098.236(11)	1887	T+ 3f-2c (2-2) P8
			17097.99(2)	1888	
8038	17097.78(3)	17097.64			
8039	17097.23(2)	17097.23	17097.257(9)	1889	
			17097.080(13)	1890	
8040	17096.89(2)	17096.91	17096.872(12)	1891	
8041	17096.28(3)				
8042	17095.82(4)	17095.90			S+ EF-2B (32-8) P5
			17095.49(4)	1892	
8043	17095.15(2)	17095.15	17095.185(10)	1893	
		17094.86	17094.997(13)	1894	
8044	17094.74(3)		17094.64(2)	1895	
8045	17094.22(2)	17094.25	17094.22(2)	1896	
			17092.32(2)	1897	
8046	17092.165(15)	17092.18	17092.14(4)	1898	T- 3e-2c (0-0) R13
		17092.08			
8047	17091.75(4)	17091.71			
			17091.213(11)	1899	
8048	17091.063(15)	17091.06	17091.068(13)	1900	T- 3f-2c (4-4) Q2
8049	17090.87(3)		17090.94(4)	1901	
8050	17090.21(3)	17090.19			
			17089.723(10)	1902	
8051	17089.599(14)	17089.61	17089.597(11)	1903	T- 3f-2c (4-4) Q3
8052	17089.11(2)	17089.09	17089.138(18)	1904	T- 3e-2c (0-0) Q2
			17088.86(3)	1905	
8053	17088.69(2)	17088.75	17088.68(3)	1906	
8054	17088.06(3)	17088.14	17088.065(12)	1907	
8055	17087.959(14)	17087.97	17087.902(14)	1908	
			17087.468(17)	1909	
8056	17087.354(14)	17087.35	17087.375(16)	1910	T- 3f-2c (4-4) Q4
			17086.88(2)	1911	
8057	17086.756(15)	17086.76	17086.75(3)	1912	
8058	17086.058(14)	17086.11	17086.171(11)	1913	T- 3f-2c (2-2) P8
			17086.007(13)	1914	
			17085.716(19)	1915	
8059	17085.596(16)	17085.61	17085.53(2)	1916	
			17085.33(2)	1917	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8060	17084.805(16)	17084.78	17084.860(15)	1918	T+ 3b-2a (9-3) R5
		17084.54			
8061	17084.263(18)		17084.312(18)	1919	T- 3f-2c (4-4) Q5
		17084.15	17084.175(14)	1920	
8062	17083.950(14)	17084.00	17084.001(11)	1921	
			17083.870(14)	1922	
8063	17083.40(3)	17083.43			T- 3f-2c (3-3) P4
		17083.03			
		17082.65			
8064	17081.948(18)		17082.009(17)	1923	
			17081.670(14)	1924	T+ 3f-2c (2-2) P9
8065	17081.510(15)	17081.51	17081.518(12)	1925	
			17081.306(14)	1926	T- 3f-2c (4-4) Q6
8066	17081.085(14)	17081.06	17081.119(12)	1927	
			17080.996(13)	1928	T+ 3e-2c (1-1) Q8
		17080.67			
8067	17080.241(15)	17080.24	17080.297(13)	1929	
			17080.145(17)	1930	
		17079.57			T+ 3e-2c (1-1) Q7
		17079.47			
8068	17078.968(14)	17078.99	17079.016(12)	1931	
			17078.865(15)	1932	
		17078.23			T- 3e-2c (0-0) R14
		17077.97			
8069	17077.48(3)	17077.54	17077.531(16)	1933	T- 3f-2c (4-4) Q7
			17077.36(3)	1934	
8070	17076.142(14)	17076.15	17076.202(13)	1935	T+ 3b-2a (9-3) P3
			17076.037(16)	1936	
8071	17075.504(15)	17075.52	17075.561(16)	1937	T- 3e-2c (0-0) R14
			17075.39(2)	1938	
8072	17074.48(3)	17074.47	17074.487(18)	1939	T- 3f-2c (4-4) Q7
		17074.15			
8073	17073.43(4)				T- 3e-2c (0-0) Q3
8074	17072.949(16)		17072.981(14)	1940	
8075	17072.75(3)	17072.89	17072.815(17)	1941	T+ 3b-2a (9-3) P3
8076	17072.151(14)	17072.15	17072.216(12)	1942	
			17072.077(12)	1943	T- 3e-2c (0-0) Q3
8077	17071.59(3)				
		17071.29	17071.29(3)	1944	T+ 3b-2a (9-3) P3
8078	17071.21(2)		17071.17(5)	1945	
		17070.76	17070.786(19)	1946	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17070.76			T+ 3b-2a (7-2) R1
		17070.76			S- 3E-2C (3-0) P4
8079	17070.638(15)		17070.643(15)	1947	
8080	17070.44(2)	17070.54	17070.463(15)	1948	T+ 3e-2c (1-1) Q6
		17070.54			S 3A-2C (2-0) R1
		17070.08			
8081	17069.581(14)	17069.58	17069.600(11)	1949	T+ 3e-2c (0-0) P2
			17069.409(19)	1950	
8082	17069.057(14)	17069.05	17069.044(10)	1951	T+ 3e-2c (1-1) R1
8083	17068.68(2)	17068.74	17068.659(15)	1952	
8084	17067.97(2)	17068.05	17067.97(2)	1953	
8085	17067.26(2)	17067.41	17067.26(2)	1954	
		17067.21	17066.99(3)	1955	
8086	17066.823(19)	17066.79	17066.830(12)	1956	T+ 3e-2c (0-0) P3
			17066.677(15)	1957	
			17066.45(2)	1958	
8087	17066.28(3)				
8088	17066.10(2)	17066.13	17066.153(14)	1959	T- 3c-2a (5-4) Q9
			17065.992(17)	1960	
8089	17065.75(3)	17065.72	17065.718(14)	1961	T+ 3b-2a (7-2) R2
		17065.26			
8090	17064.90(2)	17064.89	17064.887(11)	1962	
8091	17064.50(7)	17064.56	17064.52(3)	1963	S 3A-2C (2-0) R3
		17064.26	17064.230(16)	1964	
8092	17064.18(2)	17064.18	17064.116(14)	1965	T+ 3f-2c (2-2) P10
8093	17063.74(3)	17063.80	17063.772(15)	1966	T- 3f-2c (4-4) Q8
		17063.80			T+ 3b-2a (7-2) R0
8094	17063.37(2)	17063.47	17063.401(12)	1967	
		17063.30	17063.184(13)	1968	T- 3f-2c (2-2) P9
8095	17063.08(2)	17063.13	17062.971(18)	1969	
8096	17062.68(2)		17062.737(13)	1970	
		17062.55	17062.542(11)	1971	
8097	17062.31(2)	17062.32	17062.316(11)	1972	
			17062.137(12)	1973	
8098	17061.91(2)	17061.90	17061.890(12)	1974	T+ 3e-2c (0-0) P4
			17061.71(3)	1975	
8099	17061.49(2)	17061.35	17061.484(14)	1976	
8100	17061.17(3)	17061.17	17061.213(14)	1977	T+ 3e-2c (1-1) Q5
8101	17060.98(5)		17061.032(18)	1978	
		17060.21			
8102	17059.54(2)	17059.54	17059.54(3)	1979	T+ 3e-2c (2-2) R7

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			17059.44(3)	1980	
8103	17059.02(7)		17058.99(7)	1981	
8104	17058.73(3)	17058.73	17058.72(3)	1982	
8105	17058.23(2)	17058.20	17058.26(3)	1983	
			17058.12(4)	1984	
8106	17057.24(7)	17057.35			
8107	17056.842(19)	17056.85	17056.85(3)	1985	T+ 3f-2c (3-3) P5
			17056.77(3)	1986	
8108	17056.13(2)	17056.12	17056.12(2)	1987	T- 3f-2c (3-3) P5
8109	17055.88(4)	17055.80	17055.96(3)	1988	
		17055.28			S+ GK-2B (2-6) P4
8110	17054.63(3)	17054.72	17054.72(3)	1989	
			17054.56(4)	1990	
8111	17053.97(2)		17054.02(3)	1991	
8112	17053.59(2)	17053.61	17053.58(2)	1992	
		17053.29	17053.47(3)	1993	
8113	17053.02(2)	17052.85	17052.99(3)	1994	
			17052.70(4)	1995	
8114	17052.401(19)	17052.41	17052.42(3)	1996	T+ 3e-2c (0-0) P5
			17052.31(3)	1997	
8115	17051.93(2)	17052.07	17051.95(3)	1998	
		17051.98			
		17051.56			
8116	17051.01(2)	17051.01	17051.02(2)	1999	
			17050.87(3)	2000	
8117	17050.34(2)	17050.33	17050.36(3)	2001	
			17050.26(3)	2002	
		17049.51			T- 3e-2c (0-0) Q4
		17048.89			
8118	17048.31(2)	17048.35	17048.39(4)	2003	
			17048.25(3)	2004	
		17048.01			
			17047.54(3)	2005	
8119	17047.46(2)	17047.37	17047.37(2)	2006	T+ 3e-2c (1-1) Q4
8120	17047.25(3)		17047.17(2)	2007	
8121	17046.638(19)	17046.65	17046.67(3)	2008	
			17046.56(2)	2009	
		17045.76			
		17045.18			
8122	17044.07(3)		17044.04(4)	2010	
			17043.91(5)	2011	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8123	17043.49(2)	17043.48	17043.48(3)	2012	
8124	17043.19(4)	17043.04	17043.32(3)	2013	
		17042.52			
8125	17041.91(2)	17041.89	17041.875(19)	2014	T- 3f-2c (5-5) R1
8126	17041.65(2)		17041.67(2)	2015	
			17041.55(3)	2016	
8127	17040.94(2)	17041.00	17040.98(3)	2017	
			17040.77(4)	2018	
8128	17040.47(2)	17040.48	17040.46(2)	2019	T- 3e-2c (0-0) P2
		17040.33	17040.27(2)	2020	
8129	17040.08(2)		17040.00(2)	2021	
8130	17039.88(2)	17039.94	17039.82(2)	2022	
8131	17039.57(4)	17039.59	17039.56(3)	2023	
		17038.86	17038.82(4)	2024	
			17038.59(5)	2025	
		17038.28	17038.35(4)	2026	
8132	17037.64(2)	17037.60	17037.59(2)	2027	T+ 3e-2c (0-0) P6
			17036.82(3)	2028	
			17036.58(5)	2029	
8133	17036.38(3)		17036.35(3)	2030	
8134	17035.99(4)	17036.10	17036.08(4)	2031	
		17035.75	17035.82(3)	2032	
8135	17035.67(3)	17035.61	17035.63(4)	2033	
		17035.28	17035.28(4)	2034	
8136	17034.99(2)	17035.01	17035.04(4)	2035	
			17034.86(4)	2036	
8137	17034.33(2)	17034.27	17034.26(3)	2037	
8138	17033.82(3)	17033.83	17033.77(4)	2038	T- 3f-2c (2-2) P10
		17033.83			S 3A-2C (2-0) R4
8139	17033.35(7)	17033.30			
8140	17032.72(2)	17032.69	17032.72(3)	2039	T+ 3f-2c (3-3) P6
			17032.63(3)	2040	
8141	17032.11(2)	17032.22	17032.12(2)	2041	
		17032.11	17031.95(3)	2042	
		17031.74			
		17031.40			
8142	17030.90(2)	17030.89	17030.92(2)	2043	T- 3f-2c (3-3) P6
		17030.79	17030.76(2)	2044	S+ GK-2B (2-6) P5
		17030.26			
8143	17029.83(4)	17029.85	17029.81(4)	2045	T+ 3e-2c (1-1) Q3
		17029.75			S- 4E-2B (0-12) Q1

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17029.43	17029.39(3)	2046	
8144	17029.14(2)	17029.13	17029.11(3)	2047	
			17028.84(4)	2048	
8145	17028.73(2)	17028.73	17028.68(3)	2049	
8146	17028.31(3)	17028.34	17028.41(4)	2050	
			17028.22(4)	2051	
		17027.56			
8147	17026.98(2)	17026.97	17026.99(3)	2052	T- 3e-2c (1-1) R5
			17026.82(4)	2053	
8148	17026.53(3)	17026.38	17026.48(6)	2054	
8149	17025.69(2)	17025.71	17025.70(3)	2055	T- 3e-2c (1-1) R6
			17025.53(4)	2056	
8150	17025.12(2)	17025.11	17025.13(3)	2057	T- 3e-2c (1-1) R4
8151	17024.82(3)		17024.96(3)	2058	
			17024.68(5)	2059	
		17024.33			T- 3c-2a (5-4) Q10
8152	17024.01(3)	17024.00	17023.96(5)	2060	T- 3e-2c (0-0) Q5
8153	17023.27(3)	17023.30	17023.28(4)	2061	
		17022.85	17023.06(5)	2062	
8154	17022.54(3)	17022.59	17022.56(4)	2063	T+ 3a-2c (2-2) R2
			17022.37(4)	2064	
			17022.19(5)	2065	
			17021.73(6)	2066	
8155	17021.56(2)	17021.60	17021.57(4)	2067	T- 3e-2c (1-1) R7
		17021.60	17021.40(4)	2068	S 3A-2C (2-0) Q1
8156	17021.10(3)		17021.16(4)	2069	
		17020.79	17020.97(4)	2070	
		17020.36			
		17020.13			
8157	17019.73(2)	17019.71	17019.74(3)	2071	T- 3e-2c (1-1) R3
8158	17019.52(4)		17019.57(4)	2072	
		17018.88			
		17018.72			
		17018.54			
		17018.09			
		17017.90	17017.85(4)	2073	
8159	17017.73(2)	17017.76			T+ 3e-2c (0-0) P7
		17017.70	17017.65(4)	2074	
8160	17017.25(3)	17017.26	17017.22(3)	2075	T- 3c-2a (6-5) Q1
		17017.17			
		17016.75			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17016.41	17016.20(4)	2076	
		17016.26			
8161	17015.61(2)	17015.62	17015.65(4)	2077	
		17015.54	17015.51(4)	2078	
8162	17014.88(2)	17014.87	17014.91(4)	2079	T- 3e-2c (1-1) R8
			17014.82(6)	2080	
8163	17014.65(3)		17014.70(4)	2081	
8164	17014.15(4)	17014.12	17013.99(5)	2082	
8165	17013.84(2)	17013.84	17013.80(4)	2083	
		17013.62			
		17013.28	17013.28(4)	2084	T+ 3b-2a (7-2) P1
		17012.90			S- 3E-2C (3-0) P5
8166	17012.43(4)	17012.50	17012.45(5)	2085	
		17012.39			
		17011.75	17011.75(4)	2086	T- 3f-2c (4-4) P3
8167	17011.69(2)	17011.46	17011.63(4)	2087	
			17011.52(5)	2088	
8168	17011.22(2)		17011.28(5)	2089	
		17011.08	17011.11(5)	2090	
		17010.88			
8169	17010.37(2)	17010.36	17010.39(3)	2091	T- 3e-2c (1-1) R2
8170	17010.15(3)		17010.21(3)	2092	
		17009.73	17010.01(5)	2093	
8171	17009.56(3)	17009.49			S 3A-2C (2-0) Q2
8172	17008.97(2)	17008.96	17009.01(4)	2094	T+ 3f-2c (3-3) P7
			17008.90(4)	2095	
8173	17008.59(2)	17008.64	17008.62(3)	2096	T- 3c-2a (6-5) Q2
8174	17008.20(2)	17008.28	17008.27(4)	2097	
		17008.16	17008.06(4)	2098	
			17007.86(5)	2099	
8175	17007.45(3)		17007.44(4)	2100	
			17007.27(4)	2101	
8176	17007.07(3)	17006.84	17007.01(5)	2102	
8177	17006.42(2)	17006.41	17006.46(4)	2103	
			17006.29(4)	2104	
8178	17005.82(2)	17005.79	17005.86(4)	2105	T- 3e-2c (1-1) R9
			17005.70(5)	2106	
8179	17005.52(2)	17005.55	17005.55(4)	2107	T- 3f-2c (3-3) P7
			17005.39(4)	2108	
8180	17004.97(2)	17004.99	17004.96(3)	2109	
8181	17004.53(2)	17004.66	17004.59(4)	2110	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		17004.52			
8182	17004.08(4)				
		17003.85	17003.86(6)	2111	
8183	17003.67(2)		17003.70(4)	2112	
			17003.54(5)	2113	
8184	17003.11(3)	17003.21	17003.16(5)	2114	
			17002.94(5)	2115	
8185	17002.72(3)	17002.69	17002.70(4)	2116	
		17002.39			
		17002.32			
8186	17001.32(4)	17001.26			
		17000.50			
8187	16999.81(3)		16999.81(4)	2117	
			16999.63(4)	2118	
8188	16999.54(3)	16999.41	16999.47(6)	2119	
8189	16998.91(2)	16998.91	16998.92(4)	2120	T+ 3b-2a (9-3) P4
8190	16998.49(3)	16998.55			
		16998.23			
8191	16997.81(2)	16997.78	16997.83(4)	2121	T- 3e-2c (0-0) P3
			16997.63(4)	2122	
8192	16997.45(2)	16997.39	16997.39(4)	2123	T+ 3a-2c (3-3) R3
8193	16997.15(4)	16997.20			
8194	16996.57(2)	16996.58	16996.58(3)	2124	T- 3e-2c (1-1) R1
		16996.58	16996.36(4)	2125	S 3A-2C (2-0) P1
8195	16996.31(2)	16996.38	16996.13(5)	2126	
8196	16995.75(2)	16995.76	16995.75(3)	2127	T- 3e-2c (0-0) Q6
		16995.45	16995.25(6)	2128	
8197	16995.04(3)	16995.25			
		16995.05	16994.91(5)	2129	
		16994.98			
8198	16994.54(2)	16994.53	16994.57(4)	2130	T- 3e-2c (1-1) R10
8199	16994.33(3)		16994.40(4)	2131	
8200	16993.91(5)	16993.95	16993.92(9)	2132	
8201	16993.50(2)	16993.54	16993.47(4)	2133	T+ 3e-2c (0-0) P8
8202	16992.97(2)	16992.98			
		16992.23			
8203	16991.82(2)	16991.82	16991.812(18)	2134	T+ 3a-2c (2-2) R1
8204	16991.33(3)	16991.52	16991.47(4)	2135	
		16991.41			
8205	16990.74(2)	16990.68	16990.761(17)	2136	T+ 3e-2c (1-1) Q1
		16990.68	16990.60(2)	2137	T- 3f-2c (5-5) Q2

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8206	16990.56(2)		16990.48(3)	2138	
8207	16989.990(19)	16990.02	16990.01(2)	2139	
			16989.85(3)	2140	
8208	16989.59(2)	16989.65	16989.63(3)	2141	
8209	16989.36(3)	16989.17	16989.45(3)	2142	
8210	16988.27(2)	16988.23	16988.28(3)	2143	
8211	16987.47(2)	16987.45	16987.44(2)	2144	
		16987.22	16987.22(3)	2145	
8212	16986.47(3)	16986.56	16986.43(3)	2146	
		16986.44			
8213	16986.15(2)	16986.15	16986.173(17)	2147	
			16986.002(19)	2148	
8214	16985.58(2)	16985.72	16985.588(19)	2149	
		16985.58	16985.49(2)	2150	
8215	16985.11(2)	16985.11	16985.12(2)	2151	T+ 3f-2c (3-3) P8
			16985.02(3)	2152	
8216	16984.45(2)	16984.48	16984.499(18)	2153	T- 3f-2c (4-4) P4
		16984.38	16984.34(2)	2154	
8217	16984.10(2)	16984.09	16984.061(18)	2155	
8218	16983.43(2)	16983.58	16983.41(3)	2156	
		16983.46			
8219	16982.93(2)	16982.93	16982.92(3)	2157	
8220	16982.36(4)	16982.43	16982.34(4)	2158	
		16982.30	16982.15(3)	2159	
			16981.89(3)	2160	
8221	16981.79(2)	16981.77	16981.69(4)	2161	
8222	16981.16(2)	16981.15	16981.18(2)	2162	
			16980.99(4)	2163	
8223	16980.73(2)	16980.79	16980.75(3)	2164	
		16980.60			
8224	16980.18(3)	16980.32			
		16980.12			
			16979.87(3)	2165	
8225	16979.706(19)	16979.68	16979.731(18)	2166	T- 3f-2c (3-3) P8
		16979.68			T+ 3e-2c (2-2) R4
			16979.578(18)	2167	
8226	16979.30(3)	16979.14			
		16979.02	16979.06(3)	2168	
8227	16978.66(2)	16978.67	16978.655(17)	2169	T- 3c-2a (6-5) Q4
8228	16978.36(2)	16978.39	16978.378(17)	2170	
			16978.11(3)	2171	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8229	16977.96(2)	16977.98	16977.90(2)	2172	
8230	16977.45(4)		16977.61(3)	2173	
			16976.99(4)	2174	
8231	16976.70(2)	16976.71	16976.74(3)	2175	
		16976.62			
8232	16976.25(4)		16976.36(4)	2176	
8233	16975.68(2)	16975.75	16975.81(4)	2177	
		16975.52	16975.51(3)	2178	T+ 3b-2a (7-2) R5
		16974.74	16974.79(4)	2179	
8234	16974.68(2)	16974.59	16974.63(5)	2180	
		16974.30			
		16973.96			
		16973.63			
8235	16973.390(19)	16973.39			
8236	16972.87(3)	16972.72	16972.85(3)	2181	
8237	16971.99(2)	16972.08	16971.98(5)	2182	
		16971.92			
		16971.54			
8238	16971.06(2)	16971.07	16971.090(18)	2183	
8239	16970.73(4)	16970.85	16970.89(2)	2184	T+ 3a-2c (3-3) R2
8240	16969.95(2)	16969.96	16969.961(18)	2185	T+ 3b-2a (7-2) P2
8241	16969.47(3)	16969.46	16969.52(3)	2186	
8242	16969.04(6)	16969.25			
		16968.86			
			16968.58(3)	2187	
8243	16968.542(19)	16968.51	16968.50(3)	2188	
		16968.44			
8244	16967.92(3)	16967.82	16967.84(3)	2189	T+ 3a-2c (4-4) R4
		16967.10			
8245	16966.49(4)	16966.53	16966.62(5)	2190	
8246	16965.84(2)	16965.85	16965.91(2)	2191	
8247	16965.72(5)	16965.77	16965.74(2)	2192	T+ 3e-2c (0-0) P9
8248	16965.11(2)	16965.10	16965.11(3)	2193	T- 3e-2c (0-0) Q7
8249	16964.70(4)	16964.71	16964.94(5)	2194	
8250	16964.01(5)	16963.86			
8251	16963.71(2)	16963.69	16963.70(2)	2195	
8252	16962.79(2)	16962.90	16962.84(3)	2196	
		16962.80	16962.67(4)	2197	
		16961.80			
			16961.32(5)	2198	
8253	16961.141(19)	16961.15	16961.01(4)	2199	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8254	16960.77(4)				
8255	16960.397(18)	16960.36	16960.49(4)	2200	
		16960.07			
8256	16959.640(15)	16959.63	16959.69(3)	2201	
8257	16959.40(3)		16959.55(3)	2202	
8258	16958.84(3)	16958.92			
8259	16958.401(15)	16958.43	16958.42(2)	2203	T+ 3f-2c (3-3) P9
8260	16957.97(3)	16957.81			
8261	16957.413(15)	16957.41	16957.42(3)	2204	T- 3c-2a (6-5) Q5
8262	16956.768(17)	16956.81	16956.81(3)	2205	T- 3f-2c (4-4) P5
8263	16956.57(8)	16956.21	16956.66(4)	2206	
8264	16956.160(15)				
8265	16955.82(5)	16955.95			
8266	16955.378(15)	16955.38	16955.38(3)	2207	
		16953.47			
			16952.99(3)	2208	
8267	16952.905(15)	16952.89	16952.85(2)	2209	T- 3f-2c (3-3) P9
8268	16952.24(2)		16952.30(4)	2210	
		16952.08	16952.15(5)	2211	
		16950.88			
8269	16950.260(15)	16950.27	16950.30(2)	2212	T- 3e-2c (0-0) P4
			16950.12(3)	2213	
8270	16949.686(18)	16949.67	16949.71(3)	2214	
		16949.54	16949.55(4)	2215	
8271	16949.209(17)	16949.24	16949.23(2)	2216	
		16949.04	16949.03(3)	2217	S- 3E-2C (3-0) P6
8272	16948.605(17)	16948.69	16948.61(3)	2218	
8273	16948.219(15)	16948.22	16948.19(2)	2219	T- 3e-2c (1-1) Q1
8274	16947.84(3)	16947.96	16947.83(3)	2220	
8275	16947.53(3)		16947.56(3)	2221	
			16947.34(3)	2222	
8276	16946.98(2)	16946.98	16946.81(3)	2223	
8277	16946.534(17)	16946.63	16946.59(3)	2224	
		16946.54	16946.40(3)	2225	
		16945.91			
8278	16945.51(2)	16945.46	16945.52(4)	2226	
			16945.02(5)	2227	
8279	16944.642(17)	16944.64	16944.61(3)	2228	
		16944.34			
8280	16944.248(15)	16944.24	16944.25(2)	2229	T+ 3e-2c (2-2) R3
		16944.24	16944.15(3)	2230	S 3A-2C (2-0) Q4

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			16943.99(3)	2231	
8281	16943.84(2)	16943.73	16943.70(3)	2232	T+ 3a-2c (3-3) R1
8282	16943.34(4)	16943.40	16943.34(7)	2233	
		16943.05			
8283	16942.537(15)	16942.53	16942.55(2)	2234	
			16942.37(3)	2235	
8284	16941.82(2)	16941.81	16941.87(4)	2236	
			16941.69(5)	2237	
8285	16941.42(4)		16941.34(3)	2238	
8286	16941.23(2)	16941.28	16941.16(3)	2239	
		16940.64			T+ 3a-2c (2-2) Q4
8287	16940.138(15)	16940.12	16940.15(3)	2240	
			16939.97(3)	2241	
8288	16939.65(3)	16939.58			
		16939.25	16939.32(6)	2242	
8289	16938.794(15)	16938.78	16938.80(3)	2243	
			16938.62(3)	2244	
8290	16938.269(15)	16938.27	16938.30(4)	2245	
			16938.19(3)	2246	
			16937.86(4)	2247	
8291	16937.577(17)	16937.53	16937.53(3)	2248	T+ 3a-2c (2-2) Q3
		16937.53	16937.35(4)	2249	T- 3e-2c (1-1) Q2
		16937.53			S+ WX-2B (0-3) R1
		16937.36			
8292	16937.159(15)	16937.20	16937.17(3)	2250	
		16937.07	16937.01(3)	2251	
8293	16936.57(2)	16936.51			
8294	16935.138(16)	16935.20	16935.13(3)	2252	T+ 3e-2c (0-0) P10
8295	16934.85(2)	16934.91	16934.88(3)	2253	T+ 3a-2c (2-2) Q2
		16934.75	16934.69(3)	2254	
		16934.11			
8296	16933.647(15)	16933.63	16933.66(3)	2255	
		16933.50	16933.50(3)	2256	
8297	16933.13(2)	16933.10	16933.06(3)	2257	T+ 3a-2c (2-2) Q1
		16932.92	16932.85(4)	2258	
8298	16932.543(15)	16932.56	16932.54(3)	2259	T- 3e-2c (0-0) Q8
			16932.37(3)	2260	
8299	16932.106(16)	16932.09	16932.07(3)	2261	T- 3c-2a (6-5) Q6
8300	16931.611(15)	16931.67	16931.67(2)	2262	T+ 3e-2c (1-1) P2
			16931.49(3)	2263	
8301	16931.11(2)	16931.11			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16930.78			
8302	16930.14(3)	16930.12	16930.00(3)	2264	
8303	16929.572(15)	16929.59	16929.60(3)	2265	
			16929.44(4)	2266	
8304	16929.13(3)		16929.06(4)	2267	
8305	16928.95(3)	16929.00	16928.87(4)	2268	
		16928.67			
		16928.44			
8306	16928.358(15)	16928.37	16928.38(3)	2269	T+ 3f-2c (3-3) P10
			16928.22(3)	2270	
8307	16927.95(3)		16927.95(3)	2271	
		16927.52			
8308	16926.82(4)	16926.84	16926.81(3)	2272	
		16926.00			
8309	16925.55(6)		16925.36(4)	2273	
8310	16925.10(3)	16925.09	16925.13(3)	2274	S- 3E-2B (2-9) Q5
			16924.97(3)	2275	
8311	16924.60(4)	16924.60	16924.64(3)	2276	T- 3f-2c (3-3) P10
8312	16924.38(4)		16924.49(3)	2277	
8313	16923.72(5)	16923.77			
8314	16923.36(4)	16923.38	16923.36(4)	2278	
8315	16922.34(4)	16922.49			
8316	16921.84(3)	16921.84	16921.85(3)	2279	T+ 3e-2c (1-1) P3
			16921.72(3)	2280	
8317	16921.17(4)	16921.17	16921.13(3)	2281	T+ 3b-2a (7-2) R6
			16920.76(4)	2282	
8318	16920.69(4)		16920.61(5)	2283	
8319	16920.14(5)		16920.12(3)	2284	
8320	16919.76(5)	16919.80	16919.76(3)	2285	T+ 3a-2c (4-4) R2
		16919.80			S+ WX-2B (0-3) R2
8321	16919.39(4)	16919.43	16919.44(4)	2286	
8322	16918.72(5)	16918.70			
8323	16918.30(4)	16918.23	16918.34(4)	2287	
8324	16917.99(5)		16918.00(4)	2288	
8325	16917.00(5)	16916.96			
8326	16916.31(4)	16916.27	16916.29(3)	2289	
8327	16915.28(3)	16915.28	16915.26(3)	2290	
		16915.06			
8328	16914.73(4)	16914.75	16914.74(3)	2291	T+ 3b-2a (7-2) P3
8329	16914.24(5)		16914.24(3)	2292	
8330	16914.02(4)	16914.07	16914.05(3)	2293	S+ WX-2B (0-3) P1

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			16913.92(4)	2294	
8331	16913.45(4)	16913.44	16913.45(4)	2295	T+ 3b-2a (9-3) P5
			16912.78(3)	2296	
8332	16912.73(4)	16912.68	16912.66(3)	2297	T+ 3e-2c (1-1) P4
8333	16912.39(4)		16912.53(3)	2298	
8334	16911.98(6)		16911.96(3)	2299	
8335	16911.68(4)	16911.73	16911.72(3)	2300	
8336	16909.44(4)	16909.43	16909.47(3)	2301	
			16909.29(4)	2302	
8337	16908.91(4)	16908.92	16908.93(4)	2303	
8338	16908.57(6)		16908.73(4)	2304	
8339	16907.38(4)	16907.37	16907.35(3)	2305	
		16906.03			
8340	16905.421(18)	16905.41	16905.45(3)	2306	T+ 3e-2c (2-2) R2
8341	16905.12(4)	16905.23	16905.28(3)	2307	
8342	16904.54(3)	16904.51			
		16904.00			
8343	16903.55(2)	16903.62	16903.62(3)	2308	T+ 3a-2c (2-2) P1
		16903.34			
			16902.99(3)	2309	
8344	16902.907(17)		16902.87(3)	2310	
8345	16902.325(19)	16902.38	16902.32(3)	2311	T+ 3e-2c (0-0) P11
			16901.94(3)	2312	
8346	16901.874(17)	16901.88	16901.84(3)	2313	T+ 3e-2c (1-1) P5
8347	16901.39(3)				
		16901.05			
8348	16900.399(18)	16900.45	16900.42(3)	2314	
8349	16899.92(3)	16900.06	16900.06(3)	2315	
			16899.89(4)	2316	
		16899.53			S- 3F-2B (0-6) Q5
8350	16899.11(3)		16899.12(3)	2317	
8351	16898.93(3)	16898.91	16898.93(3)	2318	T- 3e-2c (0-0) P5
8352	16898.68(2)	16898.78	16898.78(4)	2319	T- 3e-2c (0-0) Q9
			16898.64(4)	2320	
8353	16898.27(7)				
8354	16897.73(2)		16897.61(4)	2321	
8355	16897.431(18)	16897.41	16897.42(3)	2322	
8356	16896.83(6)				
8357	16896.260(18)	16896.26	16896.28(3)	2323	
8358	16895.750(18)	16895.82	16895.78(3)	2324	
			16895.58(5)	2325	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8359	16895.426(18)	16895.46	16895.39(3)	2326	
8360	16894.91(4)				
8361	16894.540(19)	16894.55	16894.53(3)	2327	T+ 3a-2c (4-4) R1
8362	16894.12(2)	16894.18	16894.12(3)	2328	
8363	16893.704(17)	16893.72	16893.69(3)	2329	T+ 3d-2c (0-0) R1
8364	16893.36(2)	16893.43	16893.34(3)	2330	
		16893.36			
8365	16892.76(4)	16892.84			
8366	16892.27(2)	16892.35			
8367	16891.82(2)	16891.74	16891.79(3)	2331	
8368	16891.49(5)	16891.44	16891.43(5)	2332	
8369	16890.78(5)	16890.86			
8370	16890.204(17)	16890.19	16890.22(3)	2333	
			16890.06(3)	2334	
8371	16889.81(3)	16889.60			S- 3E-2C (4-1) R5
8372	16889.223(17)	16889.23	16889.25(3)	2335	T- 3e-2c (1-1) P2
			16889.07(3)	2336	
8373	16888.751(17)	16888.69	16888.73(3)	2337	T+ 3a-2c (3-3) Q2
		16888.69			T+ 3a-2c (3-3) Q1
		16888.62	16888.57(3)	2338	T+ 3a-2c (3-3) Q3
		16888.47			
8374	16888.33(2)	16888.39	16888.41(4)	2339	T+ 3a-2c (3-3) Q4
		16888.39	16888.23(4)	2340	S+ WX-2B (0-3) P2
8375	16887.821(17)	16887.84	16887.86(4)	2341	T+ 3e-2c (1-1) P6
			16887.76(3)	2342	
8376	16887.421(18)	16887.40	16887.41(3)	2343	
8377	16887.04(2)	16887.05	16887.09(4)	2344	
		16886.96			
8378	16886.67(2)	16886.65	16886.67(4)	2345	
8379	16886.51(4)		16886.50(5)	2346	
8380	16885.58(2)	16885.58	16885.61(4)	2347	
			16885.49(5)	2348	
8381	16884.58(4)	16884.70			
8382	16884.261(18)	16884.26	16884.27(3)	2349	
			16884.13(4)	2350	
8383	16883.54(3)	16883.63			
		16883.48			
8384	16882.89(3)	16882.97	16882.89(5)	2351	
8385	16882.38(3)		16882.36(6)	2352	
8386	16881.97(2)	16882.02			
8387	16881.43(2)	16881.62	16881.39(5)	2353	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16881.49			
8388	16881.078(17)	16881.06	16881.07(3)	2354	T+ 3d-2c (0-0) R2
8389	16880.82(3)		16880.91(4)	2355	
		16880.22			
8390	16879.68(2)	16879.68	16879.67(5)	2356	T- 3e-2c (1-1) Q5
8391	16879.38(3)	16879.34			
		16878.21			
8392	16877.08(3)	16877.22	16877.20(5)	2357	
		16876.94	16876.90(6)	2358	
8393	16876.284(19)	16876.29	16876.31(3)	2359	
		16876.07			T+ 3a-2c (2-2) P2
		16875.68			
		16874.53			
8394	16873.98(2)		16874.00(3)	2360	
8395	16873.76(3)	16873.89	16873.83(3)	2361	
8396	16873.35(3)		16873.47(4)	2362	
		16872.97			S- 3E-2C (4-1) R6
		16872.21			
8397	16871.73(3)	16871.83	16871.79(7)	2363	
8398	16871.235(17)	16871.24	16871.25(3)	2364	
8399	16870.56(3)	16870.54	16870.56(4)	2365	
			16870.36(5)	2366	
		16870.03	16870.06(4)	2367	T+ 3e-2c (1-1) P7
8400	16869.992(18)	16869.96	16869.96(4)	2368	S+ 3E-2B (2-9) R1
8401	16869.65(2)	16869.71	16869.65(5)	2369	
		16869.08			
		16868.86			
		16868.53	16868.51(3)	2370	
8402	16868.42(3)	16868.44	16868.34(3)	2371	T- 3f-2c (4-4) P8
8403	16868.09(4)		16868.12(4)	2372	
		16867.70			
			16867.18(3)	2373	
8404	16867.03(3)	16867.03	16867.03(3)	2374	T- 3e-2c (2-2) R5
8405	16866.81(4)		16866.87(3)	2375	
		16866.53			
		16866.14			
		16865.35			
		16865.20			
8406	16864.76(3)	16864.81	16864.79(3)	2376	T+ 3e-2c (2-2) R1
8407	16864.38(4)	16864.52	16864.44(3)	2377	
			16864.28(5)	2378	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8408	16863.99(3)	16864.08	16864.06(3)	2379	T- 3e-2c (2-2) R4
		16863.98			
8409	16863.77(3)	16863.88	16863.87(3)	2380	T+ 3d-2c (0-0) Q1
8410	16863.56(4)	16863.80	16863.66(3)	2381	
		16863.66	16863.40(4)	2382	
		16863.50			
8411	16862.96(4)	16862.96	16862.94(4)	2383	
		16861.80			
8412	16861.18(6)	16861.16	16861.152(18)	2384	T+ 3a-2c (3-3) P1
8413	16860.67(4)	16860.88	16860.71(3)	2385	
		16860.58	16860.561(19)	2386	
8414	16860.31(3)	16860.32	16860.363(19)	2387	T+ 3d-2c (0-0) R3
			16860.27(2)	2388	
8415	16859.87(5)	16860.13	16860.12(2)	2389	
		16860.03	16859.91(2)	2390	
		16859.44			
8416	16858.79(5)	16858.90			
		16858.39	16858.41(2)	2391	
8417	16858.09(3)		16858.130(19)	2392	
			16857.98(2)	2393	
8418	16857.79(3)	16857.89	16857.802(17)	2394	T- 3e-2c (2-2) R8
		16857.74	16857.690(17)	2395	
8419	16857.37(3)	16857.37	16857.409(16)	2396	T- 3e-2c (2-2) R3
8420	16857.11(4)	16856.94	16857.230(17)	2397	
		16856.51			
			16855.06(3)	2398	
8421	16854.76(4)	16854.81	16854.78(2)	2399	
8422	16853.63(4)	16853.67	16853.63(3)	2400	T- 3e-2c (1-1) Q6
8423	16853.08(3)	16853.06	16853.08(2)	2401	
			16852.94(3)	2402	
8424	16852.56(4)	16852.57	16852.57(2)	2403	
			16852.42(4)	2404	
		16852.13	16852.14(5)	2405	
		16851.59	16851.51(4)	2406	
8425	16851.12(5)	16851.11			
		16850.36	16850.61(3)	2407	
8426	16849.80(3)	16849.79	16849.805(19)	2408	T+ 3e-2c (3-3) R6
			16849.61(2)	2409	
8427	16849.40(3)	16849.33	16849.410(17)	2410	T+ 3d-2c (0-0) P1
		16849.33	16849.281(16)	2411	T- 3e-2c (1-1) P3
8428	16849.01(4)	16848.97	16848.94(2)	2412	S+ WX-2B (0-3) P3

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16848.53	16848.59(5)	2413	
8429	16848.40(3)	16848.45	16848.41(3)	2414	T+ 3e-2c (1-1) P8
		16848.20	16848.18(2)	2415	T+ 3b-2a (7-2) P4
		16847.56			S+ 3E-2C (4-1) Q2
		16847.34			
8430	16846.89(3)	16846.92	16846.904(16)	2416	T- 3e-2c (2-2) R2
		16846.76	16846.729(16)	2417	
8431	16846.48(4)		16846.41(4)	2418	
8432	16846.23(3)	16846.28	16846.27(3)	2419	S- 3E-2C (4-1) Q1
		16846.07	16846.10(3)	2420	
8433	16845.67(5)				
			16845.463(18)	2421	
8434	16845.07(3)	16845.07	16845.090(18)	2422	
			16844.93(2)	2423	
8435	16844.49(3)	16844.46	16844.491(17)	2424	T- 3e-2c (0-0) P6
			16844.33(2)	2425	
8436	16844.18(3)		16844.19(3)	2426	
8437	16843.85(5)	16844.07	16844.03(2)	2427	S- 3E-2B (2-9) Q3
		16843.90			
		16843.23			
8438	16842.74(4)	16842.69	16842.728(19)	2428	
			16842.59(2)	2429	
8439	16842.10(4)	16842.09	16842.09(2)	2430	T+ 3a-2c (4-4) Q1
		16841.94	16841.92(3)	2431	
8440	16841.49(3)	16841.53	16841.512(18)	2432	T+ 3a-2c (4-4) Q2
		16841.39	16841.35(2)	2433	
8441	16840.84(3)	16840.85	16840.850(19)	2434	
8442	16840.55(4)	16840.56	16840.611(19)	2435	T+ 3a-2c (4-4) Q3
8443	16840.24(5)	16840.40	16840.41(2)	2436	
		16839.94			
8444	16839.52(3)	16839.58	16839.477(19)	2437	
			16839.24(2)	2438	
8445	16839.21(3)	16839.17	16839.15(3)	2439	T+ 3a-2c (4-4) Q4
		16839.17	16839.03(3)	2440	T+ 3e-2c (2-2) Q5
8446	16838.87(3)		16838.83(2)	2441	
		16838.37			
8447	16838.03(3)	16838.04	16838.02(3)	2442	
8448	16837.23(3)	16837.23	16837.21(3)	2443	T+ 3a-2c (4-4) Q5
		16836.60			
8449	16836.13(3)	16836.14	16836.15(3)	2444	
			16836.00(4)	2445	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8450	16835.75(3)	16835.73	16835.73(2)	2446	
8451	16835.25(3)	16835.24			
		16834.82			
8452	16834.49(3)		16834.45(3)	2447	
8453	16834.21(2)	16834.19	16834.24(2)	2448	T+ 3d-2c (0-0) R4
			16834.150(19)	2449	
8454	16833.76(4)	16833.66	16833.67(2)	2450	T+ 3a-2c (3-3) P2
		16833.44			
8455	16833.30(2)	16833.35	16833.351(18)	2451	
		16833.13	16833.17(2)	2452	
			16832.91(2)	2453	
8456	16832.69(2)	16832.67	16832.709(16)	2454	T+ 3d-2c (0-0) Q2
			16832.515(16)	2455	
8457	16832.32(3)	16832.25	16832.211(17)	2456	T- 3e-2c (2-2) R1
8458	16832.09(3)	16832.06	16832.016(18)	2457	
8459	16831.26(3)	16831.25	16831.293(18)	2458	T+ 3e-2c (2-2) Q4
8460	16830.96(4)		16831.10(2)	2459	
8461	16830.56(3)	16830.67	16830.61(3)	2460	
8462	16830.06(3)	16830.09	16830.03(3)	2461	
8463	16829.36(5)		16829.17(5)	2462	
8464	16828.93(3)		16828.89(3)	2463	
		16827.83			
		16827.52			
8465	16827.11(5)				
8466	16826.91(3)	16826.98	16826.91(4)	2464	T- 3e-2c (0-0) Q11
		16826.91	16826.82(4)	2465	
8467	16826.44(3)	16826.48	16826.44(5)	2466	
			16826.30(6)	2467	
8468	16826.04(3)	16826.04	16826.01(5)	2468	S+ EF-2B (18-1) P3
8469	16825.51(3)	16825.54			
8470	16825.12(3)	16825.12	16825.04(5)	2469	T- 3e-2c (1-1) Q7
		16824.75			
8471	16824.33(3)	16824.29	16824.24(6)	2470	T+ 3a-2c (2-2) P4
8472	16823.37(3)	16823.39	16823.34(5)	2471	T+ 3e-2c (1-1) P9
8473	16822.90(5)		16822.91(5)	2472	
8474	16822.69(3)	16822.69	16822.68(5)	2473	S- 3F-2B (2-10) Q6
			16822.59(5)	2474	
8475	16822.04(2)	16822.05	16822.04(4)	2475	
			16821.86(5)	2476	
		16821.04			
8476	16820.21(2)	16820.20	16820.23(4)	2477	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
			16820.11(4)	2478	
		16819.73			
		16819.44			
		16819.26			
		16819.09			
8477	16818.68(3)	16818.64	16818.67(5)	2479	
		16818.28	16818.54(6)	2480	S- 3F-2B (0-6) Q4
		16818.04			
		16817.67			
		16817.27			S- 3E-2B (2-9) Q2
		16817.27			S+ EF-2B (29-7) R1
8478	16817.00(3)				
		16816.67			
		16816.28			
8479	16815.76(3)	16815.77	16815.72(4)	2481	T+ 3a-2c (4-4) P1
		16815.77			S+ EF-2B (29-7) R0
		16815.50	16815.37(6)	2482	
		16815.33			
		16815.07			
8480	16814.69(4)	16814.66	16814.62(6)	2483	T+ 3b-2a (9-3) P6
		16814.29			
		16813.80			
		16813.59			
8481	16813.23(5)	16813.36			
8482	16812.70(3)	16812.70	16812.73(6)	2484	
			16812.59(6)	2485	
8483	16812.17(3)	16812.23			S+ EF-2B (29-7) R2
8484	16811.76(2)	16811.76	16811.76(5)	2486	
			16811.59(5)	2487	
		16810.98			
8485	16810.26(7)				
		16809.89			
8486	16809.31(3)	16809.31	16809.30(4)	2488	
8487	16808.73(5)	16808.59			
8488	16807.67(5)	16807.86			T+ 3e-2c (2-2) Q2
		16807.72			
			16807.31(5)	2489	
8489	16807.20(3)	16807.16	16807.16(4)	2490	
8490	16806.74(3)		16806.71(6)	2491	
		16806.34	16806.39(5)	2492	T+ 3a-2c (3-3) P3
8491	16806.28(3)	16806.20	16806.26(5)	2493	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8492	16806.09(4)		16806.09(6)	2494	
8493	16805.73(4)	16805.76	16805.81(5)	2495	
		16805.65	16805.63(7)	2496	
8494	16805.18(2)	16805.15	16805.22(4)	2497	T- 3e-2c (1-1) P4
			16805.05(4)	2498	
8495	16804.88(3)	16804.78	16804.75(7)	2499	
			16804.53(7)	2500	
			16804.36(4)	2501	
8496	16804.31(2)	16804.29	16804.27(4)	2502	T+ 3d-2c (0-0) R5
8497	16803.72(3)		16803.70(4)	2503	
8498	16803.40(4)	16803.46	16803.53(5)	2504	
8499	16802.80(3)	16802.82	16802.84(4)	2505	T+ 3d-2c (0-0) P2
			16802.66(5)	2506	
		16801.93			S+ EF-2B (29-7) R3
8500	16801.494(19)	16801.52	16801.57(5)	2507	
			16801.44(7)	2508	
8501	16800.78(3)		16800.84(4)	2509	
		16800.73	16800.66(5)	2510	
8502	16800.41(5)				
8503	16800.01(3)	16799.99	16800.04(5)	2511	T+ 3a-2c (2-2) P5
			16799.85(7)	2512	
8504	16799.70(3)	16799.71	16799.71(6)	2513	S- 3E-2B (2-9) Q1
8505	16799.04(3)	16799.07			
8506	16798.57(2)	16798.60	16798.62(3)	2514	
			16798.51(6)	2515	
8507	16797.48(3)	16797.70			
			16797.41(4)	2516	
8508	16797.038(18)	16797.06	16797.04(2)	2517	
8509	16796.40(2)	16796.37	16796.35(2)	2518	S+ WX-2B (0-3) P4
8510	16796.15(3)	16796.17	16796.12(3)	2519	
8511	16795.87(4)		16795.89(5)	2520	
8512	16795.271(19)	16795.30	16795.28(3)	2521	
8513	16794.94(3)		16795.04(4)	2522	
		16794.86	16794.81(5)	2523	S+ 3E-2B (2-9) P3
8514	16794.49(2)	16794.45	16794.52(4)	2524	T- 3e-2c (1-1) Q8
8515	16793.97(3)		16794.05(3)	2525	
8516	16793.79(3)	16793.80	16793.87(3)	2526	
8517	16793.189(19)	16793.19	16793.19(4)	2527	T+ 3c-2a (0-0) R7
			16793.08(3)	2528	
8518	16792.34(3)	16792.46			
		16792.29			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8519	16791.828(18)	16791.84	16791.83(2)	2529	T+ 3c-2a (0-0) R6
8520	16791.51(2)	16791.55	16791.53(2)	2530	T+ 3e-2c (3-3) R4
		16791.55			S+ EF-2B (29-7) R4
8521	16790.81(3)	16790.72	16790.86(3)	2531	
8522	16790.265(18)	16790.26	16790.25(3)	2532	T+ 3c-2a (0-0) R8
			16790.09(15)	2533	
8523	16789.84(2)	16789.82	16789.86(2)	2534	T+ 3d-2c (0-0) Q3
		16789.82			T- 3e-2c (0-0) Q12
8524	16789.61(3)	16789.69	16789.66(2)	2535	
		16789.33			
8525	16789.00(3)	16788.92	16788.91(2)	2536	S 3A-2C (2-0) P5
		16788.35			
8526	16787.89(2)	16787.90	16787.92(3)	2537	T- 3e-2c (0-0) P7
			16787.77(3)	2538	
8527	16786.92(3)	16786.88	16786.85(3)	2539	
			16786.53(3)	2540	
8528	16786.224(18)	16786.20	16786.20(2)	2541	T+ 3c-2a (0-0) R5
8529	16785.67(2)	16785.67	16785.66(2)	2542	T- 3c-2a (7-6) Q1
		16785.43			
		16784.98	16785.05(3)	2543	
8530	16784.95(2)		16784.90(3)	2544	
8531	16784.497(19)	16784.48	16784.47(2)	2545	T- 3e-2c (2-2) Q1
8532	16784.13(3)	16784.20	16784.13(2)	2546	
		16783.58			S- 3E-2C (4-1) Q4
8533	16782.99(2)	16783.01	16782.96(3)	2547	T+ 3c-2a (0-0) R9
8534	16782.14(3)	16782.12	16782.12(3)	2548	
		16781.19			
		16780.22	16779.97(3)	2549	
8535	16779.75(5)	16779.80			
		16779.23	16779.27(4)	2550	T+ 3a-2c (3-3) P4
8536	16779.17(2)		16779.12(4)	2551	
		16778.73			
8537	16777.77(2)	16777.79	16777.65(3)	2552	
			16777.49(3)	2553	
8538	16777.28(2)	16777.27	16777.28(2)	2554	T- 3c-2a (7-6) Q2
			16777.09(4)	2555	
8539	16777.03(2)	16776.99	16776.97(3)	2556	
8540	16776.79(4)				
8541	16776.372(18)	16776.36	16776.37(2)	2557	T+ 3c-2a (0-0) R4
8542	16775.97(3)		16776.14(4)	2558	
8543	16775.44(3)	16775.51	16775.46(4)	2559	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8544	16775.17(2)	16775.19	16775.21(2)	2560	T- 3e-2c (2-2) Q2
			16775.02(3)	2561	
			16774.65(3)	2562	
8545	16774.585(19)	16774.51	16774.54(3)	2563	
			16774.26(4)	2564	
8546	16774.00(3)				
8547	16772.62(2)	16772.65	16772.67(4)	2565	
8548	16772.13(3)	16772.11			
			16771.66(3)	2566	
8549	16771.592(18)	16771.58	16771.57(2)	2567	T+ 3d-2c (0-0) R6
8550	16770.924(18)	16770.92	16770.93(2)	2568	S+ 3C-2A (0-0) R10
8551	16770.47(3)	16770.56			
		16769.99			
8552	16769.37(2)	16769.37	16769.38(3)	2569	T+ 3b-2a (7-2) P5
8553	16768.90(4)		16769.10(3)	2570	
			16768.65(2)	2571	
8554	16768.53(3)		16768.47(3)	2572	
			16768.06(3)	2573	
8555	16767.971(18)	16767.99	16767.97(3)	2574	
		16767.09			
		16766.42			
8556	16765.83(4)	16765.86	16765.82(4)	2575	
			16765.23(6)	2576	
8557	16764.70(3)	16764.72	16764.70(3)	2577	T- 3c-2a (7-6) Q3
8558	16764.05(3)	16764.03	16764.10(5)	2578	
			16763.93(5)	2579	
8559	16763.44(5)	16763.35			
8560	16762.87(5)	16762.90			
8561	16762.30(3)	16762.32	16762.30(2)	2580	T+ 3c-2a (0-0) R3
8562	16761.99(4)	16761.98	16762.03(3)	2581	T- 3e-2c (1-1) Q9
		16761.98			T+ 3a-2c (4-4) P3
			16761.92(3)	2582	
8563	16761.61(4)	16761.46	16761.62(3)	2583	
8564	16761.14(5)	16760.90			
8565	16759.46(5)		16759.48(3)	2584	
8566	16759.15(4)	16759.17	16759.13(2)	2585	
8567	16758.59(5)	16758.46			
8568	16757.99(5)				
8569	16757.77(4)	16757.77	16757.82(4)	2586	
8570	16757.29(4)	16757.26	16757.28(2)	2587	S+ 3E-2C (4-1) P3
8571	16757.12(5)	16757.26	16757.11(3)	2588	T- 3e-2c (1-1) P5

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8572	16756.82(4)	16756.80	16756.83(3)	2589	T+ 3e-2c (3-3) R3
8573	16756.59(4)	16756.80	16756.72(3)	2590	S+ EF-2B (29-7) R5
			16756.54(4)	2591	
8574	16756.16(5)	16755.94			T+ 3c-2a (0-0) R11
8575	16755.37(4)		16755.37(3)	2592	
			16755.25(4)	2593	
8576	16754.90(4)	16754.90			
8577	16753.53(4)	16753.51	16753.40(4)	2594	
8578	16752.95(4)	16752.92	16752.92(2)	2595	
8579	16752.52(3)	16752.47	16752.50(3)	2596	T+ 3a-2c (3-3) P5
8580	16751.94(6)	16751.86	16751.86(4)	2597	
8581	16751.70(4)	16751.67	16751.66(4)	2598	
8582	16750.82(4)	16750.81	16750.81(3)	2599	
8583	16750.23(4)	16750.23			
8584	16749.74(4)	16749.71	16749.77(3)	2600	S- 4E-2C (1-2) R3
		16749.71	16749.59(3)	2601	S- 4E-2C (1-2) R5
		16749.71			S- 4E-2C (0-1) Q1
8585	16749.31(4)	16749.20			
8586	16748.43(7)	16748.63			
8587	16748.11(4)	16748.18	16748.23(5)	2602	
		16748.06	16748.05(3)	2603	T- 3c-2a (7-6) Q4
8588	16746.95(4)	16746.97	16746.94(4)	2604	
8589	16745.23(6)	16745.05			
8590	16744.70(4)	16744.74			
8591	16744.19(3)	16744.14	16744.18(2)	2605	T- 3e-2c (2-2) Q4
		16744.14			T+ 3c-2a (0-0) R2
8592	16743.70(5)				
		16743.28			
		16742.90			
8593	16742.54(2)	16742.55	16742.57(4)	2606	
8594	16742.15(2)	16742.16	16742.22(3)	2607	
		16741.87	16741.99(3)	2608	
8595	16741.453(19)	16741.46	16741.48(3)	2609	T+ 3d-2c (0-0) P3
8596	16740.78(3)	16740.79	16740.79(5)	2610	
8597	16739.98(4)	16740.08			
8598	16739.522(18)	16739.61	16739.57(3)	2611	
			16739.36(3)	2612	
8599	16739.224(19)	16739.26	16739.24(3)	2613	T+ 3d-2c (0-0) Q4
8600	16738.98(2)	16739.16	16739.02(2)	2614	S+ GK-2B (4-8) R2
8601	16738.66(3)	16738.89	16738.81(3)	2615	T- 3e-2c (1-1) Q11
		16738.89			S- 3F-2B (2-10) Q5

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8602	16738.15(4)	16738.35			
8603	16737.33(3)	16737.32	16737.31(4)	2616	
8604	16737.09(3)	16737.22	16737.06(4)	2617	
			16736.72(4)	2618	
8605	16736.611(16)	16736.62	16736.63(3)	2619	T+ 3d-2c (0-0) R7
8606	16736.12(3)				
8607	16735.57(3)	16735.76			
		16735.50			
8608	16734.92(2)	16734.96	16734.95(3)	2620	T+ 3a-2c (4-4) P4
			16734.73(4)	2621	
		16734.01			
		16733.52			S+ 3F-2B (2-10) P7
8609	16732.79(3)	16732.79	16732.77(4)	2622	S+ 3F-2B (0-6) R1
8610	16732.16(4)	16732.17			
8611	16731.83(3)	16731.89			
		16731.61			
		16731.35			
8612	16731.11(3)	16731.17			
		16730.88			
8613	16730.32(5)		16730.52(4)	2623	
8614	16729.751(19)	16729.74	16729.77(4)	2624	T- 3e-2c (0-0) P8
8615	16729.57(2)	16729.36	16729.61(4)	2625	
8616	16729.02(2)	16729.04	16729.01(3)	2626	
8617	16728.66(4)	16728.77	16728.70(5)	2627	
		16728.69			
8618	16728.23(2)	16728.25	16728.20(4)	2628	
8619	16727.95(6)	16728.01			
8620	16727.516(19)	16727.50	16727.52(3)	2629	T- 3e-2c (2-2) P2
		16727.50			T- 3c-2a (7-6) Q5
8621	16727.35(2)		16727.34(3)	2630	
8622	16726.74(3)	16726.90			
8623	16726.45(4)	16726.58			
8624	16725.88(3)	16725.93			
8625	16725.50(6)				
			16725.34(4)	2631	
8626	16725.27(2)		16725.23(4)	2632	
8627	16724.72(3)		16724.69(3)	2633	
8628	16724.48(4)		16724.51(3)	2634	
8629	16723.91(2)	16723.94			
8630	16723.33(2)	16723.25	16723.24(3)	2635	T- 3e-2c (2-2) Q5
8631	16723.11(2)		16723.15(4)	2636	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8632	16722.575(16)	16722.58	16722.59(3)	2637	T+ 3e-2c (2-2) P3
			16722.48(3)	2638	
8633	16721.984(16)	16721.97	16721.97(3)	2639	T+ 3c-2a (0-0) R1
8634	16721.44(3)				
8635	16720.994(19)	16721.03	16721.03(4)	2640	
			16720.88(5)	2641	
8636	16720.56(3)		16720.44(4)	2642	
8637	16720.319(17)	16720.32	16720.29(3)	2643	T+ 3d-2c (1-1) R1
8638	16719.92(2)	16720.03	16719.94(3)	2644	
8639	16719.653(19)	16719.67	16719.67(3)	2645	T+ 3e-2c (3-3) R2
8640	16719.34(4)		16719.52(4)	2646	
		16718.86			
		16718.44			
8641	16717.28(5)	16717.31			
8642	16716.65(4)	16716.42			
8643	16716.08(2)	16716.08			
8644	16715.66(4)	16715.60			
8645	16715.128(18)	16715.13	16715.08(5)	2647	
8646	16714.03(2)	16714.06			
		16713.59			
8647	16712.859(19)		16712.88(3)	2648	
8648	16712.17(4)	16712.16			
8649	16711.710(17)	16711.70	16711.71(3)	2649	
8650	16711.32(3)		16711.32(3)	2650	
		16710.75			
8651	16709.37(4)	16709.40			
8652	16708.97(3)	16708.99	16709.01(5)	2651	
8653	16708.47(3)	16708.49			S+ GK-2B (5-9) R4
8654	16707.95(3)	16707.91	16707.94(3)	2652	T+ 3a-2c (4-4) P5
8655	16707.70(4)	16707.70			
		16707.26	16707.27(3)	2653	T+ 3d-2c (1-1) R2
8656	16707.18(2)	16707.19	16707.14(3)	2654	T+ 3e-2c (2-2) P4
8657	16706.76(4)				
8658	16706.33(2)	16706.33	16706.38(3)	2655	T- 3e-2c (1-1) P6
8659	16706.14(3)		16706.21(3)	2656	
8660	16705.68(3)	16705.72			
8661	16705.11(4)	16705.37			
8662	16704.59(2)	16704.61	16704.62(5)	2657	
8663	16704.16(4)	16703.97			
8664	16703.58(5)				
8665	16703.19(3)	16703.18			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16702.99			T- 3c-2a (7-6) Q6
8666	16702.66(2)	16702.67	16702.67(4)	2658	
8667	16702.21(4)	16702.44	16702.40(4)	2659	
8668	16701.86(3)	16701.84	16701.88(5)	2660	S+ GK-2B (4-8) R0
8669	16701.43(6)	16701.50			
8670	16701.02(3)	16701.02			
8671	16700.6(2)	16700.54			
8672	16700.24(5)				
8673	16699.84(2)	16699.87	16699.91(4)	2661	T+ 3d-2c (0-0) R8
		16699.72	16699.81(3)	2662	S- 3F-2B (0-6) Q2
8674	16699.51(3)	16699.62	16699.56(4)	2663	
		16699.49			S 3A-2C (2-0) P6
8675	16698.95(6)	16698.88			
8676	16698.41(3)	16698.44	16698.44(3)	2664	
			16698.25(4)	2665	
8677	16698.08(3)		16698.02(3)	2666	
			16697.74(5)	2667	
8678	16697.36(6)				
8679	16696.90(3)		16696.95(3)	2668	
		16696.77	16696.78(4)	2669	
8680	16696.38(5)	16696.49			
8681	16695.84(2)	16695.89	16695.85(3)	2670	T+ 3c-2a (0-0) R0
		16695.76	16695.60(3)	2671	
8682	16695.50(3)		16695.45(4)	2672	
8683	16694.97(4)	16695.02			
		16694.93			
8684	16694.50(3)	16694.52			
8685	16694.03(2)	16694.04	16694.04(3)	2673	T- 3e-2c (3-3) R6
			16693.87(3)	2674	
8686	16693.79(3)	16693.77	16693.74(3)	2675	T+ 3d-2c (1-1) Q1
8687	16693.56(3)	16693.56	16693.55(3)	2676	
8688	16693.08(2)	16693.08	16693.10(3)	2677	
8689	16692.91(4)	16693.01	16692.94(3)	2678	T- 3e-2c (3-3) R5
8690	16692.49(5)				
8691	16692.01(3)	16691.99	16692.02(3)	2679	
8692	16691.85(4)		16691.86(3)	2680	
8693	16691.45(6)	16691.50			S+ GK-2B (3-7) R2
8694	16691.05(4)	16691.18			
		16691.01			
8695	16690.61(2)	16690.62	16690.64(3)	2681	T+ 3e-2c (2-2) P5
			16690.55(3)	2682	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8696	16690.08(3)	16690.07	16690.06(3)	2683	T- 3e-2c (2-2) P3
8697	16689.89(3)	16689.95	16689.90(3)	2684	
8698	16689.43(4)	16689.42 16689.27			
8699	16688.92(2)	16688.92	16688.93(3)	2685	T- 3e-2c (3-3) R4
8700	16688.75(3)		16688.77(3)	2686	
8701	16688.26(4)	16688.12			
8702	16687.74(3)	16687.88			T+ 3d-2c (1-1) R3
8703	16687.39(2)	16687.35	16687.37(3)	2687	
8704	16687.24(3)	16687.25	16687.27(3)	2688	
8705	16686.93(4)	16687.11	16687.12(3)	2689	
8706	16686.49(3)	16686.52 16686.40			
8707	16685.08(2)	16685.09	16685.11(3)	2690	
			16685.03(4)	2691	
8708	16684.38(2)	16684.37	16684.40(4)	2692	T+ 3d-2c (0-0) Q5
			16684.29(4)	2693	
8709	16683.64(2)	16683.60	16683.64(3)	2694	
8710	16683.44(3)	16683.37	16683.45(3)	2695	
		16682.92			
8711	16682.35(3)	16682.34	16682.32(2)	2696	
8712	16682.12(6)	16682.03	16681.96(3)	2697	T- 3e-2c (3-3) R8
8713	16681.72(2)	16681.71	16681.68(3)	2698	
		16681.37			
8714	16681.29(2)	16681.29	16681.30(3)	2699	T- 3e-2c (3-3) R3
8715	16681.00(4)	16681.21	16681.14(3)	2700	
8716	16680.71(4)	16680.86	16680.79(4)	2701	
		16680.77 16680.36			
8717	16679.96(2)	16679.92	16679.98(3)	2702	T+ 3b-2a (7-2) P6
8718	16679.72(4)	16679.92	16679.85(3)	2703	S+ GK-2B (3-7) R1
		16679.16			
8719	16678.56(3)	16678.59	16678.52(4)	2704	
8720	16677.95(3)	16677.93			
8721	16676.87(4)	16676.83	16676.84(3)	2705	T+ 3d-2c (1-1) P1 S+ 3E-2B (3-11) R1
		16675.72			
8722	16674.79(3)	16674.87	16674.81(4)	2706	
		16674.33	16674.31(3)	2707	
8723	16674.22(3)	16674.21			T- 3c-2a (7-6) Q7
8724	16673.90(5)	16673.94	16674.01(4)	2708	
			16673.39(4)	2709	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8725	16673.33(3)		16673.28(3)	2710	
8726	16673.04(3)	16673.11	16673.03(3)	2711	T- 3e-2c (2-2) Q7
8727	16672.35(5)	16672.43			
8728	16671.81(3)	16671.86	16671.85(3)	2712	T+ 3e-2c (2-2) P7
			16671.76(3)	2713	
8729	16671.23(4)	16671.08	16671.23(3)	2714	
8730	16670.60(4)	16670.52	16670.54(5)	2715	T- 3e-2c (0-0) P9
8731	16670.39(3)	16670.52	16670.41(3)	2716	S+ GK-2B (4-8) P1
		16670.39	16670.28(3)	2717	
8732	16669.96(3)	16669.93	16669.95(3)	2718	T- 3e-2c (3-3) R2
8733	16669.80(4)		16669.78(3)	2719	
8734	16669.33(5)				
8735	16668.74(4)	16668.81	16668.71(3)	2720	T+ 3d-2c (0-0) P4
8736	16667.92(3)	16667.98	16667.88(4)	2721	
		16667.03			
			16664.93(4)	2722	
8737	16663.34(3)	16663.43	16663.33(3)	2723	
		16663.34			
8738	16662.82(3)	16662.71	16662.79(3)	2724	
8739	16662.52(3)	16662.54	16662.54(3)	2725	T+ 3d-2c (1-1) R4
			16662.46(3)	2726	
8740	16662.12(3)	16662.13	16662.09(3)	2727	T- 3c-2a (0-0) Q1
8741	16661.53(3)	16661.48	16661.51(3)	2728	T+ 3d-2c (0-0) R9
8742	16661.36(3)	16661.30	16661.32(3)	2729	T+ 3d-2c (1-1) Q2
8743	16661.15(3)	16660.96	16661.13(3)	2730	
8744	16660.62(4)	16660.47			
8745	16659.94(3)	16659.91	16659.91(3)	2731	
8746	16659.73(4)		16659.74(4)	2732	
8747	16658.86(4)	16658.84	16658.84(4)	2733	
8748	16658.70(6)		16658.69(5)	2734	
8749	16657.55(3)	16657.57	16657.52(4)	2735	
8750	16656.88(3)	16656.93	16656.86(5)	2736	
8751	16656.42(4)	16656.33	16656.41(5)	2737	
8752	16656.09(4)	16656.05	16656.11(3)	2738	T+ 3e-2c (3-3) Q5
8753	16655.84(6)		16655.94(4)	2739	
8754	16655.30(5)	16655.36			S+ GK-2B (4-8) P2
		16655.28			
8755	16654.87(3)		16654.77(3)	2740	
8756	16654.54(3)	16654.55	16654.53(3)	2741	T- 3c-2a (0-0) Q2
8757	16654.06(4)				
8758	16653.47(3)	16653.66	16653.45(3)	2742	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16653.57			
8759	16653.07(3)	16653.07	16653.08(3)	2743	T- 3e-2c (1-1) P7
8760	16652.84(4)		16652.92(3)	2744	
8761	16652.35(5)				
8762	16652.15(4)	16652.21	16652.21(3)	2745	
8763	16650.98(3)	16651.14	16651.02(3)	2746	
		16651.01	16650.90(4)	2747	
		16650.90			
			16650.55(3)	2748	
8764	16650.49(3)	16650.50	16650.47(3)	2749	T+ 3e-2c (2-2) P8
8765	16649.97(4)	16649.93	16649.92(5)	2750	
8766	16649.57(6)	16649.77			S- 3E-2B (3-11) Q3
8767	16649.22(4)	16649.45			S+ GK-2B (5-9) R3
		16649.12			
8768	16648.68(3)	16648.67	16648.72(3)	2751	T- 3e-2c (2-2) P4
8769	16648.51(3)	16648.55	16648.55(3)	2752	
8770	16647.80(3)	16647.85	16647.85(3)	2753	T+ 3e-2c (3-3) Q4
			16647.67(4)	2754	
8771	16647.39(4)		16647.36(3)	2755	
8772	16646.32(4)	16646.41	16646.40(3)	2756	
			16646.21(3)	2757	
8773	16645.78(4)				
8774	16645.48(3)	16645.45	16645.53(3)	2758	
			16645.25(3)	2759	
8775	16645.17(4)	16645.13	16645.11(3)	2760	
8776	16644.33(4)	16644.53			
8777	16643.61(6)	16643.83			
8778	16643.17(4)	16643.19	16643.22(3)	2761	T- 3c-2a (0-0) Q3
8779	16642.86(5)	16643.09			
		16642.92			
		16642.36			
		16642.28			
8780	16641.86(4)	16641.85			
		16641.49			
8781	16640.84(5)		16640.87(4)	2762	
8782	16640.65(4)	16640.73	16640.70(3)	2763	S+ GK-2B (6-10) R3
			16640.29(3)	2764	
8783	16640.19(4)	16640.11	16640.11(3)	2765	
8784	16639.08(4)	16639.11	16639.17(3)	2766	
			16639.01(4)	2767	
8785	16638.66(5)		16638.63(3)	2768	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16637.88			
8786	16636.61(6)	16636.63	16636.62(4)	2769	
		16635.55			
		16635.43			
8787	16634.85(5)	16634.88	16634.91(2)	2770	
8788	16634.60(6)	16634.78	16634.75(3)	2771	T+ 3d-2c (1-1) P2
		16634.50	16634.60(3)	2772	
8789	16634.00(4)	16634.02	16634.02(2)	2773	T+ 3d-2c (1-1) R5
			16633.94(2)	2774	
8790	16633.50(6)				
8791	16633.04(4)	16633.20	16633.11(4)	2775	
		16633.08	16632.98(3)	2776	
8792	16631.44(6)		16631.33(4)	2777	
8793	16631.10(5)	16631.13	16631.06(3)	2778	
8794	16630.67(5)	16630.66	16630.73(4)	2779	
			16630.51(4)	2780	
8795	16630.17(6)	16630.19	16630.17(3)	2781	
			16630.05(3)	2782	
		16629.60			
			16629.16(5)	2783	
8796	16628.71(7)	16628.75			
		16628.55			
8797	16628.12(4)	16628.11	16628.09(2)	2784	T- 3c-2a (0-0) Q4
8798	16627.62(5)	16627.89	16627.72(3)	2785	
			16627.54(3)	2786	
		16627.27			
8799	16626.70(4)	16626.68	16626.72(3)	2787	T+ 3e-2c (3-3) Q2
			16626.61(3)	2788	
		16626.22			
8800	16625.71(5)	16625.75	16625.71(3)	2789	T+ 3b-2a (5-1) R2
		16625.75			T+ 3b-2a (5-1) R1
8801	16625.39(6)	16625.29	16625.49(3)	2790	
8802	16624.84(4)	16624.78	16624.82(2)	2791	T+ 3d-2c (0-0) Q6
8803	16624.63(5)	16624.78	16624.64(3)	2792	S 4D-2C (0-1) R1
		16624.78			S+ GK-2B (6-10) R2
		16624.05			
8804	16623.62(5)	16623.60	16623.62(3)	2793	
			16623.56(3)	2794	
		16622.64			
		16622.50			
8805	16621.81(4)	16621.79	16621.81(3)	2795	T+ 3d-2c (0-0) R10

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8806	16621.50(5)	16621.79	16621.68(4)	2796	S+ GK-2B (3-7) P2
			16620.04(3)	2797	
8807	16619.86(4)	16619.83	16619.86(3)	2798	S+ EF-2B (29-7) P6
8808	16619.58(5)	16619.65	16619.68(4)	2799	
		16619.53	16619.39(3)	2800	T+ 3d-2c (1-1) Q3
8809	16619.17(4)	16619.12	16619.15(2)	2801	
8810	16618.93(4)		16618.96(2)	2802	S+ GK-2B (5-9) R1
8811	16618.40(4)	16618.37	16618.39(3)	2803	
8812	16617.49(4)	16617.46	16617.52(3)	2804	T+ 3b-2a (5-1) R3
		16617.36	16617.33(3)	2805	
		16615.41			T+ 3b-2a (5-1) R3
8813	16614.89(2)	16614.88	16614.88(3)	2806	T+ 3b-2a (5-1) R0
8814	16614.72(3)				
8815	16613.743(12)	16613.78	16613.73(3)	2807	
		16613.02			
8816	16612.34(3)	16612.46	16612.39(3)	2808	
8817	16611.943(14)	16611.97	16611.92(3)	2809	
8818	16611.50(2)	16611.67	16611.45(3)	2810	S+ GK-2B (6-10) R1
		16611.45			
8819	16610.706(15)	16610.66	16610.68(3)	2811	T- 3e-2c (0-0) P10
8820	16610.51(2)		16610.51(5)	2812	
8821	16609.92(2)	16609.98			
8822	16609.405(10)	16609.40	16609.40(2)	2813	T- 3c-2a (0-0) Q5
		16609.40			S+ GK-2B (5-9) R0
8823	16608.88(2)				
8824	16608.518(17)	16608.66	16608.59(3)	2814	
			16608.48(3)	2815	
8825	16607.915(10)	16607.92	16607.91(2)	2816	T- 3e-2c (3-3) Q1
			16607.76(4)	2817	
8826	16607.566(16)	16607.66	16607.59(3)	2818	
		16607.00			
8827	16606.686(11)	16606.68	16606.70(3)	2819	
			16606.64(4)	2820	
8828	16605.966(19)	16605.91			
		16605.24			
8829	16604.817(14)	16604.86	16604.81(3)	2821	
8830	16604.42(2)	16604.42	16604.44(4)	2822	
8831	16603.854(11)	16603.86	16603.88(2)	2823	T- 3e-2c (2-2) P5
8832	16603.62(2)		16603.71(2)	2824	
8833	16603.040(19)	16603.12	16603.23(5)	2825	
			16602.61(3)	2826	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8834	16602.559(10)	16602.57	16602.53(2)	2827	T+ 3d-2c (1-1) R6
8835	16602.07(2)	16602.05			
		16601.69			T+ 3e-2c (2-2) P10
		16601.23			
			16600.82(3)	2828	
8836	16600.667(10)	16600.67	16600.65(2)	2829	S+ GK-2B (3-7) P3
		16600.19			
8837	16599.679(13)	16599.70	16599.70(3)	2830	T- 3e-2c (3-3) Q2
			16599.55(5)	2831	
8838	16598.90(2)	16598.92			
8839	16598.26(2)				
8840	16597.943(11)	16597.93	16597.98(2)	2832	T- 3e-2c (1-1) P8
8841	16597.75(2)		16597.85(2)	2833	
8842	16597.15(2)	16597.04			
8843	16596.516(11)	16596.53	16596.50(2)	2834	T+ 3b-2a (5-1) R4
		16596.09			
8844	16595.59(2)	16595.73			
		16595.62			
8845	16595.125(10)	16595.12	16595.12(2)	2835	T+ 3c-2a (0-0) P2
8846	16594.760(16)				
		16594.30	16594.39(4)	2836	
		16594.21			S+ 3F-2B (2-10) R1
		16593.80			
8847	16593.481(11)	16593.50	16593.50(3)	2837	
			16592.52(3)	2838	
8848	16592.268(14)	16592.22	16592.22(4)	2839	
		16591.27			
8849	16590.71(4)				
8850	16589.88(2)	16589.96	16589.97(6)	2840	S+ GK-2B (7-11) R3
		16589.82			
8851	16589.325(10)	16589.31	16589.32(2)	2841	T+ 3c-2a (1-1) R7
		16589.19			S+ 3E-2B (3-11) P2
8852	16588.942(10)	16588.93	16588.95(2)	2842	T+ 3c-2a (1-1) R6
		16588.93			T+ 3d-2c (0-0) P5
		16588.93			S+ GK-2B (0-5) R1
8853	16588.537(18)				
8854	16588.01(2)	16588.19			
		16587.99			
8855	16587.592(13)	16587.64	16587.63(3)	2843	T- 3e-2c (3-3) Q3
8856	16587.118(9)	16587.12	16587.13(2)	2844	T- 3c-2a (0-0) Q6
			16586.99(3)	2845	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8857	16586.677(10)	16586.67	16586.68(2)	2846	T+ 3c-2a (1-1) R5
		16586.67			S+ GK-2B (0-5) R2
8858	16586.36(3)				
8859	16586.019(10)	16586.04	16586.03(2)	2847	T+ 3c-2a (1-1) R8
8860	16585.59(3)				
8861	16585.09(3)	16585.03			
		16584.71			
8862	16584.302(16)	16584.26	16584.30(2)	2848	S+ GK-2B (0-5) R0
		16584.26			S+ GK-2B (5-9) P1
8863	16583.83(2)				
8864	16583.48(2)	16583.39			
			16582.53(3)	2849	
8865	16582.42(2)		16582.39(3)	2850	
8866	16582.11(4)		16582.22(3)	2851	
8867	16581.80(2)	16581.76	16581.79(3)	2852	
		16581.63	16581.65(4)	2853	
8868	16581.47(3)		16581.46(4)	2854	
8869	16581.17(3)		16581.23(5)	2855	
			16580.93(3)	2856	
8870	16580.856(15)	16580.85	16580.82(3)	2857	T+ 3d-2c (0-0) R11
8871	16580.55(4)				
		16579.92			
8872	16579.44(2)	16579.42	16579.45(3)	2858	
8873	16578.722(16)	16578.75	16578.74(2)	2859	
8874	16578.44(2)		16578.50(4)	2860	
8875	16578.07(3)		16578.10(3)	2861	
8876	16577.55(3)	16577.54			
8877	16576.64(5)	16576.58			S+ GK-2B (0-5) R3
8878	16575.78(2)		16575.81(4)	2862	
			16575.64(4)	2863	
8879	16574.33(2)	16574.34	16574.30(4)	2864	
		16573.82	16573.90(5)	2865	
8880	16573.121(17)	16573.13	16573.12(4)	2866	T+ 3d-2c (1-1) P3
			16573.02(5)	2867	
8881	16572.655(19)	16572.60	16572.61(4)	2868	
8882	16572.45(2)		16572.44(4)	2869	
8883	16572.11(4)				
		16571.02			
8884	16570.75(3)	16570.73			
8885	16570.392(16)	16570.35	16570.36(4)	2870	T+ 3d-2c (1-1) Q4
8886	16570.194(17)	16570.22	16570.18(4)	2871	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8887	16569.67(2)	16569.55	16569.70(6)	2872	
		16569.40			
8888	16569.16(2)	16569.14	16569.11(4)	2873	S 4D-2C (0-1) R3
		16569.14	16568.95(4)	2874	S+ EF-2B (21-3) R1
8889	16568.84(2)	16569.04			
8890	16568.709(16)	16568.72	16568.75(4)	2875	T+ 3d-2c (1-1) R7
			16568.66(4)	2876	
8891	16568.33(2)				
8892	16567.82(3)	16567.91	16567.74(5)	2877	
8893	16567.443(16)	16567.46	16567.42(4)	2878	
		16566.83			
8894	16566.61(2)				
8895	16566.170(15)	16566.17	16566.14(4)	2879	T+ 3c-2a (1-1) R4
8896	16565.67(3)	16565.63			S+ EF-2B (21-3) R2
		16565.63			S+ EF-2B (21-3) R0
8897	16565.077(18)		16565.11(4)	2880	
			16565.00(4)	2881	
8898	16564.42(3)	16564.50			
			16563.98(4)	2882	
8899	16563.882(18)	16563.80	16563.82(4)	2883	T+ 3d-2c (0-0) Q7
8900	16563.68(2)		16563.65(4)	2884	
		16563.03			
8901	16562.446(17)	16562.42	16562.42(4)	2885	T+ 3e-2c (3-3) P2
8902	16562.23(3)	16562.23	16562.27(4)	2886	
8903	16561.65(3)	16561.81			S+ WW-2B (0-5) R4
8904	16561.328(15)	16561.32	16561.33(5)	2887	T- 3c-2a (0-0) Q7
			16561.26(5)	2888	
8905	16560.83(2)	16560.81	16560.77(4)	2889	T+ 3b-2a (5-1) P1
		16560.81			T- 3c-2a (8-7) Q1
8906	16560.07(3)	16559.97			
8907	16558.985(17)		16559.00(4)	2890	
8908	16557.44(3)				
8909	16556.94(3)	16556.77			S+ GK-2B (0-5) P1
		16556.77	16556.54(4)	2891	S 4D-2C (0-1) P2
8910	16556.551(16)				
8911	16556.138(15)	16556.12	16556.15(4)	2892	T+ 3c-2a (1-1) R3
8912	16555.88(2)	16555.94	16556.01(4)	2893	T- 3e-2c (2-2) P6
8913	16555.46(3)				
8914	16554.967(19)	16555.17			
8915	16554.499(15)	16554.50	16554.51(4)	2894	T+ 3c-2a (0-0) P3
8916	16554.115(18)		16554.17(4)	2895	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16553.69			
8917	16553.42(3)	16553.57			
8918	16552.943(15)	16552.94	16552.98(4)	2896	T- 3e-2c (3-3) P2
		16552.94	16552.81(4)	2897	T- 3e-2c (3-3) Q5
8919	16552.706(17)	16552.69	16552.66(4)	2898	T- 3c-2a (8-7) Q2
		16552.44			
8920	16552.260(15)	16552.26	16552.29(4)	2899	T+ 3b-2a (5-1) R5
8921	16552.00(2)		16552.13(5)	2900	
8922	16551.473(18)		16551.49(4)	2901	
			16551.32(5)	2902	
8923	16551.13(2)		16551.15(5)	2903	
8924	16550.63(2)	16550.57			
8925	16550.366(18)	16550.46	16550.45(5)	2904	T- 3e-2c (0-0) P11
		16549.98			
8926	16549.63(3)				
		16549.19			
8927	16548.34(2)	16548.31			
8928	16547.775(10)	16547.77	16547.75(3)	2905	
		16546.38	16546.38(3)	2906	
		16545.82	16545.68(3)	2907	
8929	16545.60(2)				
			16545.45(3)	2908	
8930	16544.92(3)	16545.00			
8931	16544.356(8)	16544.36	16544.36(2)	2909	T+ 3e-2c (3-3) P3
			16544.25(2)	2910	
8932	16543.693(8)	16543.69	16543.69(2)	2911	
			16543.59(3)	2912	
8933	16543.163(11)		16543.16(4)	2913	
		16542.31			S+ GK-2B (5-9) P3
8934	16541.925(10)		16541.87(2)	2914	
		16541.76			
8935	16541.668(15)	16541.64	16541.60(3)	2915	
8936	16541.445(15)	16541.54	16541.41(3)	2916	T- 3e-2c (1-1) P9
8937	16541.040(16)	16540.95			
8938	16540.437(12)	16540.43	16540.41(3)	2917	T- 3c-2a (8-7) Q3
8939	16540.000(17)				
8940	16539.531(7)	16539.53	16539.50(2)	2918	T+ 3d-2c (0-0) R12
		16539.53			T+ 3c-2a (1-1) R2
8941	16539.047(18)	16539.00			
8942	16538.773(9)	16538.78	16538.75(3)	2919	S 4D-2C (0-1) R4
		16538.73			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8943	16538.42(3)	16538.04			
		16537.17			S+ EF-2B (21-3) P1
8944	16535.82(3)	16535.90	16535.84(4)	2920	
8945	16534.786(18)	16534.79	16534.78(2)	2921	
8946	16534.403(12)		16534.38(2)	2922	
8947	16533.43(2)	16533.51			
8948	16533.04(2)		16532.96(4)	2923	
8949	16532.888(9)	16532.88	16532.86(3)	2924	
8950	16532.543(18)				
8951	16532.164(8)	16532.14	16532.14(2)	2925	T- 3c-2a (0-0) Q8
8952	16531.798(17)	16531.71	16531.67(4)	2926	S+ GK-2B (7-11) R1
8953	16531.46(4)				
8954	16531.13(2)	16531.25			T- 3e-2c (3-3) Q6
		16530.73			S+ GK-2B (7-11) R0
		16530.66			
8955	16529.22(4)				
8956	16528.71(3)	16528.81			
8957	16528.194(8)	16528.17	16528.20(3)	2927	T+ 3e-2c (3-3) P4
			16528.11(4)	2928	
8958	16527.73(2)				
8959	16526.971(13)	16527.05			
		16525.93			
		16524.80			
8960	16524.218(9)	16524.22	16524.23(2)	2929	T- 3c-2a (8-7) Q4
8961	16523.632(8)		16523.63(3)	2930	
8962	16523.049(16)	16523.03	16523.02(4)	2931	
8963	16522.82(4)				
8964	16522.259(8)	16522.25	16522.28(2)	2932	T+ 3d-2c (2-2) R1
		16522.25			S+ GK-2B (6-10) P4
8965	16521.917(12)	16521.98	16521.94(3)	2933	
		16521.88			
		16521.35			
		16520.81			S+ 3F-2B (2-10) P3
8966	16519.88(5)	16519.91			
8967	16519.00(4)	16519.10			
8968	16518.48(2)	16518.48	16518.52(2)	2934	T+ 3c-2a (1-1) R1
			16518.27(3)	2935	
8969	16518.10(2)		16518.16(3)	2936	
			16517.67(4)	2937	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8970	16517.55(2)	16517.58	16517.59(3)	2938	T+ 3b-2a (5-1) P2
		16517.58	16517.42(2)	2939	T- 3e-2c (3-3) P3
8971	16517.16(2)	16517.11	16517.18(2)	2940	T+ 3d-2c (1-1) Q5
8972	16516.96(2)		16516.99(2)	2941	
8973	16515.91(3)	16515.97	16515.95(5)	2942	
8974	16515.35(2)	16515.48	16515.43(3)	2943	
			16515.02(2)	2944	
8975	16514.91(3)		16514.84(3)	2945	
		16514.44			
8976	16513.73(3)	16513.72			
			16513.12(5)	2946	
8977	16512.94(2)	16512.94	16512.92(4)	2947	
		16512.81			
8978	16512.38(2)		16512.32(3)	2948	
8979	16512.17(2)	16512.24	16512.21(3)	2949	T+ 3e-2c (4-4) R2
		16512.24	16512.11(3)	2950	T+ 3d-2c (2-2) R2
		16512.24			S+ EF-2B (21-3) P2
8980	16511.89(2)	16512.05	16511.93(2)	2951	
		16511.92	16511.83(2)	2952	T+ 3e-2c (3-3) P5
8981	16511.37(2)	16511.39	16511.37(2)	2953	T+ 3b-2a (5-1) R6
8982	16510.58(2)	16510.60	16510.57(2)	2954	T+ 3c-2a (0-0) P4
		16510.60	16510.37(4)	2955	S 4D-2C (0-1) Q3
8983	16510.06(2)	16509.97			
8984	16509.59(2)	16509.66	16509.59(3)	2956	S+ GK-2B (6-10) P5
		16509.10			
8985	16508.48(2)	16508.44	16508.51(3)	2957	
			16508.37(2)	2958	
			16507.67(6)	2959	
8986	16506.59(2)	16506.60	16506.58(3)	2960	T- 3e-2c (3-3) Q7
8987	16505.99(2)	16505.95	16505.98(2)	2961	T- 3e-2c (2-2) P7
8988	16505.83(2)		16505.81(3)	2962	
8989	16505.26(2)	16505.13			S+ GK-2B (0-5) P3
8990	16504.01(2)	16504.08	16504.01(3)	2963	T- 3c-2a (8-7) Q5
		16503.98	16503.86(3)	2964	
8991	16503.70(2)	16503.67	16503.70(3)	2965	
8992	16503.15(2)	16503.12	16503.15(2)	2966	
8993	16502.96(2)	16503.02	16502.99(2)	2967	
8994	16502.27(2)	16502.17	16502.26(3)	2968	T+ 3d-2c (1-1) P4
8995	16502.05(2)	16502.07	16502.06(3)	2969	
		16502.00			
8996	16501.33(2)	16501.27	16501.35(3)	2970	T+ 3d-2c (0-0) Q8

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
8997	16501.13(2)	16501.20	16501.19(2)	2971	
			16501.05(3)	2972	
8998	16500.77(2)				
8999	16500.11(2)	16500.31			
9000	16499.67(2)	16499.68	16499.66(2)	2973	T- 3c-2a (0-0) Q9
9001	16499.30(5)	16499.33			
9002	16498.76(2)	16498.78	16498.79(3)	2974	
9003	16498.43(5)		16498.65(4)	2975	
			16497.38(3)	2976	
9004	16497.21(4)		16497.17(4)	2977	
9005	16496.77(3)	16496.88			
9006	16496.09(2)	16496.07	16496.13(2)	2978	S- 4E-2C (1-2) P5
			16495.98(2)	2979	
9007	16495.65(2)	16495.51	16495.62(3)	2980	T+ 3d-2c (0-0) R13
			16495.43(3)	2981	
9008	16495.36(2)	16495.35	16495.32(2)	2982	
		16495.18	16495.10(2)	2983	
9009	16495.06(2)	16495.05	16495.01(2)	2984	T+ 3d-2c (2-2) R3
		16494.79			
9010	16494.55(3)	16494.36			
			16494.20(3)	2985	
9011	16494.12(2)	16494.11	16494.10(2)	2986	T+ 3d-2c (2-2) Q1
9012	16493.82(3)	16493.88	16493.90(2)	2987	
			16493.56(4)	2988	
9013	16493.47(2)	16493.46	16493.47(2)	2989	T+ 3c-2a (1-1) R0
9014	16492.98(3)	16492.90	16492.98(3)	2990	
9015	16492.75(6)	16492.68			
		16492.57			
9016	16492.22(4)	16492.27			
		16491.98			
9017	16491.32(4)	16491.09			
9018	16490.09(3)	16490.15	16490.11(4)	2991	T- 3e-2c (0-0) P12
9019	16489.87(6)	16489.71	16489.73(5)	2992	S+ EF-2B (19-2) R1
		16488.35			
9020	16487.71(3)	16487.73	16487.80(2)	2993	
9021	16487.47(5)		16487.64(2)	2994	
		16487.07			S+ EF-2B (19-2) R2
9022	16485.64(3)	16485.73	16485.68(4)	2995	
9023	16485.13(3)	16485.35	16485.14(4)	2996	S+ EF-2B (19-2) R0
		16485.18			
9024	16484.22(3)	16484.24	16484.27(4)	2997	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9025	16484.00(5)	16484.14	16484.10(5)	2998	
		16483.44			
9026	16482.49(3)	16482.55	16482.51(4)	2999	
9027	16481.27(3)	16481.30	16481.28(3)	3000	T+ 3d-2c (2-2) P1
9028	16480.82(4)	16481.02	16480.92(4)	3001	
		16480.64	16480.62(6)	3002	S+ EF-2B (21-3) P3
			16480.09(4)	3003	
9029	16479.95(3)	16479.98	16479.91(4)	3004	T- 3c-2a (8-7) Q6
9030	16479.62(4)	16479.70	16479.61(4)	3005	
		16479.21			
		16479.05			
9031	16478.60(3)	16478.59	16478.62(3)	3006	T- 3e-2c (3-3) P4
		16478.59			T- 3e-2c (3-3) Q8
9032	16478.39(4)		16478.46(4)	3007	
9033	16477.69(4)	16477.51			S+ EF-2B (19-2) R3
9034	16477.23(3)		16477.22(5)	3008	
9035	16476.46(3)	16476.46	16476.43(3)	3009	
9036	16475.90(3)	16475.88	16475.91(3)	3010	T- 3e-2c (4-4) R2
9037	16475.68(3)		16475.75(4)	3011	
9038	16474.41(5)				
9039	16473.93(3)	16473.91	16473.95(4)	3012	T+ 3e-2c (3-3) P7
		16473.81	16473.86(4)	3013	
9040	16473.48(4)	16473.29	16473.70(4)	3014	
9041	16472.74(3)	16472.74	16472.76(4)	3015	T+ 3d-2c (2-2) R4
			16472.68(4)	3016	
9042	16471.69(3)	16471.76	16471.67(5)	3017	
		16471.26			
		16470.36			
		16469.98	16469.92(5)	3018	S+ GK-2B (0-5) P4
		16469.46			
		16468.80			
9043	16468.31(3)	16468.28	16468.28(5)	3019	
9044	16468.11(4)		16468.14(4)	3020	
		16466.02			
9045	16465.74(4)				
9046	16465.32(3)	16465.28	16465.32(3)	3021	T+ 3d-2c (2-2) Q2
9047	16465.11(3)		16465.13(3)	3022	
9048	16464.84(4)	16464.67			
9049	16464.40(3)	16464.49			
		16464.19			
9050	16464.04(3)	16464.04	16464.05(3)	3023	T+ 3b-2a (5-1) P3

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16464.04			T- 3c-2a (0-0) Q10
9051	16463.58(3)	16463.59	16463.58(3)	3024	T+ 3c-2a (0-0) P5
9052	16463.04(4)	16462.80			
9053	16462.25(4)	16462.15			
		16461.59			
9054	16461.32(4)				
		16461.02			S+ EF-2B (19-2) R4
9055	16460.92(3)	16460.95	16460.93(3)	3025	
		16460.87			T- 3c-2a (1-1) Q1
9056	16460.69(3)	16460.71	16460.74(3)	3026	T+ 3d-2c (1-1) Q6
9057	16460.47(3)	16460.54	16460.53(4)	3027	
9058	16460.12(3)	16460.37	16460.31(4)	3028	
		16460.12	16460.13(5)	3029	S+ GK-2B (7-11) P3
9059	16457.586(18)	16457.60	16457.59(5)	3030	
9060	16456.81(3)	16456.98	16456.77(5)	3031	
			16456.51(5)	3032	
9061	16456.424(17)	16456.44	16456.40(4)	3033	
9062	16456.13(3)				
		16455.62			S+ EF-2B (19-2) P1
		16454.93			
		16454.56			
9063	16454.26(3)	16454.40			
		16454.18			T- 3e-2c (2-2) P8
9064	16453.911(17)	16454.07	16453.93(4)	3034	
			16453.77(4)	3035	
9065	16453.520(16)	16453.50	16453.51(3)	3036	T- 3c-2a (1-1) Q2
		16453.50			S 4D-2C (0-1) Q4
9066	16453.05(2)				
		16452.68			
9067	16452.33(2)	16452.29			
9068	16451.423(17)	16451.44	16451.42(3)	3037	
9069	16451.035(19)	16451.15	16450.98(4)	3038	T+ 3d-2c (0-0) R14
9070	16450.625(17)	16450.63	16450.63(3)	3039	T+ 3e-2c (3-3) P8
		16450.38			
9071	16449.32(2)		16449.25(4)	3040	
		16448.71			
9072	16448.23(3)		16448.18(5)	3041	
9073	16446.91(4)	16447.00			
9074	16446.56(4)				
9075	16446.375(17)	16446.39	16446.42(3)	3042	T+ 3d-2c (2-2) R5
		16446.39	16446.34(3)	3043	S 3A-2B (2-11) R1

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9076	16446.01(3)	16446.20			
		16445.99			
9077	16445.67(5)	16445.66			
		16445.53			
		16444.90			
9078	16443.85(3)	16443.86			
9079	16442.96(2)	16443.09	16442.92(5)	3044	
9080	16442.456(16)	16442.43	16442.44(3)	3045	T- 3c-2a (1-1) Q3
9081	16442.04(2)	16442.21	16442.14(4)	3046	S+ EF-2B (21-3) P4
9082	16441.68(3)	16441.59			
9083	16440.78(2)	16440.79	16440.74(4)	3047	
9084	16439.64(2)	16439.63	16439.58(3)	3048	
		16439.23			
9085	16438.83(2)	16438.79	16438.81(3)	3049	
9086	16438.47(2)	16438.48	16438.52(4)	3050	
9087	16437.84(2)	16437.84			S+ EF-2B (19-2) R5
9088	16437.62(3)	16437.74			T+ 3d-2c (0-0) Q9
		16437.53			
9089	16437.060(18)	16437.05	16437.06(3)	3051	T+ 3d-2c (2-2) P2
			16436.91(5)	3052	
9090	16436.57(2)	16436.51	16436.56(3)	3053	T- 3e-2c (3-3) P5
9091	16436.42(2)		16436.40(3)	3054	
9092	16435.46(2)	16435.51	16435.49(3)	3055	
		16435.36	16435.32(4)	3056	S+ GK-2B (8-12) R0
9093	16434.36(3)	16434.60			
9094	16433.43(3)		16433.47(4)	3057	
			16433.28(6)	3058	
		16432.95			
		16432.02			S+ EF-2B (32-9) R3
9095	16431.47(5)	16431.46			
9096	16430.90(7)	16430.82			
9097	16430.34(4)	16430.35			S+ EF-2B (19-2) P2
9098	16429.88(3)	16429.92			T- 3e-2c (0-0) P13
9099	16429.50(4)	16429.41			
9100	16429.22(5)	16429.15			
9101	16428.65(5)				
9102	16428.23(4)	16428.35			
9103	16427.75(3)	16427.73	16427.75(3)	3059	T- 3c-2a (1-1) Q4
		16427.51			S+ GK-2B (0-5) P5
9104	16427.14(3)		16427.10(3)	3060	
9105	16426.94(3)	16427.02	16426.92(3)	3061	T+ 3d-2c (2-2) Q3

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9106	16426.42(4)		16426.32(4)	3062	
9107	16426.20(4)	16426.21			
9108	16425.37(3)	16425.37	16425.38(3)	3063	S+ EF-2B (32-9) R2
9109	16424.89(3)	16424.87	16424.88(4)	3064	T+ 3d-2c (1-1) P5
9110	16424.42(5)	16424.40			
9111	16424.06(6)	16424.19			
9112	16423.76(3)	16423.76	16423.76(3)	3065	
9113	16423.15(4)		16423.12(3)	3066	
9114	16421.84(4)	16421.97			
9115	16421.49(3)	16421.57	16421.558(17)	3067	
		16421.50	16421.38(2)	3068	
9116	16420.94(3)	16420.95			
9117	16420.63(4)	16420.65			
		16419.82			S+ EF-2B (17-1) R1
9118	16418.44(5)	16418.49			
9119	16417.55(5)				
9120	16417.15(5)				
9121	16417.01(3)		16417.061(14)	3069	
		16416.97	16416.888(16)	3070	
9122	16416.77(3)	16416.80	16416.762(12)	3071	T+ 3d-2c (2-2) R6
9123	16416.36(4)				
9124	16415.82(4)	16415.77	16415.721(17)	3072	S+ EF-2B (17-1) R2
9125	16415.61(4)				
9126	16414.69(3)	16414.70	16414.698(13)	3073	
		16414.47	16414.35(2)	3074	
9127	16414.23(3)	16414.27	16414.20(3)	3075	
9128	16413.60(3)	16413.60	16413.600(12)	3076	T+ 3c-2a (0-0) P6
9129	16413.11(4)				
		16412.71			
		16412.08			
9130	16411.27(6)	16411.29			
9131	16409.91(4)	16410.07			
		16409.93			
9132	16409.46(3)	16409.48	16409.472(12)	3077	T- 3c-2a (1-1) Q5
9133	16409.04(4)				
9134	16408.57(5)	16408.58			S+ GK-2B (8-12) P1
9135	16407.83(4)	16407.91			S+ EF-2B (19-2) R6
9136	16407.27(3)	16407.28	16407.291(18)	3078	
9137	16406.29(3)	16406.24	16406.268(17)	3079	T+ 3d-2c (0-0) R15
9138	16406.16(4)				
9139	16405.64(3)	16405.67	16405.652(13)	3080	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16404.15	16403.90(3)	3081	
		16404.03			
9140	16403.78(3)	16403.83			S+ EF-2B (17-1) R3
		16402.41			
9141	16402.02(3)	16401.98	16402.039(14)	3082	T+ 3d-2c (1-1) Q7
9142	16401.82(3)		16401.857(17)	3083	
		16401.30			
		16400.91			
9143	16400.33(3)	16400.33	16400.333(12)	3084	T+ 3b-2a (5-1) P4
		16400.33			T- 3e-2c (2-2) P9
		16400.33			T- 3e-2c (4-4) Q1
9144	16400.17(4)		16400.106(19)	3085	
9145	16399.77(3)	16399.80	16399.836(17)	3086	
			16399.71(2)	3087	
9146	16399.17(4)	16399.24			S- 3E-2C (5-2) Q3
9147	16398.26(4)	16398.29	16398.28(3)	3088	S+ EF-2B (19-2) P3
		16397.60			
		16397.38			
9148	16397.13(3)	16397.20			
		16397.12			
9149	16396.72(3)	16396.85			S+ EF-2B (21-3) P5
			16396.37(3)	3089	
9150	16396.205(11)	16396.21	16396.200(12)	3090	T+ 3c-2a (1-1) P2
9151	16395.735(18)				
		16395.38			
9152	16394.89(3)	16394.75			
		16393.33			
9153	16392.858(11)	16392.85	16392.883(16)	3091	
			16392.644(15)	3092	
9154	16392.44(2)		16392.46(2)	3093	
9155	16391.99(3)				
9156	16391.671(13)	16391.66	16391.696(11)	3094	
9157	16391.487(18)		16391.538(13)	3095	
9158	16390.67(3)	16390.67	16390.656(14)	3096	
			16390.44(2)	3097	
9159	16390.274(18)	16390.31	16390.269(11)	3098	
9160	16388.834(15)	16388.82	16388.87(3)	3099	
			16388.71(3)	3100	
9161	16388.19(2)	16388.34			
9162	16387.707(10)	16387.71	16387.713(10)	3101	T- 3c-2a (1-1) Q6
9163	16387.24(2)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9164	16386.759(12)	16386.78	16386.763(13)	3102	T+ 3c-2a (2-2) R7
9165	16386.19(2)	16386.28			
9166	16385.815(11)	16385.82	16385.817(11)	3103	T+ 3c-2a (2-2) R6
		16385.82			S+ EF-2B (17-1) P1
9167	16385.31(3)	16385.11			S+ EF-2B (17-1) R4
9168	16384.85(2)				
			16384.630(13)	3104	
9169	16384.569(11)	16384.56	16384.550(11)	3105	T+ 3d-2c (2-2) R7
9170	16384.278(19)				
		16384.00			
9171	16383.785(13)	16383.74	16383.790(15)	3106	T- 3c-2a (0-0) Q12
9172	16383.588(14)	16383.63	16383.589(12)	3107	T+ 3c-2a (2-2) R8
9173	16383.20(2)				
		16382.82			
		16382.70			
		16382.56			
9174	16382.150(12)	16382.16	16382.159(10)	3108	T+ 3d-2c (2-2) Q4
9175	16381.964(15)	16382.03	16381.981(11)	3109	
		16381.97			
		16381.28			
9176	16380.788(11)	16380.79	16380.793(11)	3110	T+ 3c-2a (2-2) R5
		16380.79			S+ WW-2B (0-5) P6
9177	16380.063(13)	16380.07	16380.067(12)	3111	T+ 3d-2c (2-2) P3
9178	16379.283(15)	16379.28	16379.287(10)	3112	
		16378.42	16378.421(16)	3113	
		16377.62			S+ EF-2B (32-9) P1
9179	16377.35(2)	16377.33			
		16377.14			
9180	16376.212(11)	16376.20	16376.214(16)	3114	T+ 3c-2a (2-2) R9
		16375.05			
9181	16374.19(3)				
9182	16373.880(12)	16373.88	16373.879(15)	3115	
9183	16373.597(17)	16373.79			
		16373.51	16373.56(2)	3116	T+ 3d-2c (0-0) Q10
9184	16373.382(18)				
9185	16372.18(2)	16372.30			S 3A-2B (2-11) P1
9186	16371.711(10)	16371.69	16371.732(10)	3117	T+ 3c-2a (2-2) R4
9187	16371.23(3)				
		16370.82			
		16370.35			
		16369.91			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9188	16369.831(13)	16369.80			T- 3e-2c (0-0) P14
9189	16369.21(2)	16369.08	16369.229(16)	3118	
9190	16368.375(13)	16368.38	16368.414(12)	3119	
		16368.22	16368.24(2)	3120	
9191	16368.082(14)		16368.05(3)	3121	
9192	16367.80(2)		16367.759(18)	3122	
			16367.449(18)	3123	
9193	16367.358(15)		16367.319(14)	3124	
9194	16366.539(16)	16366.54			
		16365.56			S- 3F-2C (2-0) Q5
		16364.99			S+ EF-2B (15-0) R0
9195	16364.441(7)	16364.45	16364.464(16)	3125	T+ 3c-2a (2-2) R10
9196	16363.58(2)	16363.55			
9197	16362.876(10)	16362.80	16362.856(14)	3126	
			16362.76(3)	3127	
9198	16362.538(7)	16362.53	16362.543(13)	3128	T- 3c-2a (1-1) Q7
9199	16362.056(16)	16361.94			
9200	16361.633(9)	16361.67	16361.677(14)	3129	
		16361.55	16361.514(16)	3130	
9201	16361.351(11)	16361.16	16361.33(3)	3131	
9202	16360.808(7)	16360.81	16360.809(13)	3132	T+ 3c-2a (0-0) P7
9203	16360.35(3)				
9204	16360.049(10)	16360.05	16360.04(2)	3133	S+ EF-2B (32-9) P2
9205	16359.581(13)	16359.58	16359.562(16)	3134	T+ 3b-2a (8-3) R1
		16359.58			S+ EF-2B (19-2) P4
9206	16359.108(17)	16359.04	16359.10(3)	3135	S+ EF-2B (17-1) P2
		16359.04	16358.91(3)	3136	S+ EF-2B (17-1) R5
9207	16358.650(7)	16358.66	16358.642(12)	3137	T+ 3c-2a (2-2) R3
		16358.45			
9208	16358.05(3)	16358.10			
		16358.00			
			16357.71(4)	3138	
9209	16357.542(8)	16357.55	16357.53(2)	3139	
9210	16356.826(7)	16356.82	16356.812(12)	3140	T+ 3c-2a (1-1) P3
9211	16356.004(15)	16355.94			
		16354.93			
9212	16354.174(15)	16354.21	16354.169(17)	3141	T+ 3b-2a (8-3) R0
			16353.38(3)	3142	
9213	16352.978(8)	16352.95	16352.959(19)	3143	
9214	16352.515(9)	16352.48	16352.467(14)	3144	T+ 3e-2c (4-4) P2
		16352.48			T+ 3b-2a (8-3) R2

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16351.56	16351.37(2)	3145	
9215	16351.360(15)		16351.21(3)	3146	
9216	16350.85(2)				
9217	16350.431(15)		16350.37(2)	3147	
9218	16350.204(8)	16350.17	16350.184(15)	3148	T+ 3d-2c (2-2) R8
			16350.042(15)	3149	
9219	16349.885(19)				
		16349.25			
		16348.47			T+ 3c-2a (2-2) R11
		16347.88			
9220	16347.568(13)				
9221	16347.381(9)	16347.38	16347.402(15)	3150	T- 3e-2c (4-4) P2
		16347.11	16347.302(17)	3151	
9222	16346.885(10)	16346.88			
9223	16346.62(3)	16346.52			
9224	16346.16(2)		16346.103(17)	3152	
			16345.90(3)	3153	
9225	16345.753(10)	16345.66	16345.673(19)	3154	T- 3e-2c (2-2) P10
9226	16345.552(17)	16345.66			T+ 3e-2c (4-4) P3
9227	16345.03(2)				
9228	16344.507(9)	16344.41	16344.500(16)	3155	T- 3e-2c (3-3) P7
9229	16344.278(15)	16344.24	16344.301(18)	3156	T+ 3b-2a (10-4) R0
9230	16343.88(2)				
9231	16343.259(19)	16343.39	16343.21(2)	3157	
9232	16342.956(15)	16342.97	16342.968(19)	3158	T- 3c-2a (9-8) Q1
		16342.97			T+ 3b-2a (10-4) R1
		16342.39			
9233	16342.191(14)	16342.29			
9234	16341.717(7)	16341.71	16341.713(12)	3159	T+ 3c-2a (2-2) R2
9235	16341.434(10)	16341.59	16341.476(16)	3160	T+ 3d-2c (1-1) Q8
9236	16341.097(10)		16341.108(13)	3161	
9237	16340.563(8)	16340.53	16340.534(15)	3162	
9238	16340.25(3)				
9239	16339.75(3)	16339.86			S- 3F-2C (2-0) Q7
		16339.48	16339.565(17)	3163	
9240	16339.419(8)	16339.38	16339.389(18)	3164	T- 3c-2a (0-0) Q13
		16338.51			
9241	16338.033(18)				
		16337.08			
		16335.87			S- 3E-2B (0-6) Q3

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16335.56			
9242	16335.062(17)	16335.07	16335.06(2)	3165	T- 3c-2a (9-8) Q2
9243	16334.45(2)	16334.63			S- 3E-2C (5-2) P3
		16334.47			
9244	16334.076(14)	16334.09	16334.07(2)	3166	T- 3c-2a (1-1) Q8
9245	16333.71(3)				
9246	16333.39(4)	16333.38			
9247	16332.950(18)	16332.95	16332.94(3)	3167	T+ 3b-2a (8-3) R3
9248	16332.363(15)	16332.39	16332.38(2)	3168	T+ 3d-2c (2-2) Q5
		16332.32	16332.19(2)	3169	
		16332.25			
9249	16331.998(14)	16332.08	16331.96(2)	3170	
		16331.97			
9250	16331.55(3)	16331.45			
9251	16331.089(16)	16331.08			T- 3e-2c (4-4) P3
		16330.43	16330.59(3)	3171	
9252	16329.271(17)	16329.27			
9253	16328.503(16)		16328.55(3)	3172	
		16328.49	16328.43(2)	3173	
9254	16328.093(18)	16328.04	16328.07(2)	3174	
9255	16327.91(2)		16327.91(3)	3175	
9256	16327.483(15)	16327.49	16327.49(2)	3176	S+ 3E-2C (4-4) P4
			16327.40(4)	3177	
9257	16326.996(15)	16327.00	16326.98(2)	3178	T+ 3b-2a (5-1) P5
		16326.47			
9258	16326.057(17)	16326.06	16326.04(2)	3179	T+ 3b-2a (10-4) R2
		16325.28			S+ EF-2B (17-1) P3
9259	16324.664(15)	16324.66	16324.65(2)	3180	
		16324.13			
		16323.73			
9260	16323.179(18)	16323.19	16323.18(3)	3181	T- 3c-2a (9-8) Q3
9261	16322.40(2)				
9262	16322.21(2)	16322.24	16322.28(3)	3182	S+ GK-2B (2-7) R1
9263	16321.76(3)	16321.61			
9264	16321.42(3)				
9265	16321.001(14)	16320.98	16320.987(19)	3183	T+ 3c-2a (2-2) R1
9266	16320.53(3)				
		16320.21			
		16320.10			
9267	16319.507(18)		16319.53(4)	3184	
9268	16319.20(2)		16319.29(4)	3185	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9269	16318.72(3)	16318.66			
9270	16317.64(2)	16317.65			
9271	16316.99(2)	16316.96			
9272	16316.07(3)	16316.03	16316.10(2)	3186	
		16315.48			
9273	16315.01(2)	16315.03			
		16314.93			
9274	16314.593(16)	16314.65	16314.62(3)	3187	S+ EF-2B (19-2) P5
			16314.47(4)	3188	
9275	16314.083(14)	16314.06	16314.092(19)	3189	T+ 3d-2c (2-2) R9
		16314.06			T+ 3c-2a (1-1) P4
			16313.90(4)	3190	
9276	16313.67(2)				
9277	16313.15(3)	16313.26			
9278	16312.855(16)	16312.85	16312.85(3)	3191	
			16312.57(4)	3192	
9279	16312.29(3)		16312.13(4)	3193	
		16311.69			
9280	16310.78(3)	16310.78			
9281	16310.10(2)	16310.15			
9282	16309.706(16)	16309.71			
		16309.33			
9283	16308.817(14)	16308.84			
		16307.94			
9284	16307.62(3)	16307.70			
			16307.40(2)	3194	
9285	16307.324(12)	16307.35	16307.30(2)	3195	T+ 3e-2c (4-4) P5
		16307.35			T- 3c-2a (9-8) Q4
9286	16306.98(3)		16306.85(3)	3196	
9287	16306.69(2)	16306.58			
9288	16306.10(2)	16306.13	16306.05(2)	3197	T+ 3b-2a (8-3) P1
9289	16305.81(2)	16305.85	16305.83(3)	3198	
		16305.77			
9290	16305.355(10)	16305.36	16305.38(2)	3199	T+ 3c-2a (0-0) P8
9291	16304.956(19)				
		16304.64			
		16304.51			
9292	16304.145(12)	16304.16	16304.17(2)	3200	
9293	16303.65(3)				
9294	16302.78(2)	16302.96			
9295	16302.391(10)	16302.39	16302.38(2)	3201	T- 3c-2a (1-1) Q9

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9296	16301.993(17)				
9297	16301.48(2)	16301.36	16301.40(4)	3202	
9298	16301.223(13)	16301.23	16301.21(3)	3203	T+ 3b-2a (8-3) R4
		16301.23			T+ 3b-2a (10-4) P1
		16301.09			
9299	16300.46(2)	16300.39	16300.41(4)	3204	
9300	16300.145(11)	16300.16	16300.13(2)	3205	T+ 3d-2c (3-3) R1
9301	16299.808(16)	16299.88	16299.82(3)	3206	
		16299.75			
		16299.34			
9302	16299.06(3)		16299.05(3)	3207	
9303	16297.87(3)	16297.96			
		16297.89			
9304	16297.361(19)	16297.48			
9305	16297.07(2)	16297.18			
9306	16296.599(10)	16296.59	16296.58(2)	3208	T+ 3c-2a (2-2) R0
9307	16296.16(2)	16296.06			
9308	16295.71(3)	16295.74			
9309	16295.351(13)	16295.29	16295.33(2)	3209	T- 3e-2c (3-3) P8
9310	16295.188(16)		16295.17(3)	3210	
9311	16294.841(17)	16294.90	16294.86(2)	3211	
9312	16294.36(3)	16294.30	16294.39(4)	3212	
		16294.24			
9313	16293.860(12)	16293.82	16293.84(2)	3213	T+ 3d-2c (3-3) R2
9314	16293.660(15)		16293.68(3)	3214	
9315	16293.117(17)	16292.93			
9316	16292.51(3)				
9317	16292.349(12)	16292.33	16292.33(3)	3215	T- 3c-2a (0-0) Q14
9318	16291.90(3)				
9319	16291.295(11)		16291.28(2)	3216	
9320	16291.135(13)	16291.21	16291.13(2)	3217	S- 3F-2C (3-1) R3
9321	16290.342(15)	16290.33	16290.31(4)	3218	
9322	16290.16(2)				
9323	16289.85(3)				
9324	16289.363(12)	16289.33	16289.36(3)	3219	
9325	16289.083(14)		16289.13(4)	3220	
		16289.04	16289.01(3)	3221	
9326	16288.60(2)	16288.74	16288.74(4)	3222	
9327	16288.429(12)	16288.39	16288.46(3)	3223	
9328	16288.397(13)		16288.31(3)	3224	
9329	16287.825(16)	16287.84	16287.80(3)	3225	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9330	16287.65(2)				
9331	16286.26(4)		16286.19(2)	3226	
9332	16286.003(17)	16285.98	16285.98(3)	3227	
9333	16285.656(12)	16285.65	16285.64(2)	3228	T+ 3e-2c (4-4) P6
9334	16285.218(13)	16285.23	16285.22(3)	3229	
			16284.94(3)	3230	
9335	16284.87(2)		16284.81(3)	3231	
9336	16284.618(19)				
		16283.95			S+ EF-2B (17-1) P4
9337	16282.18(3)		16282.19(3)	3232	
9338	16281.88(4)				
9339	16280.84(4)	16280.87			
9340	16280.31(2)	16280.33	16280.34(2)	3233	T+ 3d-2c (3-3) R3
9341	16279.93(2)	16279.88	16279.96(3)	3234	
9342	16279.62(3)	16279.66			
			16279.32(4)	3235	
9343	16279.15(2)	16279.12	16279.14(2)	3236	T+ 3d-2c (2-2) Q6
9344	16278.96(2)	16279.03	16278.96(2)	3237	S+ GK-2B (2-7) P1
		16278.95			
9345	16278.34(5)				
9346	16278.07(6)	16278.19			
9347	16277.07(4)				
9348	16276.66(2)	16276.66	16276.67(2)	3238	T+ 3d-2c (2-2) R10
9349	16276.22(5)				
9350	16275.80(4)	16275.72			
9351	16275.01(3)		16275.08(3)	3239	
			16274.91(4)	3240	
9352	16274.31(4)	16274.06			
9353	16273.00(3)		16272.992(13)	3241	
9354	16272.52(4)				
		16271.73			
9355	16270.68(3)	16270.74			
9356	16270.26(2)	16270.23	16270.237(14)	3242	
9357	16269.93(3)				
9358	16269.62(3)	16269.58	16269.600(13)	3243	T+ 3d-2c (3-3) Q1
9359	16269.38(3)	16269.47	16269.409(16)	3244	
			16269.20(3)	3245	
9360	16268.21(3)	16268.37			
9361	16267.79(2)	16267.78	16267.777(11)	3246	T+ 3c-2a (1-1) P5
		16267.68			
9362	16267.62(2)	16267.60	16267.600(15)	3247	T- 3c-2a (1-1) Q10

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9363	16267.23(3)				
9364	16266.82(3)	16266.98			
		16266.87			
9365	16266.43(3)	16266.56			
		16266.34			S- 3E-2B (2-10) Q7
		16266.13			
		16265.91			
		16265.66			
9366	16265.37(3)		16265.279(12)	3248	
9367	16265.05(2)	16265.05	16265.038(10)	3249	T- 3c-2a (2-2) Q1
9368	16264.58(2)	16264.54	16264.58(2)	3250	
			16264.38(2)	3251	
9369	16264.26(3)	16264.20	16264.19(3)	3252	
9370	16263.66(3)	16263.67	16263.652(12)	3253	T+ 3b-2a (8-3) P2
		16263.46			S+ EF-2B (19-2) P6
		16262.71			
9371	16261.76(4)	16261.66			S+ GK-2B (2-7) P2
9372	16261.39(3)		16261.381(19)	3254	
9373	16261.25(3)	16261.26	16261.263(19)	3255	T+ 3d-2c (3-3) R4
			16261.16(2)	3256	
9374	16260.93(3)				
9375	16260.19(4)	16260.27			T+ 3d-2c (1-1) P7
		16259.22			
9376	16258.88(4)	16258.76			
		16258.65			
9377	16258.49(3)	16258.44			T+ 3b-2a (8-3) R5
9378	16258.12(3)		16258.113(13)	3257	
9379	16257.83(2)	16257.81	16257.822(10)	3258	T- 3c-2a (2-2) Q2
9380	16257.46(3)				
9381	16257.03(3)	16257.02	16257.021(16)	3259	T+ 3b-2a (10-4) P2
9382	16256.41(3)	16256.38			
9383	16255.89(5)				
		16255.54			
9384	16255.06(2)	16255.06	16255.066(12)	3260	T+ 3d-2c (3-3) P1
9385	16254.74(5)		16254.75(3)	3261	
9386	16254.55(3)	16254.57	16254.565(14)	3262	
9387	16254.15(3)	16254.30			
		16254.17			
		16253.26			
9388	16252.74(4)				
		16252.20			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9389	16251.59(3)	16251.56	16251.606(13)	3263	T- 3e-2c (4-4) P5
9390	16251.43(3)		16251.445(16)	3264	
9391	16250.94(5)				
9392	16250.75(4)	16250.76 16250.18			
9393	16249.64(3)	16249.68 16248.81			
9394	16247.96(3)	16248.00 16247.90			
9395	16247.409(16)	16247.42	16247.419(13)	3265	T+ 3c-2a (0-0) P9
		16247.26			
9396	16246.975(16)	16246.99	16246.992(10)	3266	T- 3c-2a (2-2) Q3
		16246.99			S- 3F-2C (3-1) R1
9397	16246.63(2)	16246.73	16246.639(19)	3267	
		16246.58			
9398	16246.378(16)	16246.39	16246.387(11)	3268	T+ 3b-2a (5-1) P6
9399	16245.91(3)	16245.79			
9400	16245.41(3)	16245.46	16245.40(2)	3269	
9401	16245.130(19)	16245.13	16245.167(11)	3270	T+ 3d-2c (3-3) Q2
			16244.993(12)	3271	
9402	16244.87(3)				
9403	16244.552(19)	16244.67	16244.639(18)	3272	
9404	16243.94(2)	16243.89			
9405	16243.73(3)				
		16243.26			
		16242.97			S+ GK-2B (2-7) P3
		16242.89			
9406	16242.773(19)	16242.75	16242.76(2)	3273	T- 3c-2a (0-0) Q15
9407	16242.52(2)	16242.62	16242.54(2)	3274	
9408	16241.42(2)	16241.44	16241.44(2)	3275	T+ 3d-2c (2-2) P5
9409	16240.26(4)	16240.26			
9410	16239.73(4)	16239.71			
9411	16238.55(3)	16238.34			
9412	16238.11(3)	16238.07			
9413	16237.726(18)	16237.71	16237.772(14)	3276	T+ 3d-2c (3-3) R5
9414	16237.57(3)	16237.71	16237.677(15)	3277	T+ 3d-2c (2-2) R11
		16237.53	16237.506(13)	3278	
9415	16237.21(2)	16237.23	16237.217(13)	3279	
9416	16237.04(3)				
9417	16236.65(3)				
		16236.39			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9418	16235.40(2)	16235.42	16235.416(13)	3280	S+ EF-2B (17-1) P5
			16234.50(4)	3281	
9419	16234.400(19)	16234.40	16234.35(3)	3282	
9420	16234.13(3)	16234.05			
9421	16233.553(18)	16233.58	16233.57(2)	3283	
		16233.40			
9422	16233.15(2)	16233.26			
9423	16232.635(16)	16232.64	16232.661(12)	3284	T- 3c-2a (2-2) Q4
9424	16232.199(18)	16232.40			
9425	16231.77(2)	16231.82	16231.82(3)	3285	
9426	16231.38(4)	16231.19			
9427	16230.89(4)				
9428	16230.31(3)	16230.41			
9429	16229.890(17)	16229.90	16229.914(18)	3286	T- 3c-2a (1-1) Q11
9430	16229.61(4)				
9431	16228.77(4)	16228.86			
		16227.28			
		16226.67			
		16225.33			
		16223.91			
9432	16223.240(18)	16223.21	16223.281(14)	3287	T+ 3d-2c (2-2) Q7
9433	16223.02(2)		16223.103(18)	3288	
		16222.34			
9434	16221.39(2)	16221.43	16221.375(19)	3289	
		16220.93			
9435	16220.33(2)	16220.40	16220.37(4)	3290	
		16218.94			
9436	16217.86(5)				
9437	16217.476(19)	16217.48	16217.45(3)	3291	
9438	16217.28(2)				
9439	16216.83(4)	16216.68			
9440	16216.46(2)	16216.41			
9441	16216.015(17)	16216.04	16216.01(3)	3292	T+ 3c-2a (1-1) P6
		16215.88			
9442	16215.58(2)				
9443	16215.202(18)	16215.30	16215.20(4)	3293	
		16215.19			
9444	16214.804(18)	16214.83	16214.79(3)	3294	T- 3c-2a (2-2) Q5
9445	16214.50(2)	16214.51	16214.47(3)	3295	T+ 3d-2c (3-3) P2
9446	16214.23(3)				
9447	16213.780(19)	16213.84			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9448	16213.26(2)	16213.28 16212.37			
9449	16211.680(19)	16211.67	16211.68(3)	3296	T+ 3d-2c (3-3) Q3
9450	16211.48(2)	16211.54	16211.51(3)	3297	
9451	16211.03(3)	16211.09			
9452	16210.693(17)	16210.71	16210.73(3) 16210.64(3)	3298 3299	T+ 3d-2c (3-3) R6
9453	16210.25(3)	16210.05 16209.79			
9454	16209.320(19)	16209.26	16209.32(3)	3300	T- 3e-2c (4-4) P6
9455	16209.14(2)	16209.11 16208.40	16209.13(3)	3301	T+ 3b-2a (8-3) P3
9456	16207.14(2)	16207.15			
9457	16206.34(4)	16206.36 16205.44			S+ EF-2B (19-2) P7
9458	16204.670(18)	16204.72 16204.58	16204.63(4)	3302	
9459	16203.98(2)	16203.95	16203.94(4)	3303	
9460	16203.54(4)	16203.61	16203.42(4)	3304	
9461	16203.29(3)	16203.40 16202.88			
9462	16202.752(17)	16202.75	16202.74(3)	3305	T+ 3c-2a (2-2) P2
9463	16202.24(2)		16202.29(3) 16202.19 16201.88	3306 3307	
9464	16201.368(18)	16201.35 16200.59	16201.34(4)	3308	S+ GK-2B (2-7) P5
9465	16199.85(2)	16199.85	16199.83(3)	3309	
9466	16198.83(4)	16198.91			
9467	16198.412(18)	16198.40	16198.39(3)	3310	T+ 3d-2c (2-2) R12
9468	16198.14(2)	16198.32	16198.08(3)	3311	
9469	16197.89(3)	16198.03 16197.86 16197.15 16196.49	16197.89(4)	3312	
9470	16195.56(3)		16195.57(3)	3313	
9471	16194.06(4)	16194.36 16194.21 16193.92			
9472	16193.61(3)	16193.59	16193.61(3)	3314	T- 3c-2a (2-2) Q6
9473	16193.20(4)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9474	16192.78(3)	16192.78	16192.76(3)	3315	
9475	16192.58(4)				
		16192.26			
9476	16191.93(3)	16191.93	16191.94(3)	3316	
		16191.78			
9477	16191.33(4)	16191.31	16191.28(5)	3317	
9478	16190.87(3)	16190.87	16190.86(4)	3318	T- 3c-2a (0-0) Q16
9479	16189.78(4)	16189.93			
9480	16189.32(3)	16189.32	16189.33(3)	3319	
9481	16188.76(4)	16188.63			
9482	16187.87(4)	16187.71			
9483	16187.50(3)		16187.48(2)	3320	
9484	16187.13(3)	16187.13	16187.109(17)	3321	T+ 3c-2a (0-0) P10
		16187.13			S- 3F-2C (3-1) Q2
9485	16186.71(4)				
		16186.29			
		16186.01			
		16185.17			
		16184.27			
9486	16183.60(3)	16183.65	16183.59(3)	3322	
9487	16181.38(4)	16181.43	16181.38(3)	3323	
9488	16181.02(3)		16180.972(17)	3324	
9489	16180.87(3)	16180.93	16180.826(16)	3325	T+ 3d-2c (3-3) R7
		16180.93			T+ 3c-2a (3-3) R5
		16180.84			S+ EF-2B (17-1) P6
9490	16180.47(4)				
		16180.06			
9491	16178.82(4)	16178.86			
9492	16178.34(3)	16178.38	16178.31(3)	3326	
		16177.44			
9493	16176.72(4)	16176.74			
9494	16176.12(3)	16176.09	16176.082(16)	3327	T+ 3c-2a (1-1) P7
9495	16175.79(4)	16175.85	16175.860(16)	3328	
9496	16175.46(5)	16175.50	16175.52(3)	3329	
		16175.31			
9497	16174.98(3)	16174.94	16174.937(15)	3330	T+ 3c-2a (3-3) R4
		16174.12			
		16173.30			
9498	16172.88(5)				
9499	16172.44(3)	16172.41	16172.408(18)	3331	
9500	16171.79(3)	16171.84	16171.77(3)	3332	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16171.74			
9501	16171.38(3)		16171.347(16)	3333	
9502	16171.19(3)	16171.28	16171.175(17)	3334	T+ 3d-2c (3-3) Q4
		16170.45			
9503	16169.53(4)	16169.72			
9504	16169.08(3)	16169.06	16169.053(16)	3335	T- 3c-2a (2-2) Q7
9505	16168.63(4)				
		16168.24			
9506	16167.18(5)	16167.27			
9507	16165.93(4)	16166.03			
9508	16165.46(3)	16165.51	16165.453(17)	3336	T+ 3d-2c (2-2) Q8
9509	16165.28(3)	16165.35	16165.28(2)	3337	
9510	16164.96(3)	16164.95	16164.978(15)	3338	T+ 3d-2c (2-2) P6
9511	16164.73(3)	16164.88	16164.76(2)	3339	
9512	16164.37(4)				
9513	16163.85(3)	16164.09	16163.86(4)	3340	
		16163.83			
9514	16163.45(3)	16163.45	16163.459(16)	3341	T+ 3c-2a (3-3) R3
		16163.26			
9515	16162.97(5)				
9516	16162.76(3)	16162.80	16162.796(18)	3342	T+ 3d-2c (3-3) P3
		16162.01			
9517	16160.39(6)	16160.47			
		16160.34			
		16160.01			
9518	16159.57(6)	16159.77			S- 3F-2C (3-1) Q5
9519	16159.38(4)	16159.42	16159.424(18)	3343	
9520	16158.94(5)	16158.90			
9521	16158.60(6)	16158.56			
9522	16158.06(5)				
9523	16156.92(5)	16156.91			
9524	16155.89(4)	16155.96			
9525	16155.52(6)	16155.18			
9526	16154.55(5)	16154.51			
9527	16154.36(5)	16154.30			
9528	16153.52(4)	16153.52	16153.50(2)	3344	
9529	16153.05(5)	16153.09			
9530	16152.66(5)		16152.65(4)	3345	
9531	16151.29(6)				
9532	16150.95(4)	16150.98	16150.96(3)	3346	
		16150.42			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9533	16149.92(6)	16149.97	16149.89(4)	3347	
9534	16149.46(5)	16149.49			
9535	16149.01(5)				
9536	16148.82(4)	16148.84	16148.86(3)	3348	T+ 3d-2c (3-3) R8
9537	16148.56(5)	16148.32	16148.77(3)	3349	
9538	16148.15(5)				
9539	16147.71(4)	16147.69	16147.69(2)	3350	T+ 3c-2a (3-3) R2
9540	16147.29(5)				
9541	16146.92(5)	16146.89	16146.92(3)	3351	
9542	16146.73(5)	16146.79	16146.77(4)	3352	
		16146.11			
9543	16146.02(4)	16146.03	16146.01(3)	3353	T- 3c-2a (1-1) Q13
9544	16144.90(8)	16144.92			
9545	16143.27(6)	16143.35			S+ EF-2B (19-2) P8
9546	16142.88(5)		16142.84(3)	3354	
		16142.76			
9547	16142.69(4)	16142.67	16142.69(3)	3355	T+ 3b-2a (8-3) P4
		16142.67			S- 3E-2B (2-10) Q5
9548	16142.21(5)	16142.15			
9549	16141.71(4)	16141.75	16141.69(3)	3356	T+ 3b-2a (5-1) P7
9550	16141.29(4)	16141.29	16141.27(3)	3357	T- 3c-2a (2-2) Q8
9551	16140.91(5)	16140.75			
9552	16140.53(6)	16140.46			
9553	16140.10(5)	16140.07	16140.09(4)	3358	
9554	16139.92(5)				
9555	16139.41(5)	16139.55			
9556	16138.94(5)	16138.95			
9557	16138.07(7)	16138.10			
9558	16137.32(5)	16137.46			
9559	16136.75(5)	16136.73			T- 3c-2a (0-0) Q17
9560	16136.58(6)				
9561	16135.96(5)	16135.84	16135.84(3)	3359	
9562	16135.71(4)				
9563	16134.98(4)	16135.01			
9564	16134.25(7)				
9565	16133.66(6)	16133.61			
9566	16133.43(6)				
		16132.89			
9567	16132.60(4)	16132.64	16132.59(3)	3360	T- 3c-2a (10-9) Q1
		16131.63			
9568	16129.98(3)	16130.02			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9569	16128.91(4)	16128.77			
9570	16128.62(4)	16128.59			
9571	16128.08(3)	16128.08	16128.10(3)	3361	T+ 3c-2a (3-3) R1
9572	16127.63(4)				
		16127.30			
9573	16126.90(3)		16126.90(3)	3362	
9574	16126.65(3)	16126.70	16126.67(3)	3363	
		16126.21			
		16126.10			
9575	16125.80(3)	16125.76	16125.81(3)	3364	T+ 3d-2c (3-3) Q5
9576	16125.60(3)		16125.64(3)	3365	
9577	16124.92(3)	16124.94	16124.91(3)	3366	T- 3c-2a (10-9) Q2
		16124.63			
9578	16124.53(3)	16124.56	16124.53(3)	3367	T+ 3c-2a (0-0) P11
		16124.25			
9579	16124.16(3)	16124.14	16124.15(3)	3368	T+ 3b-2a (10-4) P4
		16124.14			T+ 3c-2a (2-2) P4
9580	16123.83(3)		16123.87(3)	3369	
9581	16123.41(4)	16123.30			
9582	16123.02(5)	16122.88			
9583	16122.27(3)	16122.30			
9584	16121.48(3)	16121.49	16121.46(4)	3370	
		16120.51			
9585	16120.18(5)				
9586	16119.92(3)	16119.99			S+ EF-2B (17-1) P7
9587	16119.45(3)	16119.45	16119.43(3)	3371	T+ 3c-2a (1-1) P8
9588	16118.99(4)				
9589	16118.54(3)	16118.51	16118.53(3)	3372	
9590	16118.27(3)	16118.30	16118.28(4)	3373	
9591	16117.10(7)	16117.21			
9592	16116.39(4)		16116.38(3)	3374	
9593	16115.79(5)	16115.96			
9594	16115.43(4)				
9595	16115.31(3)	16115.32	16115.31(3)	3375	T+ 3d-2c (3-3) R9
9596	16114.95(4)	16115.21			
9597	16114.71(6)	16114.91	16114.91(3)	3376	
9598	16114.28(5)				
9599	16113.78(3)	16113.81			
		16113.72			
9600	16113.49(4)	16113.45			T- 3c-2a (10-9) Q3
9601	16112.94(3)	16112.96			

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
		16112.10			
9602	16110.80(5)				
9603	16110.39(3)	16110.35	16110.38(3)	3377	T- 3c-2a (2-2) Q9
9604	16110.10(4)		16110.20(3)	3378	
9605	16109.14(3)	16109.17			
9606	16108.02(3)		16108.03(5)	3379	
		16107.21			
9607	16106.20(3)	16106.18	16106.18(3)	3380	T+ 3d-2c (2-2) Q9
9608	16106.00(4)				
9609	16105.77(3)	16105.66	16105.81(3)	3381	
9610	16105.26(4)	16105.38			
9611	16104.80(2)	16104.79	16104.82(3)	3382	T+ 3c-2a (3-3) R0
9612	16104.33(4)	16104.21			
		16103.98			
9613	16103.55(2)	16103.58	16103.61(4)	3383	
9614	16102.32(3)	16102.37	16102.34(4)	3384	T+ 3d-2c (3-3) P4
9615	16102.05(2)	16102.08	16102.09(3)	3385	
		16100.72			
9616	16100.15(2)	16100.19	16100.16(3)	3386	T- 3c-2a (1-1) Q14
9617	16099.69(3)				
9618	16099.33(5)	16099.41			S- 3F-2C (3-1) P3
9619	16098.60(4)				
9620	16098.19(2)	16098.18	16098.16(4)	3387	T- 3c-2a (10-9) Q4
		16097.31			
		16096.48			
9621	16095.62(4)	16095.57			S- 3E-2B (2-10) Q4
9622	16094.59(3)		16094.53(4)	3388	
9623	16094.23(3)	16094.26			
9624	16093.66(3)	16093.60			
		16093.34			
9625	16092.03(2)	16092.01			
9626	16091.83(3)				
9627	16091.44(4)				
9628	16090.19(3)		16090.13(3)	3389	
9629	16089.07(3)				
9630	16088.21(3)	16088.20			
9631	16087.77(3)				
9632	16087.30(5)				
9633	16086.94(2)	16086.91	16086.91(4)	3390	
9634	16086.64(3)				
9635	16086.12(2)	16086.12	16086.09(3)	3391	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9636	16085.70(3)				
9637	16085.21(3)	16085.18			T+ 3d-2c (2-2) P7
9638	16084.63(3)				
9639	16083.75(3)	16083.68			
9640	16082.42(5)	16082.37			
9641	16081.23(4)				
9642	16080.90(2)	16080.87			
9643	16080.441(14)	16080.43	16080.44(3)	3392	T- 3c-2a (0-0) Q18
		16080.43			T+ 3c-2a (2-2) P5
9644	16080.075(15)	16080.13	16080.14(4)	3393	
			16079.99(4)	3394	
9645	16079.748(16)		16079.73(3)	3395	
9646	16079.238(17)	16079.22	16079.20(5)	3396	T- 3c-2a (10-9) Q5
9647	16078.77(2)	16078.96			
		16078.82			
9648	16078.17(5)	16078.23			
9649	16077.76(4)	16077.86			S+ EF-2B (20-3) R1
9650	16077.37(3)				
9651	16076.978(19)	16077.05			
		16076.81			
9652	16076.467(14)	16076.57	16076.50(4)	3397	
		16076.39	16076.41(4)	3398	T+ 3d-2c (3-3) Q6
9653	16076.213(15)	16076.20	16076.23(3)	3399	
9654	16075.79(3)				
9655	16075.47(3)	16075.57			
9656	16074.91(2)	16075.03			S+ EF-2B (20-3) R2
9657	16074.452(14)	16074.46	16074.47(3)	3400	T- 3c-2a (3-3) Q1
9658	16073.969(17)	16073.91	16074.01(4)	3401	S+ EF-2B (20-3) R0
9659	16073.49(3)	16073.62			
9660	16072.98(2)	16073.03			
		16071.25			
9661	16070.721(15)	16070.74			
9662	16070.40(3)				
9663	16069.85(2)				
9664	16069.13(4)	16069.23			S- 3F-2B (0-7) Q5
9665	16068.71(2)				
9666	16068.08(3)	16068.04			
9667	16067.73(2)				
9668	16067.397(13)	16067.38	16067.389(11)	3402	T- 3c-2a (3-3) Q2
9669	16067.02(2)				
9670	16066.588(18)	16066.62	16066.597(17)	3403	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9671	16066.283(19)	16066.23	16066.233(16)	3404	
9672	16065.35(3)	16065.35			S+ EF-2B (20-3) R3
9673	16064.666(15)	16064.68	16064.660(16)	3405	T+ 3b-2a (8-3) P5
		16064.68			S- 3F-2C (3-1) P4
9674	16063.88(5)				
9675	16063.56(2)	16063.72			
		16063.58			
9676	16063.03(3)	16063.18			
9677	16062.636(14)	16062.63	16062.628(14)	3406	T+ 3c-2a (1-1) P9
9678	16062.22(3)				
9679	16061.99(3)	16062.07	16062.068(14)	3407	
9680	16059.839(18)				
9681	16059.46(4)				
9682	16059.40(2)	16059.41	16059.408(15)	3408	T+ 3c-2a (0-0) P12
9683	16058.92(2)				
9684	16058.200(18)	16058.18			S- 3E-2B (2-10) Q3
9685	16057.54(4)	16057.54			
9686	16057.17(3)				
9687	16056.861(14)	16056.84	16056.860(12)	3409	T- 3c-2a (3-3) Q3
9688	16056.60(2)	16056.62	16056.67(2)	3410	
9689	16056.35(3)	16056.28	16056.49(2)	3411	
		16055.97			
9690	16055.178(15)	16055.13	16055.18(3)	3412	
9691	16053.98(2)	16054.00			
9692	16052.70(4)		16052.63(2)	3413	
9693	16052.40(3)	16052.31	16052.45(4)	3414	
9694	16051.844(15)	16051.84	16051.88(3)	3415	
9695	16050.64(2)	16050.44	16050.76(3)	3416	
9696	16050.071(15)	16050.07	16050.078(16)	3417	T+ 3d-2c (4-4) R1
9697	16049.73(2)	16049.78	16049.734(17)	3418	
9698	16048.703(18)	16048.67	16048.73(2)	3419	
9699	16047.86(2)	16047.84	16047.84(2)	3420	
9700	16047.58(2)	16047.59	16047.620(16)	3421	T+ 3d-2c (4-4) R2
9701	16047.12(6)				
9702	16046.67(6)				
9703	16046.05(2)	16046.03	16046.04(2)	3422	
9704	16045.84(3)		16045.80(3)	3423	
9705	16045.62(2)	16045.63	16045.634(15)	3424	T+ 3d-2c (2-2) Q10
9706	16045.25(3)	16045.20			S+ EF-2B (20-3) P1
9707	16044.82(3)				
9708	16044.35(11)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9709	16043.98(4)				
9710	16043.29(3)	16043.49 16043.19			
9711	16042.853(19)	16042.85	16042.854(12)	3425	T- 3c-2a (3-3) Q4
9712	16042.49(2)		16042.533(19)	3426	
9713	16042.18(4)				
9714	16041.89(3)	16041.98	16041.96(2)	3427	T+ 3b-2a (5-1) P8
9715	16041.47(4)	16041.49			
9716	16040.71(2)	16040.70	16040.697(16)	3428	
9717	16040.29(7)				
9718	16039.68(2)	16039.71	16039.71(2)	3429	
9719	16038.14(2)	16038.11	16038.106(17)	3430	T+ 3d-2c (4-4) R3
9720	16038.00(2)		16037.99(3)	3431	
		16036.56			
9721	16036.27(2)	16036.24	16036.23(2)	3432	
9722	16035.92(3)				
9723	16035.41(3)	16035.42	16035.39(3)	3433	T+ 3d-2c (3-3) P5
9724	16035.10(3)	16035.12	16035.08(3)	3434	
9725	16034.35(3)	16034.45 16034.18			
9726	16033.887(19)	16033.89	16033.883(12)	3435	T+ 3c-2a (2-2) P6
9727	16033.54(2)		16033.62(2)	3436	
9728	16033.18(2)	16033.23	16033.219(15)	3437	
9729	16032.59(3)	16032.62	16032.59(3)	3438	
9730	16031.64(2)	16031.69			
9731	16031.21(2)	16031.20	16031.21(3)	3439	
9732	16030.55(3)	16030.50			
9733	16027.70(3)				
9734	16027.52(3)	16027.59 16027.27	16027.60(3)	3440	S+ WX-2B (0-4) P1
9735	16026.65(2)	16026.65			
9736	16025.93(4)				
9737	16025.469(19)	16025.49	16025.494(13)	3441	T- 3c-2a (3-3) Q5
9738	16024.99(3)				
9739	16024.52(2)	16024.56	16024.55(2)	3442	
9740	16024.03(2)	16024.02	16024.06(2)	3443	T+ 3d-2c (3-3) Q7
9741	16023.85(2)		16023.90(2)	3444	
9742	16023.46(3)	16023.34			
9743	16022.90(2)	16022.90	16022.91(18)	3445	T+ 3d-2c (4-4) R4
9744	16022.78(3)				
9745	16022.19(2)	16022.21			T- 3c-2a (0-0) Q19

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9746	16021.88(3)	16021.87			
9747	16021.72(3)				
9748	16021.10(3)				
		16020.58			S+ EF-2B (20-3) P2
9749	16018.86(3)	16018.86			
9750	16018.225(18)	16018.15			
9751	16017.93(2)				
9752	16017.39(2)	16017.40	16017.42(2)	3446	
		16017.25	16017.25(3)	3447	
9753	16017.15(3)		16017.12(3)	3448	
9754	16016.95(4)				
9755	16016.34(2)				
9756	16016.019(19)	16016.00	16016.00(2)	3449	
9757	16015.681(17)	16015.68	16015.697(14)	3450	T+ 3b-2a (6-2) R1
9758	16014.884(18)	16014.91	16014.91(4)	3451	
9759	16014.271(18)	16014.32	16014.296(13)	3452	T+ 3c-2a (3-3) P2
9760	16013.979(17)	16014.02	16014.006(13)	3453	T+ 3b-2a (6-2) R2
9761	16013.64(4)	16013.82			
		16013.45			
9762	16013.037(19)	16013.19	16013.05(3)	3454	
9763	16012.71(4)				
9764	16012.12(2)				
9765	16011.783(16)	16011.79	16011.79(3)	3455	
9766	16011.30(2)				
9767	16010.24(2)	16010.25	16010.24(3)	3456	
9768	16009.21(6)				
9769	16007.18(5)	16007.03			
9770	16006.76(3)	16006.71	16006.75(2)	3457	
9771	16006.323(18)	16006.33	16006.32(2)	3458	T+ 3b-2a (6-2) R0
		16006.13			
		16005.70			
9772	16005.287(19)	16005.29	16005.19(4)	3459	
9773	16004.807(16)	16004.83	16004.81(2)	3460	T- 3c-2a (3-3) Q6
9774	16004.37(3)				
9775	16004.024(16)	16004.02	16004.03(2)	3461	T+ 3c-2a (1-1) P10
			16003.95(3)	3462	
9776	16003.580(17)	16003.61	16003.54(3)	3463	
9777	16003.200(17)	16003.20	16003.24(3)	3464	T+ 3d-2c (4-4) R5
			16003.15(3)	3465	
9778	16002.91(3)				
		16002.78	16002.79(3)	3466	

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9779	16002.70(2)		16002.65(4)	3467	
		16001.86			
9780	16001.437(19)	16001.40	16001.44(2)	3468	
9781	16001.233(18)	16001.29	16001.27(2)	3469	T+ 3b-2a (6-2) R3
9782	16000.155(16)	16000.14	16000.15(2)	3470	
9783	15998.33(2)	15998.34	15998.33(4)	3471	S+ EF-2B (18-2) R1
9784	15997.75(2)				
9785	15997.337(17)	15997.33	15997.34(2)	3472	T+ 3c-2a (4-4) R6
		15997.33			S+ EF-2B (29-8) R1
9786	15997.064(19)	15997.03	15997.09(2)	3473	T+ 3d-2c (4-4) Q2
9787	15996.89(2)	15996.92	15996.92(2)	3474	
9788	15996.36(3)		15996.28(4)	3475	
9789	15996.06(3)	15995.98			S+ EF-2B (18-2) R2
9790	15995.65(3)	15995.43			
9791	15994.952(16)	15994.97	15994.96(2)	3476	T+ 3c-2a (4-4) R5
		15994.14			
		15993.71			S+ EF-2B (18-2) R0
		15993.25			S+ EF-2B (29-8) R2
9792	15992.92(4)	15992.87			
9793	15992.041(15)	15992.02	15992.05(3)	3477	
		15991.37			
		15990.91			
9794	15990.38(3)				
9795	15989.95(2)	15989.93			
9796	15989.24(3)	15989.27			S+ EF-2B (20-3) P3
9797	15988.171(18)	15988.19	15988.31(4)	3478	
9798	15987.412(13)	15987.43	15987.44(2)	3479	T+ 3c-2a (4-4) R4
9799	15986.59(2)	15986.61	15986.65(5)	3480	S+ EF-2B (18-2) R3
9800	15985.519(16)	15985.44	15985.56(4)	3481	
9801	15985.28(2)				
9802	15984.679(13)	15984.68	15984.70(2)	3482	T+ 3c-2a (2-2) P7
9803	15984.05(2)				
9804	15983.735(17)	15983.87			S+ EF-2B (29-8) R3
9805	15983.34(2)	15983.26			
9806	15982.97(3)				
		15982.57			
		15981.62			
9807	15980.867(13)	15980.88	15980.87(4)	3483	T- 3c-2a (3-3) Q7
9808	15980.336(15)		15980.29(4)	3484	
9809	15980.137(14)	15980.20	15980.12(4)	3485	
9810	15979.76(2)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9811	15979.38(2)	15979.37 15978.96 15978.33			
9812	15977.82(3)				
9813	15977.566(13)	15977.69 15977.69 15977.48	15977.62(3) 15977.51(3)	3486 3487	T+ 3c-2a (3-3) P3 T- 3f-2c (1-2) R5 T+ 3b-2a (6-2) R4
9814	15977.11(4)	15976.32			
9815	15975.779(14)	15975.77	15975.76(3)	3488	T+ 3c-2a (4-4) R3
9816	15975.514(15)	15975.52 15975.28 15974.51	15975.49(3)	3489	T+ 3b-2a (8-3) P6 S+ EF-2B (29-8) R4
9817	15973.98(2)		15974.02(5) 15973.88(5) 15973.17(5)	3490 3491 3492	
9818	15972.88(2)	15972.80	15972.83(5)	3493	
9819	15972.332(18)	15972.31 15971.75			S+ GK-2B (5-10) R5 S+ EF-2B (29-8) P1
9820	15970.58(3)	15970.54	15970.61(4)	3494	
9821	15970.09(2)	15970.01			S+ EF-2B (18-2) R4
9822	15969.560(14)	15969.49	15969.53(4)	3495	
9823	15969.383(16)		15969.38(4)	3496	
9824	15968.77(2)		15968.68(5)	3497	
9825	15968.405(17)	15968.36	15968.37(4)	3498	
9826	15968.23(2)		15968.19(4)	3499	
9827	15967.703(15)	15967.75	15967.67(4)	3500	
9828	15966.51(3)				
9829	15965.97(5)				
9830	15965.29(2)	15965.22			
9831	15964.61(4)	15964.71 15964.60			
9832	15964.216(16)	15964.22	15964.21(4)	3501	
9833	15963.774(18)	15963.75	15963.75(4)	3502	S+ EF-2B (18-2) P1
9834	15963.56(2)				
9835	15962.84(2)	15962.78			
9836	15962.53(3)	15962.55			
9837	15962.132(14)	15962.14 15961.71	15962.14(5)	3503	T- 3c-2a (0-0) Q20
9838	15961.02(2)	15960.97	15960.97(5)	3504	
9839	15960.84(3)				

Table II (Continued).

K_1	$\nu^{(a)}$	ν	$\nu^{(c)}$	K_2	Assignment
9840	15960.293(13)	15960.29 15960.11	15960.30(3)	3505	T+ 3c-2a (4-4) R2
9841	15959.84(3)	15959.44			
9842	15957.919(18)	15957.91	15957.92(4)	3506	
9843	15957.47(3)		15957.63(5) 15957.18(4)	3507 3508	
9844	15957.105(18)	15957.11	15957.07(4)	3509	
9845	15956.84(3)	15955.98 15955.46			
9846	15954.59(2)	15954.59	15954.587(19)	3510	T+ 3b-2a (6-2) P1
9847	15954.22(3)				
9848	15953.789(17)	15953.77	15953.783(16)	3511	T- 3c-2a (3-3) Q8
9849	15953.29(2)				
9850	15953.11(2)	15953.20	15953.11(2)	3512	
9851	15952.722(17)	15952.74 15951.89 15951.38 15950.72	15952.713(15)	3513	T+ 3b-2a (3-0) R2 S+ EF-2B (20-3) P4
9852	15949.21(2)	15949.22			S+ EF-2B (29-8) P2
9853	15948.806(18)	15948.83	15948.823(17)	3514	T+ 3b-2a (3-0) R1
9854	15948.398(19)	15948.43	15948.39(3)	3515	
9855	15947.108(19)	15947.07	15947.073(16)	3516	
9856	15946.635(18)	15946.66	15946.635(16)	3517	T+ 3b-2a (3-0) R3
9857	15946.22(2)	15946.26	15946.21(3)	3518	S+ EF-2B (18-2) R5